



# SECTION 2

## Region Description





## Contents

2.	REGION DESCRIPTION .....	2-1
2.1.	Regional Boundary .....	2-1
2.2.	Internal Boundaries .....	2-2
2.2.1.	Municipality and County Boundaries .....	2-4
2.2.2.	Watershed Boundaries and Surface Water Features .....	2-6
2.2.3.	Groundwater Subbasin and Groundwater Management Agency Boundaries .....	2-8
2.2.4.	Stormwater and Flood Management Agency Boundaries.....	2-10
2.2.5.	Water Agency Boundaries .....	2-12
2.2.6.	Wastewater Agency Boundaries .....	2-14
2.3.	Relationship to the Sacramento-San Joaquin Delta .....	2-16
2.4.	Adjacent Areas .....	2-18
2.5.	Regional Economic Conditions and Trends.....	2-20
2.5.1.	General Land-Use Information .....	2-20
2.5.2.	Population .....	2-21
2.5.3.	Employment.....	2-23
2.5.4.	Income.....	2-24
2.5.5.	Housing.....	2-27
2.5.6.	Regional Growth Trends.....	2-27
2.5.7.	Social and Cultural Makeup of the Regional Community .....	2-31
2.6.	Water and Environmental Resources Setting.....	2-32
2.6.1.	Climate.....	2-33
2.6.2.	Watershed Characteristics.....	2-34
2.6.3.	Groundwater: Groundwater Basin Characteristics.....	2-64
2.7.	Flood and Stormwater Management Systems.....	2-72
2.7.1.	State Plan of Flood Control Facilities .....	2-73
2.7.2.	Sacramento Area Flood Control Agency .....	2-77
2.7.3.	Sacramento County Area .....	2-78
2.7.4.	Placer County Area .....	2-82
2.7.5.	El Dorado County Area.....	2-85
2.8.	Water Delivery and Wastewater Systems .....	2-86
2.8.1.	Major Water Supply and Wastewater-Related Infrastructure .....	2-86
2.8.2.	Placer County Water Agency.....	2-89
2.8.3.	City of Lincoln.....	2-90
2.8.4.	City of Roseville .....	2-91
2.8.5.	California American Water.....	2-93
2.8.6.	San Juan Water District.....	2-94
2.8.7.	Orange Vale Water Company .....	2-95
2.8.8.	Citrus Heights Water District.....	2-95
2.8.9.	Fair Oaks Water District .....	2-96
2.8.10.	Carmichael Water District .....	2-97
2.8.11.	Sacramento Suburban Water District.....	2-97
2.8.12.	Del Paso Manor Water District.....	2-98
2.8.13.	Golden State Water Company.....	2-98
2.8.14.	Rio Linda/Elverta Community Water District .....	2-99
2.8.15.	Natomas Central Mutual Water Company .....	2-100
2.8.16.	City of Sacramento.....	2-100
2.8.17.	El Dorado Irrigation District.....	2-101

2.8.18.	City of Folsom .....	2-102
2.8.19.	Sacramento County Water Agency .....	2-103
2.8.20.	Elk Grove Water District .....	2-104
2.8.21.	Fruitridge Vista Water Company .....	2-105
2.8.22.	Tokay Park Water Company .....	2-105
2.8.23.	Florin County Water District .....	2-105
2.8.24.	Rancho Murieta Community Services District .....	2-105
2.8.25.	City of Galt .....	2-106
2.8.26.	Placer County .....	2-107
2.8.27.	City of Auburn .....	2-107
2.8.28.	South Placer Municipal Utilities District .....	2-108
2.8.29.	Sacramento Regional County Sanitation District .....	2-108
2.9.	Water Demands and Supplies .....	2-109
2.9.1.	Water Demands .....	2-109
2.9.2.	Water Supplies .....	2-115
2.9.3.	Future Outlook Considering Water Supplies and Demands .....	2-129
2.10.	Climate Change .....	2-130
2.10.1.	Regional Climate Change Effects and Vulnerabilities .....	2-130
2.10.2.	Climate Change Mitigation and Adaptation Strategies .....	2-138
2.11.	Technical Analysis .....	2-141
2.11.1.	Technical Data and Information .....	2-141
2.11.2.	Technical Analyses and Methods .....	2-143

## List of Figures

Figure 2-1.	Municipal and County Boundaries in the ARB Region .....	2-5
Figure 2-2.	Watersheds and Surface Water Bodies .....	2-7
Figure 2-3.	Groundwater Subbasins and Management Areas .....	2-9
Figure 2-4.	Stormwater and Flood Management Areas .....	2-11
Figure 2-5.	Water Agency Boundaries .....	2-13
Figure 2-6.	Wastewater Agency Jurisdictional Areas .....	2-15
Figure 2-7.	Legal Delta and ARB Region .....	2-17
Figure 2-8.	Neighboring IRWM Regions .....	2-19
Figure 2-9.	2008 Land Use by County .....	2-21
Figure 2-10.	Disadvantaged Communities within the ARB Region .....	2-26
Figure 2-11.	Regional Growth Trends in Population, Employment and Housing .....	2-28
Figure 2-12.	Sacramento County Agricultural Land and Urban and Built-up Land from 2000 to 2010 .....	2-29
Figure 2-13.	El Dorado County Agricultural Land and Urban and Built-up Land from 2000 to 2010 .....	2-29
Figure 2-14.	Placer County Agricultural Land and Urban and Built-up Land from 2000 to 2008 .....	2-30
Figure 2-15.	Ethnic Makeup of the Regional Community .....	2-32
Figure 2-16.	Average Monthly Maximum and Minimum Temperatures .....	2-34
Figure 2-17.	Average Monthly Precipitation and Evapotranspiration .....	2-34
Figure 2-18.	Outlines of Major Rivers and Streams in the ARB Region .....	2-37
Figure 2-19.	Average Monthly Flows at Freeport .....	2-38
Figure 2-20.	Upper Bear Watershed .....	2-42
Figure 2-21.	Upper Coon-Upper Auburn Watershed .....	2-44
Figure 2-22.	Lower American Watershed .....	2-48

Figure 2-23. Average Monthly Flows at Fair Oaks USGS Gage.....	2-50
Figure 2-24. Lower Sacramento Watershed .....	2-56
Figure 2-25. Upper Cosumnes Watershed .....	2-59
Figure 2-26. Average Monthly Flows at Michigan Bar.....	2-60
Figure 2-27. Upper Mokelumne Watershed .....	2-63
Figure 2-28. Regional Geologic Cross Section.....	2-66
Figure 2-29. Extents of Contamination Plumes as Reported in 2011 SGA Basin Management Report.....	2-68
Figure 2-30. SPFC Facilities in the ARB Region .....	2-75
Figure 2-31. Water Supply Portfolios as Reported in 2010 UWMPs.....	2-127

## List of Tables

Table 2-1. Water-Related Agencies Within the ARB Region .....	2-3
Table 2-2. 2008 Population by Area .....	2-22
Table 2-3. SACOG Population Projections by County.....	2-22
Table 2-4. Sacramento County Employment Summary .....	2-23
Table 2-5. Placer County Employment Summary .....	2-24
Table 2-6. El Dorado County Employment Summary.....	2-24
Table 2-7. Regional Median Income Data .....	2-24
Table 2-8. Disadvantaged Community Data.....	2-25
Table 2-9. Housing Units Estimates–2012 .....	2-27
Table 2-10. Sacramento Valley Water Year Types and Occurrence (1906 – 2012).....	2-39
Table 2-11. WFA Water Year Types and Occurrence (1901–2010) .....	2-49
Table 2-12. Species of Concern on Lower American River .....	2-53
Table 2-13. ARB Region’s Exposure to Flood Hazards .....	2-72
Table 2-14. SPFC Facilities in the ARB Region .....	2-76
Table 2-15. SPFC Levees in the ARB Region.....	2-76
Table 2-16. SAFCA Districts and Funding Expenditures.....	2-78
Table 2-17. Treatment Capacity at Existing/Planned WTPs within the ARB Region.....	2-87
Table 2-18. WWTPs Within the ARB Region.....	2-89
Table 2-19. Estimated Recent Historical Water Demands (AFY).....	2-110
Table 2-20. Projected Annual Water Demands (AFY).....	2-111
Table 2-21. Baseline and Target Demands (gallons per capita per day).....	2-113
Table 2-22. Surface Water Rights and Contracts.....	2-117
Table 2-23. Groundwater Extraction (AFY).....	2-124
Table 2-24. Recycled Water Use Summary–2010.....	2-125
Table 2-25. Projected Water Supplies.....	2-128
Table 2-26. GHG Emissions Inventories and Climate Change-Related Plans in the ARB Region.....	2-138
Table 2-27. Data Used in the ARB IRWMP 2013 Update .....	2-142

*This page left blank intentionally.*

## **2. REGION DESCRIPTION**

---

This section describes the area encompassed by the American River Basin (ARB) Region, internal boundaries, and adjacent areas. Subsequently, the Region's economic trends and conditions are characterized with the discussion of trends in land use, demographics, and social and cultural makeup. An explanation of the water and environmental resources setting follows, which includes general information on climate; hydrology, water quality, habitat, and management of watersheds; and hydrogeology, water quality, and management characteristics of groundwater subbasins. This discussion is followed by stormwater and flood management systems; the discussion provides both a region-wide and local perspective on stormwater and floodwater management. The explanation of the water and wastewater systems lists the major water-related infrastructure, including water treatment and wastewater treatment plants of the ARB Region. The following subsection on water demands and supplies first explores historic and projected demands as well as current demand management measures. The water supply description characterizes the Region's surface water, groundwater, and recycled water supplies, and explains water agencies' water supply portfolios and their projected future demands. The section ends with a discussion of the Region's vulnerabilities and adaptations to climate change.

The Region Description section includes updated information from numerous local planning documents developed by government and local agencies within the ARB Region, in addition to available descriptive data, such as population and hydrologic data. Examples of these documents include, for example, urban water management plans (UWMP), water master plans, and general plans. An explanation of technical analyses conducted in support of this section can be found in **Section 2.11**, and a list of references can be found in **Section 7**.

### **2.1. Regional Boundary**

The ARB Region encompasses Sacramento County and the lower watershed portions of Placer and El Dorado counties. **Figure 2-1** shows the ARB Region along with the Water Forum Agreement (WFA) planning boundary and neighboring integrated regional water management (IRWM) regions. The ARB Region boundary builds on this WFA history and boundary. Further, by designating the more urbanized portions of the greater Sacramento area within one IRWM region, the Region maximizes opportunities to integrate water resources management within areas facing relatively common challenges. The boundaries of the ARB Region were defined by working directly with the organizations with water management authority to identify the most appropriate planning area.

**Section 2**  
**Region Description**

---

In Sacramento County, nearly the entire county is included in the ARB Region. At the recommendation of Sacramento County, the southeastern most portion of the county (referred to commonly as the "tail") was excluded. This area was excluded because it lies exclusively within the Sacramento-San Joaquin River Delta (Delta). This area has unique management issues that are beyond the scope of the ARB Integrated Regional Water Management Plan (IRWMP).

In Placer County, the western boundary is limited to the service area covered by the Placer County Water Agency (PCWA). This leaves a small area in western Placer County that is not covered by this plan. Stakeholders that are currently in that area will not be excluded from participating in the ARB IRWMP, but it was not included because it extends beyond the service areas of current participants with water management authority. In eastern Placer County, PCWA recommended including its service area around the city of Auburn (Auburn), because of its proximity to Folsom Reservoir, the Sacramento Valley Groundwater Basin, and the Sacramento metropolitan area.

In El Dorado County, only the westernmost portion of the county is included. With the recommendation of El Dorado Irrigation District (EID), the area corresponding to the community of El Dorado Hills was included in the ARB Region. This area was included because of its proximity to Folsom Reservoir, the Sacramento Valley Groundwater Basin, and the Sacramento metropolitan area.

## **2.2. Internal Boundaries**

The ARB Region includes numerous political subdivision boundaries, watershed boundaries, groundwater subbasin boundaries, stormwater/floodwater management agency boundaries, water agency boundaries, and wastewater agency jurisdictional boundaries. Separate maps display each of these boundaries in the following subsections.

**Table 2-1** below lists the various water management-related agencies in the ARB Region. These agencies interact, cooperate, and occasionally have conflicting interests with one another, creating a complex water management landscape within the Region. **Table 2-1** presents organizations with at least one water management-related statutory authority and indicates the nature of that authority. Further information can be found in relevant subsections throughout **Section 2**. Most agencies and their general service areas can be located in at least one of the maps in **Figures 2-1** through **2-6**. Other nongovernmental water-related organizations exist within the Region, although they may not be listed here.



**Table 2-1. Water-Related Agencies Within the ARB Region**

Agency	Water-Related Activities			
	Water Supply/ Groundwater	Wastewater/ Recycled Water	Stormwater/ Flood Management	Land-Use Planning
American River Flood Control District			X	
California American Water*	X			
Carmichael Water District*	X			
Citrus Heights Water District*	X			
City of Auburn		X	X	X
City of Citrus Heights			X	X
City of Elk Grove			X	X
City of Folsom*	X	X	X	X
City of Galt	X	X	X	X
City of Lincoln*	X	X	X	X
City of Rancho Cordova			X	X
City of Rocklin			X	X
City of Roseville*	X	X	X	X
City of Sacramento*	X	X	X	X
Clay Water District	X			
Del Paso Manor Water District*	X			
El Dorado County	X		X	X
El Dorado Irrigation District*	X	X		
Elk Grove Water District*	X			
Fair Oaks Water District*	X			
Florin County Water District	X			
Freeport Regional Water Authority	X			
Fruitridge Vista Water Company*	X			
Galt Irrigation District	X			
Golden State Water Company*	X			
Natomas Central Mutual Water Company	X			
Omochumne-Hartnell Water District	X			
Orange Vale Water Company*	X			
Placer County		X	X	X
Placer County Flood Control & Water Conservation District			X	
Placer County Resource Conservation District				X
Placer County Water Agency*	X			
Rancho Murieta Community Services District*	X	X	X	X
Reclamation District 1000			X	
Rio Linda/Elverta Community Water District*	X			

**Table 2-1. Water-Related Agencies Within the ARB Region (contd.)**

Agency	Water-Related Activities			
	Water Supply/ Groundwater	Wastewater/ Recycled Water	Stormwater/ Flood Management	Land-Use Planning
Sacramento Area Council of Governments				X
Sacramento Area Flood Control Agency			X	
Sacramento Area Sewer District		X		
Sacramento Central Groundwater Authority	X			
Sacramento County			X	X
Sacramento County Water Agency*	X		X	
Sacramento Groundwater Authority	X			
Sacramento Regional County Sanitation District*		X		
Sacramento Suburban Water District*	X			
San Juan Water District*	X			
South Area Water Council	X			
South Placer Utility District		X		
South Sutter Water District	X			
Southeast Sacramento County Agricultural Water Authority	X			
Tokay Park Water District	X			
Town of Loomis			X	X

Note:

\* Agency is a member or an associate member of the RWA.

### **2.2.1. Municipality and County Boundaries**

Figure 2-1 shows county, city and town boundaries within the ARB Region. Counties and municipalities are often involved in providing water supply, wastewater, and stormwater management services for their citizens. In cases where these services are not provided by these entities, special service districts assume these roles. During development of the ARB IRWMP, representatives from each of the municipalities or of special districts providing these services were engaged to ensure broad representation of water planning interests.




Figure 2-1. Municipal and County Boundaries in the ARB Region

### **2.2.2. Watershed Boundaries and Surface Water Features**

The ARB Region lies in both the Sacramento and San Joaquin hydrologic regions and includes portions of six watersheds, as delineated by U.S. Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) datasets (see **Figure 2-2**). These watershed characteristics are described in **Section 2.5.2**. Key surface water bodies of the ARB Region include Folsom Reservoir, the American River, the Sacramento River, and the Cosumnes River. These water bodies were integral in defining the ARB Region, as they provide a substantial portion of the Region's water supply. These and other surface water bodies are shown in **Figure 2-2**. The portion of the Sacramento River that runs by the city of Sacramento (Sacramento) and Sacramento County acts as the western boundary of the ARB Region. Also shown in **Figure 2-2** is the California Department of Water Resources (DWR) boundary between the Sacramento and San Joaquin hydrologic regions. The ARB Region is part of both of these hydrologic regions, primarily because of past interaction with Sacramento County and the Water Forum.




Figure 2-2. Watersheds and Surface Water Bodies

### **2.2.3. Groundwater Subbasin and Groundwater Management Agency Boundaries**

Most of the ARB Region overlies the North American, South American, and the Cosumnes groundwater subbasins, as defined by DWR. These subbasins and the four groundwater management entity jurisdictional areas are shown in **Figure 2-3**. More information on hydrogeology, groundwater, and groundwater management entities can be found in **Section 2.6.3**.




Figure 2-3. Groundwater Subbasins and Management Areas

#### **2.2.4. Stormwater and Flood Management Agency Boundaries**

Stormwater and flood management boundaries follow both city boundaries as well as flood specific agency boundaries. Flood agencies in the ARB Region include Reclamation District (RD) 1000, the American River Flood Control District (ARFCD), and the multiagency Sacramento Area Flood Control Agency (SAFCA). SAFCA boundaries include Sacramento and Sacramento County, but also include agricultural areas outside of the ARB Region boundaries such as the Natomas Basin and Sutter County. Cities within the ARB Region are responsible for their respective stormwater management systems. **Figure 2-4** shows stormwater and flood management agency jurisdictional boundaries as well as the Federal Emergency Management Agency (FEMA) 100-year floodplain.






Figure 2-4. Stormwater and Flood Management Areas

### **2.2.5. Water Agency Boundaries**

Each water agency in the ARB Region is identified in **Figure 2-5**. As illustrated in **Figure 2-5**, there are 28 agencies with water delivery authority identified in the vicinities of Sacramento County and western Placer and El Dorado counties. One agency identified, South Sutter Water District (South Sutter WD), does not have its service area included in the ARB Region. However, Camp Far West (CFW) Reservoir, owned and operated by South Sutter WD, is partially within the ARB Region on the northernmost border. South Sutter WD has participated in ARB IRWMP stakeholder meetings, and has a project included in the ARB IRWMP at the time of adoption. Of the agencies shown on the map, 21 are primarily public water suppliers, five are primarily agricultural irrigation districts, two (PCWA and EID) supply both public supply and raw water supply for agriculture, and one (Sacramento Municipal Utility District [SMUD]) provides water for nonpotable uses at the former Rancho Seco Nuclear Generating Station. This nuclear station has been decommissioned and is now operated as a regional recreational park, including a 160-acre lake.




Figure 2-5. Water Agency Boundaries

### **2.2.6. Wastewater Agency Boundaries**

Incorporated cities, the South Placer Utility District, and Placer County provide wastewater sewer systems as well as wastewater treatment plants (WWTP) in Placer County. Sacramento Regional County Sanitation District (SRCSD) collects and treats wastewater regionally, and from most of the urbanized areas within and immediately surrounding Sacramento County. El Dorado Hills within El Dorado County is served by EID and their WWTP. These boundaries are shown in **Figure 2-6**.




Figure 2-6. Wastewater Agency Jurisdictional Areas

### **2.3. Relationship to the Sacramento-San Joaquin Delta**

A small portion of the ARB Region's southwestern corner is within the legally defined Delta, as shown in **Figure 2-7**. Approximately 66 square miles of the Delta are included in the ARB's overall 1,233-square-mile area. The vast majority of the ARB Region does not receive water supplied from the Delta.

The single point of diversion in the ARB Region located within the Delta is the intake facility for the Freeport Regional Water Project (FRWP) on the Sacramento River just south of the Pocket area of Sacramento, near the community of Freeport. The FRWP emerged as a collaborative and more environmentally sensitive solution for the delivery of water. A series of lawsuits dating back to 1972 prevented a diversion off the American River near Lake Natoma by East Bay Municipal Utility District (EBMUD). The controversy began in 1970 when U.S. Department of the Interior, Bureau of Reclamation (Reclamation), issued a water supply contract to EBMUD. After decades of litigation, Sacramento County Water Agency (SCWA) and EBMUD agreed to partner on a joint 185 million-gallon-per-day (MGD) intake at a location on the Sacramento River that would ensure critical flows to support habitat and species on the American River were preserved. EBMUD has 100 MGD of the intake capacity for use in dry years. SCWA has 85 MGD of the intake capacity.

Because the EBMUD portion of the project is an alternative diversion point for a water supply contract initially issued on the American River, this is not considered as receiving water supplied from the Delta. The nature of SCWA's water rights and uncertainty about future operations of the FRWP create less certainty as to whether this part of the project receives water that would be defined as being supplied from the Delta. To address this uncertainty, the ARB IRWMP has developed several strategies (as described in Section 5) that will both help reduce dependence on Delta water supply and provide other significant benefits to the Delta:

- Surface water treatment capacity, groundwater treatment capacity, and system interconnections in the Region will be increased. These actions will allow expansion of regional conjunctive use operations, using more groundwater in drier conditions and leaving more surface water in the system.
- Per capita water use in the Region will be reduced by 20 percent by year 2020.
- Recycled water use in the Region will be increased.
- Functional wetland and riparian habitat in the Region will be restored to help improve conditions for species dependent on the Delta.




Figure 2-7. Legal Delta and ARB Region

## **2.4. Adjacent Areas**

The areas adjacent to the ARB Region include Yolo, Sutter, Yuba, and San Joaquin counties. Adjacent IRWM regions include the Cosumnes/American/Bear/Yuba (CABY) Region, Westside Sacramento Region, Northern Sacramento Valley Region, Mokelumne/Amador/Calaveras Region, Yuba County Region, and Eastern San Joaquin County Region. **Figure 2-8** displays the adjacent IRWM planning regions. Interregional coordination and relationships with these adjacent IRWM regions are described in **Section 3.4**.






Figure 2-8. Neighboring IRWM Regions

## **2.5. Regional Economic Conditions and Trends**

This subsection describes the economic, demographic, and development trends of the ARB Region. These trends provide a context for and help portray and justify the water resources-specific needs and concerns, characterized in the remainder of **Section 2**.

This subsection reflects information gathered from a variety of sources and agencies. Land-use, population, and growth projection data are from Sacramento Area Council of Governments<sup>1</sup> (SACOG). Regional income and disadvantaged communities (DAC) descriptions are derived from U.S. Census data. Employment data are from the California Employment Development Department, and housing data are from the Demographic Research Unit of the California Department of Finance, which is the official source of demographic data for state of California (state) planning and budgeting. Finally, agricultural and urban land-use and growth data are from California Department of Commerce.

The ARB Region encompasses Sacramento County, the western portion of Placer County, and the El Dorado Hills portion of El Dorado County. There are multiple overlapping jurisdictional boundaries, primarily at the county level within the ARB. These data are included in this report when it refers to counties, unless otherwise noted. Data are disaggregated for the ARB-specific Region, where possible. The higher elevation portions of Placer and El Dorado counties and other adjacent geographies are part of the CABY Region. ARB's working relationship and coordination efforts with CABY are described in **Section 3.4.2**.

### **2.5.1. General Land-Use Information**

The ARB Region has historically supported agriculture, with the city of Sacramento located at the confluence of the American and Sacramento rivers serving as regional hub (and state capital) since the gold rush era. In the past several decades, urban and residential development have spread from Sacramento proper outward—upstream and easterly, along the American River toward Folsom and El Dorado Hills; north into the Natomas Basin and western Placer County, and south along Interstate 5 and Highway 99 through city of Elk Grove (Elk Grove) toward the city of Galt (Galt). The ARB Region is defined in part by the extent of planned urban boundaries.


**Figure 2-9** shows the pattern of urban development in the ARB Region. The land uses in Sacramento County are a mix of urban and agriculture. While Placer and El Dorado counties have significant urban areas in the lower elevations, agricultural and forest products are the predominant land uses in the

---

<sup>1</sup> SACOG demographic and land-use data and projections are cited in this subsection, as these are the data used by planning agencies in this region. An association of local governments, SACOG plans and funds regional transportation for the six-county Sacramento region, which includes Sacramento, Placer, El Dorado, Yuba, Sutter, and Yolo counties. SACOG data exclude the Tahoe Basin region of El Dorado and Placer counties.

remainder of these counties. The total land area encompassed by Sacramento, Placer, and El Dorado counties is approximately 2.7 million acres. The ARB Region consists of the western, downstream, and more developed half of this area, as Sacramento County accounts for approximately 750 thousand acres—a fraction of the three-county area. While data for El Dorado and Placer counties are reported, Sacramento County’s land-use breakdown is the most representative overall for the ARB Region, given overlaps and land uses. These data were provided through personal communication with a Geographic Information Systems (GIS) Analyst at SACOG in September 2012.

A more detailed discussion on the trends in farmland conversion in the Region can be found in **Section 2.5.6.2**.



*Data Source: personal communication with SACOG, September 2012a.*

**Figure 2-9. 2008 Land Use by County**

### **2.5.2. Population**

Following World War II, the population of California increased steadily and in some cases explosively, particularly in Southern California. Similarly for the Sacramento area, the Cold War era, the Korean War and Vietnam War brought employment opportunities in manufacturing and at nearby defense installations, attracting tens of thousands of people to the Region. The population of the ARB Region continues to increase for many reasons, partially for economic opportunities, described in **Section 2.5.3**, available affordable housing, described in **Section 2.5.5**, quality of life, and recreational opportunities. The total population of Sacramento, Placer, and El Dorado counties grew by more than 12 percent from 2001 to 2008. **Table 2-2** summarizes the 2008 population by county and highlights larger cities in the area. In addition to providing county-wide or city-wide data, the U.S. Census Bureau provides population by Census tract. A separate GIS analysis showed that the population in 2010 of all Census tracts that overlap the ARB Region was 1,738,876 people.

**Section 2**  
**Region Description**

**Table 2-2. 2008 Population by Area**

Area	Population (SACOG 2008)	Population (U.S. Census Bureau 2010)
El Dorado County	151,258	181,058
Placer County	336,188	348,432
City of Lincoln	45,697	42,819
City of Roseville	121,173	118,788
City of Rocklin	55,398	56,974
Town of Loomis	6,166	6,430
City of Auburn	27,666	13,330
Sacramento County	1,376,868	1,418,788
City of Sacramento	556,636	466,488
City of Citrus Heights	84,457	83,301
City of Elk Grove	150,077	153,015
City of Folsom	66,228	72,203
City of Rancho Cordova	59,980	64,776
<b>Total (3-County Region)</b>	<b>1,864,314</b>	<b>1,948,278</b>

Data Sources: SACOG 2012 and U.S. Census Bureau 2010c

Notes:

SACOG data includes population for entire counties, excluding the Tahoe basin.

U.S. Census data includes population for entire counties

Note: Population for the entire county is larger than the sum of the population of its cities, due to populations living in unincorporated areas of each county.

Key:

SACOG = Sacramento Area Council of Governments

Based on data collected by SACOG in 2012, the region's population is expected to continue growing significantly between 2013 and 2025. Sacramento County is expected to grow about 37 percent between 2008 and 2035, Placer County is expected to grow about 49 percent, and El Dorado County is expected to grow about 24 percent. As a whole, the three-county region (excluding the Tahoe Basin) is expected to grow about 38 percent, with the most aggressive growth occurring between 2020 and 2035. These overall projections apply directly to the ARB Region. The projected increase in population demonstrates a continued and increasing need throughout the Region to examine and maintain reliable water resources, supporting infrastructure and management systems. The SACOG growth projections are presented in **Table 2-3.**

**Table 2-3. SACOG Population Projections by County**

Area	2008	2020	2035
Sacramento	1,376,868	1,547,978	1,888,307
Placer	336,188	399,407	500,958
El Dorado	151,258	161,914	187,849

Data Source: SACOG 2012.

### 2.5.3. Employment

Employment in the ARB Region consists primarily of service sector employment, as shown in **Tables 2-4** through **2-6**. State and federal governments are also large employers in the Sacramento area. The number employed in Sacramento County is more than triple of that of Placer County and more than six times of that of El Dorado County. This pattern portrays that the greater Sacramento area serves as the hub for economic opportunities.

Sacramento, Placer, and El Dorado counties have faced economic hardships in the past several years, consistent with the overall national trend of economic downturn and corresponding job losses. All three counties have had double-digit unemployment rates since 2009, a number that is more than double the unemployment rates in 2005 to 2007. The total number of jobs has decreased by 8 to 10 percent in 2011, compared to the number of jobs in 2005. For reference, the total number of jobs in all employment sectors seems to have peaked around 2007. **Tables 2-4** through **2-6** present the employment statistics by sector and unemployment rates for the years 2005 to 2011.

A description of employment and economic conditions of the ARB Region is important for the public as a whole, but also for those agencies that serve them. Economic downturns are associated with less agency revenue and reduced public willingness (or ability) to pay for even much-needed services, including water. Accordingly, local agencies in many cases have not had the financial means or resources to adequately maintain, let alone expand, core water infrastructure or water management systems to optimal levels. With the recent uptick in employment and corresponding housing demand in late 2012, water-related projects in the ARB Region are expected to slowly increase as the local market is expected to begin a gentle recovery over the next few years.

**Table 2-4. Sacramento County Employment Summary**

Year	Total Jobs	Agriculture	Goods Production	Services	Unemployment Rate
2005	600,600	2,700	76,900	521,100	5.0%
2006	614,700	2,700	68,800	543,100	4.8%
2007	615,200	2,900	65,200	547,000	5.4%
2008	599,900	2,700	57,200	540,000	7.2%
2009	567,500	2,700	47,500	517,300	11.3%
2010	550,400	2,600	42,900	504,900	12.7%
2011	543,800	2,600	42,500	498,800	12.1%

*Data Source: State of California Employment Development Department 2012*

**Section 2**  
**Region Description**

**Table 2-5. Placer County Employment Summary**

Year	Total Jobs	Agriculture	Goods Production	Services	Unemployment Rate
2005	137,300	600	26,100	110,600	4.3%
2006	140,100	400	25,100	114,600	4.2%
2007	140,400	300	23,300	116,700	4.8%
2008	136,900	400	20,300	116,200	6.4%
2009	126,300	300	16,300	109,600	10.4%
2010	126,200	300	15,100	110,700	11.5%
2011	126,500	400	14,500	111,700	10.8%

*Data Source: State of California Employment Development Department 2012*

**Table 2-6. El Dorado County Employment Summary**

Year	Total Jobs	Agriculture	Goods Production	Services	Unemployment Rate
2005	51,300	400	7,800	43,100	4.8%
2006	52,700	400	8,100	44,200	4.6%
2007	53,500	400	8,200	45,000	5.2%
2008	52,200	300	7,200	44,700	6.9%
2009	48,700	300	5,300	43,100	11.1%
2010	47,100	300	4,700	42,100	12.4%
2011	46,100	200	4,500	41,400	11.8%

*Data Source: State of California Employment Development Department 2012*

**2.5.4. Income**

This subsection summarizes household income as it relates to economic conditions of the Region. Economic trends relating to household income are discussed, along with information about disadvantaged communities within the Region. Along with employment, household income is an indicator of the capacity of the local economy and local agencies to invest in necessary water resources, infrastructure, and services.

**2.5.4.1. Regional Income Data**

As reported in the 2010 U.S. Census, the median household income increased for all counties compared to median household income as reported in the 2000 U.S. Census (in 1999 dollars). **Table 2-7** shows the median household income for the three-county ARB Region as reported in the U.S. Census 2000 and 2010 reports.

**Table 2-7. Regional Median Income Data**

Year	El Dorado	Placer	Sacramento
2000 (1999 dollars)	\$51,484	\$57,535	\$43,816
2010 (2010 dollars)	\$66,129	\$67,884	\$52,709

*Data Sources: U.S. Census Bureau 2000 and 2010b*

### 2.5.4.2. Disadvantaged Communities

A DAC is defined as a community with an annual Median Household Income (MHI) less than 80 percent of the statewide annual MHI. As of 2010, a Census tract with an annual MHI less than \$48,706 is considered a DAC. GIS data of MHI and population for each Census tract in the ARB Region were downloaded from DWR’s Web site (<http://www.water.ca.gov/irwm/grants/resourceslinks.cfm>). Census tracts are small, relatively permanent statistical subdivisions of a given county that are designed to be relatively homogeneous units with respect to population characteristics, economic status, and living conditions.

The downloaded data are presented in **Figure 2-10** and summarized in **Table 2-8**. Census tracts do not precisely coincide with the ARB Region boundary. The data presented in **Table 2-8** include all tracts that overlap the Region, and thus slightly overestimate the total population. The data show that slightly less than 30 percent of the population lives in DACs. See Appendix E, for information on the demographics of DACs and how the ARB Region involved DACs in developing this IRWMP.


**Table 2-8. Disadvantaged Community Data**

Total Population of Census Tracts Overlapping the ARB Region	Total Population of DAC Census Tracts	Percentage of Population living in DACs
1,738,876	502,938	28.9

*Data Source: U.S. Census Bureau 2010 as presented by DWR 2013a*

Key  
ARB = American River Basin  
DAC = disadvantaged community

**Section 2**  
**Region Description**



**Figure 2-10. Disadvantaged Communities within the ARB Region**



### 2.5.5. Housing

The number of housing units has grown significantly in the ARB Region over the last several decades with urbanization occurring in undeveloped areas within commuting distance to Sacramento. As described previously, population growth, economic opportunities, and affordable housing interact and can complement one another. However, growth in the number of housing units slowed dramatically with the economic downturn starting in 2008. All housing categories showed less than a one percent increase between 2010 and 2012, as shown below in **Table 2-9**.

**Table 2-9. Housing Units Estimates–2012**

Area	Single Family	Multi-Unit 2–4	Multi-Unit 5 +	Mobile
Sacramento County	393,657	44,903	104,840	14,809
Placer County	124,012	8,376	17,880	4,257
El Dorado County	73,768	4,864	5,585	4,083
3-County Region Total	591,437	58,143	128,305	23,149
<b>Change from 2010</b>	<b>0.6%</b>	<b>0.0%</b>	<b>0.6%</b>	<b>0.2%</b>

*Data Source: California Department of Finance 2012*


Nonetheless, this declining trend has reversed recently. The California Association of Realtors report that the median price for single-family homes has begun to increase since early 2012 and now reflects prices that were seen in early-to-mid-2008 (California Association of Realtors 2013). This price increase is indicative of a reviving housing economy.

### 2.5.6. Regional Growth Trends

This subsection discusses regional growth trends that most affect water management. Expected population, employment, and housing growth are discussed, followed by a discussion of farmland conversion.

#### 2.5.6.1. Population, Employment and Housing Growth Summary

Population, employment, and housing all have grown and will continue to grow in the near future. **Figure 2-11** is a summary of SACOG’s projection for growth trends in population, employment, and housing for the ARB Region. Although growth trends do not reach 2 percent, which was the growth during the late 1990s and the first half of the 2000s, growth rates for both population and employment are projected to increase into 2035. Housing growth rates show a slight increase from 2020 to 2035, compared to the first 12 years (from 2008 to 2020) that were modeled. Continued growth in the Region with constrained natural resources signifies a continued need for increasingly efficient and effective water resources projects to serve more people in larger land areas more efficiently.




Data Source: SACOG 2012

**Figure 2-11. Regional Growth Trends in Population, Employment and Housing**

### 2.5.6.2. Farmland Conversion


Historically, agricultural operations have been economically important to the vitality of the Region. Fertile soils and a semiarid climate allow for cultivation of a variety of crops (row crops, tree crops, irrigated grains) and raising of livestock (fowl and dairies). In 2007, the total market value for agricultural products produced or sold in Sacramento, Placer, and El Dorado counties was approximately \$346 million, \$44 million, and \$19 million dollars, respectively.

Economic markets and technological advancements have impacted agricultural markets and farming practices within the Region in recent decades. Spurred by employment and population growth, property once zoned agricultural land has been re-zoned and developed into housing, commercial, and industrial developments. **Figures 2-12** through **2-14** show total acreage for agricultural land (left ordinate) and urban and built-up land (right ordinate) in Sacramento, El Dorado, and Placer counties. Sacramento and El Dorado counties show data every 2 years from 2000 to 2010. Placer County data are from 2000 to 2008 because the 2010 data are still under development.



Data Source: California Department of Conservation 2002, 2004, 2006, 2008, and 2010


**Figure 2-12. Sacramento County Agricultural Land and Urban and Built-up Land from 2000 to 2010**



Data Source: California Department of Conservation 2002, 2004, 2006, 2008, and 2010

**Figure 2-13. EI Dorado County Agricultural Land and Urban and Built-up Land from 2000 to 2010**

**Section 2**  
**Region Description**



Data Source: California Department of Conservation 2002, 2004, 2006, and 2008. 2010 data was not available.

**Figure 2-14. Placer County Agricultural Land and Urban and Built-up Land from 2000 to 2008**

From 2000 to 2010, Sacramento County converted approximately 28,500 acres of agricultural land, with much of that reduction occurring in Prime Farmland, Farmland of Statewide Importance, and Grazing Land. Urban and Built-Up Land increased from 2000 to 2006, but has remained steady from 2006 to 2010, likely due to the economic downturn and drop in regional housing demand. Agricultural land in Placer and El Dorado counties has also been steadily decreasing since 2000. Approximately 34,000 acres of agricultural land have been lost in Placer and El Dorado counties from 2000 to 2008, with most of the reduction occurring in Grazing Land. During this time, approximately 23,000 acres of Urban and Built-up Land were added.

As population growth and urban development continue in the future, the density or efficiency of development (as measured by people per urban acre developed) is a key factor identified in limiting impacts to existing agricultural land. From 1990 through 2004, Sacramento County had 20.6 people per urban acre from new development, which is one of the highest values in California. Placer and El Dorado counties had 4.3 and 3.1 people per urban acre from new development during this time period, respectively. The recent trend in all three counties is increasingly dense and efficient development relative to existing and previously urbanized lands (American Farmland Trust 2007).

## **2.5.7. Social and Cultural Makeup of the Regional Community**

This subsection describes the social and cultural makeup of the regional community, including cultural resources, ethnic makeup of the regional community, and important cultural and social values. These values play a critical role in how the ARB Region approaches water management issues.

### **2.5.7.1. Cultural Resources**

Cultural resources include physical resources and intangible cultural values pertaining to paleontology, prehistoric and historic archaeology, history, and Native American ethnography. Paleontological resources include fossil animals and plants of scientific value. Archaeological resources include evidence of past human activities, both prehistoric and historic. Historic resources also include extant structures. Ethnographic resources may include natural or cultural resources, landscapes, or natural environmental features that are linked by a community, or group of communities, to the traditional practices, values, beliefs, history, and/or ethnic identity of that community or wider social group.


Several dozen prehistoric sites have been identified along the lower American and lower Sacramento rivers. These include village sites, bedrock milling stations, lithic scatters, and small campsites. More than a hundred prehistoric sites have been identified within the Folsom Reservoir Basin. Of particular concern are sites located within reservoir inundation areas. Such sites are subject to degradation due to reservoir siltation, erosion from fluctuating surface water elevations, and vandalism when exposed by low surface water elevations.

Historic sites along the lower American River and lower Sacramento River include placer mining districts, railroad-related structures, irrigation and hydroelectric facilities, and historic residential structures.

Ethnographic resources include historic Nisenan (southern Maidu) village sites located along the lower Sacramento and lower American rivers. Many archaeological sites in the area contain burials, and human remains are of substantial concern to contemporary Native Americans. Two federally recognized tribes are located within the ARB Region. These are the United Auburn Indian Community of the Auburn Rancheria in Placer County, and the Wilton Rancheria in Sacramento County (U.S. Department of the Interior, Bureau of Indian Affairs 2012). See **Section 3.1** for details on the outreach process to Native American tribes.

### 2.5.7.2. Ethnic Makeup of the Regional Community

The ethnic makeup of the ARB Region and included communities is summarized in **Figure 2-15**. Based on information from the 2010 U.S. Census, Sacramento County is one of the most diverse jurisdictions, with significant populations of white, black, Asian, and Hispanic ethnicities.



Multiple languages are spoken in the ARB Region, especially in Sacramento County. About 70 percent of the population speaks English as their primary language, but close to 15 percent report that Spanish is their primary language. While communication materials in English may be suitable for a majority of residents, alternate languages are often advisable for a large number of potential stakeholders. For instance, public health outreach materials produced by Sacramento County are translated into five languages and some Sacramento area community service providers provide language assistance for up to 10 languages.

### 2.5.7.3. Important Cultural and Social Values

Identifying and articulating a common understanding of the cultural and social values of the ARB Region were important in developing the IRWMP. **Section 5.4** includes a discussion on how the ARB stakeholders developed and agreed to a list of principles, which are statements that articulate shared organizational values, underlie strategic vision and mission, and serve as a basis for integrated decision making. When agencies or project proponents adopt this ARB IRWMP Update, they are committing to adhere to the spirit of these core values of the ARB Region, as written in the “Resolution of Adoption” (**Section 4.3**). The list of adopted principles is found in **Section 5.4**.

## 2.6. Water and Environmental Resources Setting

This subsection describes the water and environmental resources setting of the ARB Region. It begins with a description of climate, then characterizes the Sacramento River and the Region’s six main

watersheds, and concludes with a description of the three underlying groundwater subbasins. For each watershed, the hydrology, water quality, habitat and species, and watershed management and stewardship are described. The groundwater discussion begins with the overall hydrogeology and water quality characteristics for the entire ARB Region, and then describes each groundwater subbasin.


### **2.6.1. Climate**

The ARB Region has a Mediterranean climate, with hot, dry summers and cool, wet winters. In the winter, daily minimum temperatures average mid-to-upper 30 degrees Fahrenheit (°F) with daily maximum temperatures in the low-to-mid 50s (°F). On record-breaking days, daily minimum temperatures have been recorded below 20°F. In the summer, daily minimum temperatures average in the upper 50s (°F) with daily maximum temperatures in the low-to-mid 90s (°F); however, in some years daily maximum temperatures have exceeded 110°F.

Within the Region, the Pacific coastal influence decreases from west to east, causing slightly warmer summers and slightly cooler winters to the east. Average annual precipitation varies primarily with elevation, ranging from around 18 inches per year in Sacramento to 34 inches per year in Auburn (elevation approximately 1,200 feet above mean sea level). Precipitation also occurs seasonally, as most of the precipitation occurs from November through April. Evapotranspiration also varies seasonally with higher evapotranspiration during the drier and hotter summer months and lower evapotranspiration during the wetter and cooler winter months. The very distinctive cool and wet versus hot and dry seasons dictate much of the human and environmental water needs and concerns in the Region.


**Figures 2-16** and **2-17** summarize and show trends for monthly climate data for Sacramento and Auburn and evapotranspiration data at Fair Oaks.

**Section 2**  
**Region Description**



Data Source: Western Region Climate Center, 2012 <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?ca7633>; Station No. 5 ESE (047633)  
Notes:  
Period of Record: 7/11/1877 to 8/22/2012  
Western Region Climate Center, 2012 <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?ca0383>; Station No. 040383  
Period of Record: 1/1/1905 to 8/22/2012

**Figure 2-16. Average Monthly Maximum and Minimum Temperatures**



Data Source: Western Region Climate Center, 2012 <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?ca7633>; Station No. 5 ESE (047633)  
Period of Record: 7/11/1877 to 8/22/2012  
Western Region Climate Center, 2012 <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?ca0383>; Station No. 040383  
Period of Record: 1/1/1905 to 8/22/2012  
Data Source: DWR/CIMIS Station No. 131, 2013  
Average data derived from CIMIS stations with a period of record: 2000 – 2009  
Actual evapotranspiration values will vary, and presumably will be lower given the urban land use of the ARB Region.

**Figure 2-17. Average Monthly Precipitation and Evapotranspiration**

**2.6.2. Watershed Characteristics**

Located near the Delta, the ARB Region includes a large portion of the border between two of California's largest hydrologic regions as defined by DWR—the Sacramento River and the San Joaquin



River. Approximately, the southern one-third of the ARB Region is within the San Joaquin River Hydrologic Region, and the northern two-thirds is in the Sacramento River Hydrologic Region. **Figure 2-2** shows the watersheds and major hydrologic features of the ARB Region.

The ARB Region includes parts of six subbasins of these hydrologic regions as defined by USDA, NRCS. For purposes of this IRWMP, these subbasins are referred to as watersheds.<sup>2</sup> From north to south, the ARB Region watersheds are:

1. Upper Bear
2. Upper Coon-Upper Auburn
3. Lower American
4. Lower Sacramento
5. Upper Cosumnes
6. Upper Mokelumne

The ARB Region recognizes that watersheds are important from a natural hydrology, ecosystem, and pollution transport perspective. As low impact development (LID), stormwater runoff, and flood management considerations become increasingly a central issue, an understanding of the water and environmental resources setting from a watershed standpoint becomes critical.

In the following subsections, the Sacramento River, which defines the western border of the ARB Region, is described first. Subsequently, the hydrology, water quality, habitat and species, and watershed management and stewardship of each of the six watersheds are described in detail. For clarity, **Figure 2-18** displays the rivers and streams in the Region in a simplified form. The rivers and creeks are grouped and numbered in the order that they are discussed. Arrows indicate those rivers and streams that receive inflows from watersheds or watershed areas outside the ARB Region. Habitat and species information that applies to the entire ARB Region are described in **Appendix B**. This appendix includes lists of sensitive plant and animal species and habitats that are candidates for, or listed as, rare, threatened, or endangered under the federal Endangered Species Act and/or the California Endangered Species Act. **Appendix B** also includes a list of invasive species of concern.

---


<sup>2</sup> This distinction is only made here because of common usage of the term watershed. These areas are subunits of much larger watersheds, but they are referred to locally as watersheds because they each include distinct drainage areas and tend to have other distinct characteristics.

*Section 2*  
*Region Description*

---

**Figure 2-18** and the narrative descriptions of streams and creeks in the following subsections are not exhaustive; rather, only the larger and regionally important streams and creeks are discussed. Smaller, local creeks and streams are shown in figures under each watershed description below, which are more detailed views of the watersheds shown in **Figure 2-2**.

Discussions in **Sections 2.7** through **2.9** are organized by jurisdictional boundaries, because flood management, water delivery, and wastewater agency jurisdictions often do not follow watershed boundaries. Nonetheless, effects and influences of water management projects and programs span across both watershed and political/jurisdictional boundaries.



**Figure 2-18. Outlines of Major Rivers and Streams in the ARB Region**

### 2.6.2.1. Sacramento River

The Sacramento River (see **Figure 2-18**) is an important river statewide, collecting approximately one-third of the total runoff of the state and discharging it into the Delta. This large area is defined in **Figure 2-2** as the Sacramento Hydrologic Region. The lower Sacramento River defines the western boundary of the ARB Region and is described in this subsection as a river, instead of a watershed, to characterize this boundary. Albeit having a similar name, the Lower Sacramento Watershed is a smaller watershed delineation within the larger Sacramento Hydrologic Region. This watershed includes area on both sides

**Section 2**  
**Region Description**


---

of the lower Sacramento River, and only the smaller Morrison Creek Stream Group lies within the ARB Region. This stream group of the Lower Sacramento Watershed is described in **Section 2.6.2.5**.

**Sacramento River: Hydrology**

The lower Sacramento River is defined as the portion of the river from Princeton to the Delta, at approximately Chipps Island. Flows in the lower Sacramento River are largely controlled by Shasta Dam and Keswick Dam on the upper Sacramento River. Shasta Dam provides flood protection for the Sacramento area, and is part of the Central Valley Project (CVP) constructed by U.S. Army Corps of Engineers (USACE) and operated by Reclamation. The American River, a major river within the ARB Region, discussed in **Section 2.6.2.4**, contributes 15 percent of the lower Sacramento River flow. The portion of the lower Sacramento River that forms the western border of the Region is predominantly channelized, leveed, and bordered by agricultural lands and by Sacramento and Sacramento County.

Sacramento River flow varies following the seasonal variation in precipitation. **Figure 2-19** displays the average monthly flows at the Freeport U.S. Geological Survey (USGS) gage. Average flows during the winter months can be three times that of the summer months. Average annual flows can also vary from around 8,000 cubic feet per second (cfs) to more than 46,000 cfs.



Data Source: USGS 11447650 gage at Freeport 10/1949-09/2010  
Key: cfs = cubic feet per second

**Figure 2-19. Average Monthly Flows at Freeport**

To assist in water planning in the Delta given the high variability in Sacramento River water flows, the State Water Resources Control Board (State Water Board) developed the Sacramento Valley Water Year Index in 1995. The Water Year Index is used to determine water year types for the Sacramento Valley as implemented in State Water Board Decision 1641, and is dependent on runoff into the Sacramento River

at major tributary points. The record of the distribution of Sacramento Valley water year types portrays the historic probability of occurrence of various hydrologic years. This is shown in **Table 2-10**.

**Table 2-10. Sacramento Valley Water Year Types and Occurrence (1906 – 2012)**

<b>Water Year Type</b>	<b>Occurrence Frequency</b>	<b>Most Recent Occurrence (Water Year)</b>
Wet	36 out of 107 years (34%)	2011
Above Normal	15 out of 107 years (14%)	2005
Below Normal	20 out of 107 years (19%)	2012
Dry	22 out of 107 years (21%)	2009
Critical	14 out of 107 years (13%)	2008

*Data Source: DWR/CDEC, 2012*

A water year designation can be important for water supply, as Reclamation’s CVP yearly water availability to various water agencies is partially determined by hydrology. This is further explained in **Section 2.9.2.1**.

The lower Sacramento River flows are managed, in part, for environmental and ecosystem purposes. Sufficient flow must be available during the spring and fall months when a variety of anadromous fish are en route to the Delta or upstream spawning and rearing grounds. There are additional smaller-scale minimum flow discharge requirements to help meet environmental needs. Discharge permits for WWTPs located along the lower Sacramento River and its tributaries specify discharge flow and quality during low-flow periods. For example, SRCSD is required to regulate discharge from the Sacramento Regional WWTP (SRWWTP) to ensure a minimum 1,300 cfs in the Sacramento River and a minimum flow ratio of 14:1 (river flow:effluent) to allow for adequate mixing of effluent for environmental needs (SRWWTP National Pollutant Discharge Elimination System [NPDES] Permit 2000).

***Sacramento River: Water Quality***

The lower Sacramento River water quality is influenced by the entire upstream drainage area, and is affected by agricultural runoff, acid mine drainage, stormwater discharges, municipal and industrial wastewater discharges, water releases from dams, diversions, and urban runoff. However, the river’s flow volumes generally provide sufficient dilution to prevent concentrations of contaminants in the river from reaching elevated levels that affect human health. Total Maximum Daily Loads (TMDL) and Water Quality Control Plan amendments for diazinon and chlorpyrifos are in place for the entire lower Sacramento River. Other water quality parameters of concern, according to the State Water Board’s 303(d) listing<sup>3</sup> of impaired water bodies, consist of chlordane, dichlorodiphenyltrichloroethane (DDT),

<sup>3</sup> Through the Clean Water Act, the U.S. Environmental Protection Agency (EPA) requires each state to develop a list of impaired waters, called the 303(d) list. Current pollution controls are insufficient to meet water quality standards in these waters, and the state must establish priorities to

## ***Section 2***

### ***Region Description***

---

dieldrin, mercury, polychlorinated biphenyl (PCB), and unknown sources of toxicity. Historically, sediment transport from hydraulic gold mining has been an issue, but sediment supply to the Sacramento River has declined over recent years because dams on tributaries and other water management actions have resulted in less sediment transport (DWR 2012b).

Nonetheless, Sacramento River water quality is sufficient for water contact recreation and municipal supply after treatment. Sacramento and FRWP use raw Sacramento River water. The water for potable uses is diverted at the Sacramento River Water Treatment Plant (WTP), located near the confluence of the Sacramento and American rivers, and the intake facility for the FRWP is located further downstream on the Sacramento River.

#### ***Sacramento River: Habitat and Species***

The lower Sacramento River is used by more than 30 species of native and nonnative fish. Anadromous fish such as adult Chinook salmon and steelhead use the river as a migratory pathway to and from upstream spawning habitats and a migration route to the Delta. Many fish species that spawn in the Sacramento River and its tributaries depend on river flows to carry their larval and juvenile life stages to downstream nursery habitats. Other fish species such as the Sacramento splittail and striped bass use the lower Sacramento River, but make little to no use of the upper river.

An important component of the aquatic habitat throughout the Sacramento River is referred to as Shaded Riverine Aquatic (SRA) Cover. SRA consists of the portion of the riparian community that directly overhangs or is submerged in the river. SRA provides high-value feeding and resting areas and escape cover for juvenile anadromous and resident fishes. SRA also can provide some degree of local temperature moderation during summer months due to the shading it provides to nearshore habitats. The importance of SRA to Chinook salmon was demonstrated in studies conducted by the U.S. Fish and Wildlife Service (USFWS). In early summer, juvenile Chinook salmon were found exclusively in areas of SRA, and none were found in nearby riprapped areas (Water Forum 2005).

#### ***Sacramento River: Watershed Management and Stewardship***

Numerous organizations exist for managing the entire Sacramento River watershed and its effects on the Delta. Federal and state agencies are often directly involved (e.g., TMDLs), as are research and educational institutions. Independent organizations, such as the Sacramento River Watershed Program, involve thousands of people in their mission “to ensure that current and potential uses of the watershed’s resources are sustained, restored, and where possible, enhanced, while promoting the long-term social and

---


develop TMDLs to manage this pollution. The State Water Board maintains the state’s 303(d) list. The 2010 list is available at: [http://www.waterboards.ca.gov/water\\_issues/programs/tmdl/integrated2010.shtml](http://www.waterboards.ca.gov/water_issues/programs/tmdl/integrated2010.shtml)

economic vitality of the region.” While the ARB Region coordinates with and is an integral part of the Sacramento River system, management and stewardship concerns of the larger Sacramento River are not fully within the Region’s jurisdiction, nor are they the focus of this IRWMP.

#### **2.6.2.2. Upper Bear Watershed**

The Upper Bear Watershed is located in portions of Yuba, Nevada, Placer, and Sutter counties and encompasses 474 square miles. Only a small portion of the Upper Bear Watershed (32 square miles) is within the ARB Region. **Figure 2-20** shows the Upper Bear Watershed and its subwatersheds and their relationship to the ARB Region. While the description below is focused at the watershed level, local stakeholders often work at the subwatershed level and refer to these subwatershed names. As applicable, details of subwatershed information are provided below.

**Section 2**  
**Region Description**



**Figure 2-20. Upper Bear Watershed**

**Upper Bear Watershed: Hydrology**

The primary hydrologic feature of the Upper Bear Watershed relative to the ARB Region is the lower Bear River, a segment of river running 15 miles from CFW Reservoir to the confluence with the Feather River to the west. About half of this river segment serves as the northernmost boundary of the ARB Region. CFW is a 104,000-acre-foot reservoir operated by South Sutter Water District for agricultural supply. The operation of CFW has modified the downstream flow regime for both water supply and flood management purposes.



***Upper Bear Watershed: Water Quality***

Water quality has been sampled in the Bear River and Yankee Slough in the portion of the Upper Bear Watershed that is within the ARB Region. While water quality is considered good for most purposes, there are constituents that exceed protective water quality standards, causing the lower Bear River and Yankee Slough to be placed on the State Water Board's 303(d) listing of impaired water bodies. These pollutants include: chlorpyrifos and diazinon associated with agriculture; copper and other "unknown toxicity" from unknown sources; and mercury associated with past mining practices in the upper portions of the watershed.

***Upper Bear Watershed: Habitat and Species***

The Upper Bear Watershed within the ARB Region is dominated by grassland and cropland. A 2009 report by the National Marine Fisheries Service (NMFS) evaluated the lower Bear River for its habitat potential to support salmon and steelhead (NMFS 2009). The report concluded that while the lower Bear River does support winter steelhead rearing habitat near its confluence with the Feather River, this segment is unlikely to support viable self-sustained populations of salmon and steelhead. Issues include reduced flows in this reach of the river from damming and diversions, relatively high water temperatures, lack of spawning gravels, and water quality concerns.

***Upper Bear Watershed: Watershed Management and Stewardship***

The Bear River Work Group has been actively engaged in the watershed, primarily above CFW Reservoir (see [www.bearriver.us](http://www.bearriver.us) for more information). Placer County/Placer Legacy Program (Placer Legacy) actively pursues purchasing properties and conservation easements to protect and conserve open space and agricultural lands. One significant conservation easement in the ARB Region of the Upper Bear Watershed is the 281-acre Kirk Ranch.

**2.6.2.3. Upper Coon-Upper Auburn Watershed**

The Upper Coon-Upper Auburn Watershed covers 434 square miles (221 square miles within the ARB Region), and is located in western Placer County and the northern ARB Region. **Figure 2-21** shows the Upper Coon-Upper Auburn Watershed and its subwatersheds. This watershed is undeveloped at the higher elevations and is predominantly agricultural in its lower areas. The city of Lincoln (Lincoln) and portions of cities of Rocklin, Roseville, and Auburn are located in this watershed. These cities have seen one of the highest urban development rates in the ARB Region, converting significant portions of agricultural land into urban land. Downstream from these cities, the watershed flows primarily through flatter agricultural land. Environmental, agricultural, and new development interests present both opportunities and conflicts for watershed management on this landscape, now and into the future.




Figure 2-21. Upper Coon-Upper Auburn Watershed

**Upper Coon-Upper Auburn Watershed: Hydrology**

The Upper Coon-Upper Auburn Watershed does not have one unifying river but has a collection of creeks and ravines that begin in the western Sierra Nevada foothills near Auburn and Loomis and drain into the Cross Canal and the Sacramento River (see **Figure 2-18**). The four largest of these creeks and ravines are Coon Creek, Markham Ravine, Auburn Ravine, and Pleasant Grove Creek. All of these streams and their subwatersheds are relatively small and have very little natural runoff, outside of times with heavy precipitation and local flooding. Most of the stream flow is water imported from the Yuba, Bear, and American river watersheds to meet domestic and agricultural needs in western Placer County and

southeastern Sutter County. While winter stream flows are heavily influenced by runoff from rainfall events, summer flows are influenced by upstream releases for irrigation water deliveries to farms, golf courses, and ranches, and from discharges from wastewater treatment facilities.

While human activity has generally stabilized ephemeral stream flow, floods and critical low flows still occur. Peak winter flows in these subwatersheds can be significantly high: 22,000 cfs in Coon Creek, 5,000 cfs in Markham Ravine, and 17,000 cfs in Auburn Ravine for 100-year events. Flooding in these watersheds is often due to backflow from the Sacramento River and can be severe. Placer County and Lincoln have developed flood management or flood control plans specifically for these creeks. Low flows occur around October, in between the end of the irrigation season and before the start of winter rains. Coon Creek has a constant flow of approximately 9.5 cfs from discharges and water transfers, while Auburn Ravine flows can be low as 1 to 2 cfs below Lincoln (Placer County 2002).

Human activity and importing water have created a unique hydrology and habitat in the Upper Coon-Upper Auburn Watershed (Placer County 2002, 2006). Present water management practices consider energy, irrigation, and wastewater needs but are not integrated with ecological concerns. Flows and water temperatures in Auburn Ravine and Coon Creek are influenced by discharges from WWTPs (NMFS 2009).

***Upper Coon-Upper Auburn Watershed: Water Quality***

The Upper Coon-Upper Auburn Watershed generally has good water quality. High-quality water is imported from adjoining higher elevation watersheds, improving both quantity and quality of water. The Central Valley Regional Water Quality Control Board (Central Valley Water Board) has identified beneficial uses to include irrigation, municipal and domestic uses, body-contact water recreation, navigation, and numerous habitat uses. The EPA 303(d) list, however, identifies several impairments in this watershed. Coon Creek is on the 303(d) list for chlorpyrifos, a pesticide from agricultural sources, *Escherichia coli* (*E. coli*) (a bacterium found in the stomachs of warm-blooded species that can cause food poisoning), and “unknown toxicity,” both from unidentified sources. Pleasant Grove Creek has low dissolved oxygen and sediment toxicity from unknown sources as well as pyrethroids, a pesticide, from urban runoff.

***Upper Coon-Upper Auburn Watershed: Habitat and Species***

Land uses in the Upper Coon-Upper Auburn Watershed include grassland, residential, and agriculture, although some forested areas exist in the foothills in the eastern portion. The watershed supports sporadic riparian and woodland habitats of mixed native and nonnative species along stream corridors, depending upon whether past land use practices allowed remnant woodlands to remain. Seasonal wetlands and

**Section 2**  
**Region Description**

---

vernal pools are scattered throughout the lower elevations of the watershed where soils and topography support them (Placer County 2006). These habitat communities are affected significantly by the invasion of exotic plants, including a variety of nonnative grasses and weedy species in the lower foothills, such as mustard, broom, and Himalayan blackberry.

Conveyance of irrigation water to western Placer and southeastern Sutter counties has created unique summertime habitats not found in other foothill locations. Auburn Ravine has been included in the critical habitat designation for spring-run Chinook salmon and Central Valley steelhead. The California Department of Fish and Wildlife (CDFW, formerly DFG) has historically stocked Auburn Ravine, Doty Ravine (a Coon Creek tributary), and Coon Creek with fall-run and spring-run Chinook salmon near Lincoln. Although steelhead have not been planted in Auburn Ravine, rainbow trout have been planted in water bodies connected to Auburn Ravine (DWR 2009). Coon Creek in particular has more stable flows year round and pool/riffle complexes, which allow maintenance of water stage and continued support of aquatic habitat. Coon Creek may provide the best opportunity for wildlife habitat restoration (NMFS 2009).

***Upper Coon-Upper Auburn Watershed: Watershed Management and Stewardship***

There are two active ecosystem restoration plans (ERP) in the Upper Coon-Upper Auburn Watershed: the 2002 Auburn Ravine/Coon Creek ERP (AR/CC) and the 2006 Pleasant Grove and Curry Creek ERP. The Auburn Ravine/Coon Creek Coordinated Resource Management Plan Group developed the AR/CC ERP with assistance from a CALFED (CALFED Bay-Delta Program) grant. Signatories of the Memorandum of Understanding (MOU) included Placer County, Nevada Irrigation District (NID), cities of Lincoln and Auburn, PCWA, South Sutter WD, Placer County Resource Conservation District, Ophir Area Property Owners Association, Placer Nature Center, private property owners, and environmental groups. Placer Legacy was responsible for preparing the Pleasant Grove and Curry Creek ERP.

Since its adoption in 2000, the Placer Legacy has been integral in implementing projects related to the ERPs through agricultural easements and land acquisition. Their 2012 newsletter lists projects, such as protecting a 320-acre property off of Auburn Ravine at Aitken Ranch, and opening the Hidden Falls Regional Park to conserve 220 acres (Phase I) and 961 acres (Phase II) for recreation along Coon Creek. Placer Legacy has been successful in securing grant funding from sources, such as CALFED and the Sierra Nevada Conservancy.

Several nongovernmental organizations with environmental or watershed interests exist as well. In 2005, the Auburn Ravine/Coon Creek Watershed Group, the Pleasant Grove/Curry Creek Watershed Group, and the Dry Creek Watershed Council (within the Lower American Watershed), formed the American


Basin Council of Watersheds (ABCW). ABCW is a group of diverse stakeholders that has continued to meet monthly since 1996. The Dry Creek Conservancy is a nonprofit organization that facilitates watershed conservation, restoration, and education in the watersheds of Dry Creek, Pleasant Grove Creek, Auburn Ravine Creek, Coon Creek, and surrounding areas in Placer, Sutter, and Sacramento counties.

Save Auburn Ravine Steelhead and Salmon (SARSAS) is another nonprofit organization, based in Auburn and is entirely run by volunteers. Their mission is to “return salmon and steelhead to the entire length of the Auburn Ravine,” and they have been active working with Placer County on restoration projects to improve fish passage. One recent successful project is a fish passage installed around a gage station in collaboration with Placer County and NID. SARSAS also provides outreach and educational opportunities to local schools, incorporates traditions of Native tribes related to salmon into their community activities, and monitors and studies Auburn Ravine conditions.

#### **2.6.2.4. Lower American Watershed**

The Lower American Watershed covers 293 square miles and is almost completely encompassed within the ARB Region, as shown in **Figure 2-22**. This watershed covers the more developed northern half of the ARB Region. The Town of Loomis and cities of Folsom, Citrus Heights, Rocklin, Roseville, and Rancho Cordova fall entirely or partially within the watershed. The Lower American Watershed has older, built-out urban development closer to the lower American River, while the northern areas around Dry Creek and Arcade Creek and areas closer to Folsom Lake have seen high development in the past several years. This trend of development has increased environmental- and flood-related concerns.

**Section 2  
Region Description**



**Figure 2-22. Lower American Watershed**

The lower American River is the main river that flows through this watershed. It has numerous small tributaries, which are not described in this narrative. Two of the larger creeks are Dry Creek and Arcade Creek, both of which flow into the Natomas East Main Drainage Canal, also known as Steelhead Creek (Figure 2-18). Steelhead Creek has been channelized and altered to discharge directly into the Sacramento River. Thus, these smaller creeks in this watershed never meet the main lower American River. Throughout the rest of this Lower American Watershed description, the lower American River system will be discussed first, followed by a description of the Dry Creek, Arcade Creek, and Steelhead Creek system.

***Lower American Watershed: Hydrology***

Hydrology in the Lower American Watershed follows a wet-winters, dry-summers seasonal pattern and shows high annual variability, due to occasional very dry or wet years. Forty percent of the American River flow is from snowmelt, as this river originates in the Sierra Nevada, farther east of Sacramento. In contrast, Dry and Arcade creeks flows are seasonal and driven by local drainage and rainfall. The lower American River is a large tributary to the Sacramento River, accounting for 15 percent of the total flow in the lower Sacramento River (NMFS 2009).

Folsom Dam releases water from Folsom Lake, controlling the hydrology of the lower American River. Folsom Dam is an important component of the CVP, and serves multiple purposes, including water supply, hydropower, recreation, and flood control. Folsom Dam is operated, in part, according to inflows into Folsom Lake from the two upstream watersheds, which include the North, Middle, and South forks of the American River. Inflows into Folsom Lake shows seasonal variability, as the inflows of December to May can be larger than 4 times the inflow during the drier months of June to November. The historical average for unimpaired inflows is 2.8 million acre feet (MAF), but this average varies annually from 0.3 to 6.4 MAF (NMFS 2009).

Unimpaired flow into Folsom Lake determines and triggers water diversion limitations as stipulated in the WFA. The record of distribution of these WFA water year types portrays the historic probability of occurrence of various hydrologic years. This is shown in **Table 2-11**. See **Section 2.9.2.1** for further discussion on WFA water year types and associated agreements.

**Table 2-11. WFA Water Year Types and Occurrence (1901–2010)**

Water Year Type	Unimpaired Inflow into Folsom Lake, March–November (TAF)	Occurrence Frequency, 1901–2010
Wet	Greater than 1,600	67 out of 110 years (61%)
Average	Greater than 950 and less than 1,600	28 out of 110 years (25%)
Drier	Greater than 400 and less than 950	13 out of 110 years (12%)
Driest (i.e., conference years)	Less than 400	2 out of 110 years (2%)


*Data Source: Sacramento Groundwater Authority [SGA] State of the Basin Report, 2004; SGA Basin Management Report 2006–2007, 2008a; SGA Basin Management Report, 2011*

Key:  
TAF = thousand acre-feet  
WFA = Water Forum Agreement

**Section 2**  
**Region Description**

---

Using Nimbus Dam immediately downstream from Folsom Dam, Reclamation controls power-generating releases from Folsom Dam into suitable river flow releases. Seasonally, flows during the months of January to May or June can be larger than 3 times the flows during the months of July to December. **Figure 2-23** shows the average monthly flows at the Fair Oaks USGS gage. Average annual flows can also vary from less than 1,000 cfs to more than 8,000 cfs.



Data Source: USGS 11446500 gage at Fair Oaks 10/1956-09/2011  
Key: cfs = cubic feet per second

**Figure 2-23. Average Monthly Flows at Fair Oaks USGS Gage**

Folsom Dam and Nimbus Dam have modified seasonal flow and water temperature in the lower American River. To improve the environmental conditions for aquatic resources in the lower American River, the WFA developed the Lower American River Flow Management Standard (FMS). The FMS is designed to allocate flow releases from Folsom and Nimbus dams in consideration of variable hydrology and coldwater pool availability in Folsom Reservoir. The FMS includes minimum flow requirements and temperature objectives to meet fishery needs throughout the entire water year. These requirements include minimum flow requirements measured downstream from Nimbus Dam, and downstream flow requirements measured between Nimbus Dam and the mouth of the lower American River. The minimum flow requirements vary from 800 to 2,000 cfs throughout the year in response to the hydrology of the Sacramento and American river basins. Adjustments are made in response to specific conditions related to the need for spawning flow progressions, fish protection, and reservoir water conservation (Northern California Water Association 2011). Implementation of the FMS has been an ongoing collaboration effort with Reclamation, who ultimately controls dam releases.

In contrast to the lower American River, the Dry Creek, Arcade Creek, and Steelhead Creek system consists of smaller, local subwatersheds. Flows in these creeks originate as precipitation, and flows are heavily influenced by local water uses, drainage, and wastewater discharges.



Dry Creek, a 17.6-mile-long stream, (4.1 in **Figure 2-18**) receives urban runoff, open space drainage, and high-quality water from the PCWA canals, and wastewater effluent from WWTPs. City of Roseville (Roseville) also provides raw surface water to Linda Creek to sustain the natural flow for environmental purposes. There is a strong seasonal flow pattern with high flows exceeding 1,000 cfs during the wet season and low flows generally in the range of 10 to 20 cfs during the dry season. During the dry season, effluent flows can exceed the flow in the creek upstream from the WWTPs. Dry Creek has numerous local tributaries and is the largest tributary to Steelhead Creek.

Arcade Creek (4.2 in **Figure 2-18**) is a smaller tributary to Steelhead Creek. This subwatershed is highly urbanized with high flows in the wet season exceeding 100 cfs and low flows in the dry season often dropping below 1 cfs.

Steelhead Creek, or the Natomas East Main Drainage Canal (4.3 in **Figure 2-18**), drains both the Dry and Arcade creek flows into the Sacramento River. RD 1000 and Sacramento also pump drainage water into Steelhead Creek during storm events. These pumps contribute as low as 1 percent of flow in Steelhead Creek during the dry season but as high as 52 percent during storm events. These floodwaters are at times the largest contributors of flow influencing the highly variable hydrology of Steelhead Creek (American Basin Council of Watersheds 2008).

### ***Lower American Watershed: Water Quality***

The lower American River and Folsom Lake water is generally characterized as high-quality surface water that is low in alkalinity, low in disinfection byproduct precursor materials, low in mineral content, and low in organic contamination. Limited data also indicate that the source of water is low in microbial contamination from giardia and cryptosporidium. Turbidity levels tend to be higher in the winter than summer because of higher flows associated with winter storms. However, mercury resulting from historical mining activities is of concern in Folsom Lake and the American River downstream. PCBs and “unknown toxicity” from unknown sources also limit water quality and appear in EPA’s 303(d) listing. A TMDL for mercury in the American River is currently under development (State Water Board 2010a).

American River and Folsom Lake water quality satisfies all the current federal regulations for raw and treated water. It is considered sufficient for water contact recreation, municipal and domestic uses, and coldwater and warmwater fish habitat (State Water Board 2010, Central Valley Water Board 2009). Intakes on Folsom Lake include Folsom WTP, Roseville WTP, and San Juan Water District’s (SJWD) Peterson WTP. Intakes along the lower American River include Golden State Water Company’s (GSWC) Coloma and Pyrites WTP, Carmichael Water District’s (CWD) Bajamont WTP, and Sacramento’s Fairbairn WTP.

**Section 2**  
**Region Description**

---

Water quality in the smaller Dry, Arcade, and Steelhead creeks varies seasonally and with flow. Dry Creek is comparatively larger and is not listed as a 303(d) impaired water body. Arcade Creek is impaired with the pesticides chlorpyrifos, diazinon, malathion, and pyrethroids from a combination of sources that include agricultural runoff, urban runoff, and aerial deposition. Copper and sediment toxicity from unknown sources also limit water quality in Arcade Creek. Steelhead Creek upstream from the confluence with Arcade Creek is impaired by PCBs from agricultural runoff, urban runoff, and industrial sources. Impairment downstream from Arcade Creek is caused by diazinon, mercury, and PCBs, also from a multitude of sources.

***Lower American Watershed: Habitat and Species***

The majority of the lower American River is paralleled by the American River Parkway, preserving the surrounding riparian zone. The river channel does not migrate to a large degree because of levees, upstream dams, and incision of the river deep into sediments. The banks of the lower American River channel provide riparian habitat—both scrub and forest consisting of cottonwood, valley oak, and willow, with occasional white alder, box elder, and Oregon ash. Understory species include wild grape, wild rose, blackberry, and elderberry. Emergent marsh habitat is found in still or slow-moving shallow water located on the edges of the river and on the banks of open water areas. These marshes are dominated by aquatic vegetation such as cattail, tule, soft rush, and blue vervain. Wildlife frequently spotted along the river include great blue heron, egret, mallards and other waterfowl, western rattlesnake, gray squirrel, river otter, beaver, turkey, mule deer, coyote, and mountain lion (Sacramento River Watershed Program 2010).

Invasive species, however, are rapidly expanding into the riparian vegetation along the lower American River. In particular, red sesbania is expanding along shorelines of streams and ponds. Pepperweed occupies extensive areas of abandoned agricultural fields with relatively moist soils and subject to periodic flooding in the first 3 miles of the American River upstream from the Sacramento River confluence. Chinese tallow tree, another recent invader, is also expanding in riparian habitats, as are longer established invaders such as arundo, Pampas grass, Spanish broom, French broom, Himalayan blackberry, and tamarisk, which can rapidly colonize exposed bar surfaces and stream banks.

Flows and water temperatures in the lower American River have been altered by the construction of Folsom and Nimbus dams. The dams also pose barriers to migratory fish and have eliminated gravel inputs to the lower river. Nonetheless, the lower American River is generally cold and clear, providing habitat for anadromous and resident fish species. The river is typically low gradient, contains gravel bars, and is composed of riffle, run, glide, and pool habitats (Reclamation 2011a).

The lower American River supports rich fish diversity, but the abundance of some individual species appears to be low. Of the 43 river species, 19 are considered numerous or common in certain portions of the lower American River, 9 are considered present or occasional, 14 are considered as few, uncommon, or rare, and 1 is now extinct. Twenty-two are believed to be non-anadromous species native to the lower American River. In addition to Chinook salmon and steelhead, a few native species have been abundant in surveys conducted in recent years, including Sacramento sucker, Sacramento pikeminnow, sculpins (prickly and riffle), tule perch, hardhead, and Pacific lamprey. Some nonnative species, such as striped bass, American shad, and smallmouth and largemouth bass occur in abundance and are an important recreational resource for anglers (Sacramento County 2008).

Several species of fish in the lower American River are of primary concern because of their declining numbers, and/or their importance to recreational/commercial fisheries. These include Chinook salmon, steelhead, Sacramento splittail, nonnative striped bass, and nonnative American shad. Management of the river to improve in-stream habitat and enhance these fisheries is a goal of many stakeholders, agencies, and organizations in the Sacramento region. These five species are described in further detail in **Table 2-12**.

**Table 2-12. Species of Concern on Lower American River**

<b>Fish</b>	<b>Abundance in Lower American River Watershed</b>
Chinook Salmon	The lower American River historically supported spring- and fall-run Chinook salmon. By 1955, it is believed that American River spring-run Chinook salmon were extinct due to dam construction. Since that time, fall-run Chinook salmon has been the dominant run.
Steelhead	The lower American River originally supported summer-, fall-, and winter-run steelhead. Historically, nearly all steelhead spawning occurred upstream from what is now the Nimbus Dam. By 1955, with the completion of Nimbus and Folsom dams, it was believed that summer-run steelhead were extinct from the American River. However, unsubstantiated reports from anglers indicate that remnant populations of summer-run steelhead may still exist in the river. Remnant populations of the fall-run and winter-run steelhead do still exist in the river.
Sacramento Splittail	Historically, splittail inhabited Central Valley lowland rivers and lakes. Presently, adult splittail primarily inhabit the Delta, Suisun Bay, Suisun Marsh, and other parts of the Sacramento-San Joaquin Estuary. Splittail are also known to inhabit the Sacramento River below the Red Bluff Diversion Dam and the lower sections of its tributaries, including the Feather and American rivers. Little information regarding Sacramento splittail occurrence, abundance, or habitat use is available specifically for the lower American River.
American Shad	American shad, a nonnative species, was first introduced into California in 1871. American shad is another anadromous species, migrating from the ocean to freshwater to spawn. The introduced American shad rapidly became abundant, and by 1879 a commercial fishery had developed in California. Legislative action in 1957 terminated the commercial fishery in favor of a rapidly developing sport fishery. No specific estimates are available regarding the annual run size of American shad in the lower American River.

**Section 2**  
**Region Description**

---

**Table 2-12. Species of Concern on Lower American River (contd.)**

Fish	Abundance in Lower American River Watershed
Striped Bass	Striped bass were introduced into California in 1879 and 1882, when shipments were released in the Sacramento-San Joaquin Estuary. The species rapidly became abundant and provided the basis for a commercial fishery by 1888. Striped bass remains an important sport fish with high recreational value and it also plays an important role as a top predator in the Bay-Delta ecosystem and its watershed. Limited information is available on striped bass presence and distribution in the lower American River, based on previous surveys conducted by the USFWS.

*Data Source: American River Parkway Plan (Sacramento County 2008)*

Key:

USFWS = U.S. Fish and Wildlife Service

Portions of the Dry, Arcade, and Steelhead creek system have been channelized and lack ecosystem values. However, the Dry Creek system has fairly well-connected riparian corridors, relatively low erosion, and fair salmonid (i.e., Chinook salmon, Central Valley steelhead, and resident rainbow trout) habitat. Chinook salmon and steelhead trout no longer spawn in upper tributaries of Dry Creek, although some spawning still occurs in the Dry Creek mainstem. Some Dry Creek tributaries may be used for spawning and shelter for salmonids as well, although spawning salmonids have not been observed in Clover Valley Creek, Antelope Creek, or Sucker Ravine (Placer County 2004).

***Lower American Watershed: Watershed Management and Stewardship***

Watershed management of the lower American River was one of the central concerns of the WFA that was signed in 2000. The need to balance both environmental and water supply needs off the American River initiated the 7-year-long regional Water Forum effort. The resulting integration and coordination have continued and expanded, and this 2013 ARB IRWMP is closely related to implementation actions of the WFA.

The lower American River has also been designated a “Recreational River” under both the California Wild and Scenic Rivers Act and the National Wild and Scenic Rivers Act. These designations provide state and national recognition, and additional protection of the river’s outstanding scenic, wildlife, historic, cultural, and recreational values. Organizations, such as the Sacramento Area Creeks Council and the American River Parkway Foundation support protection of the lower American River and its recreational values. Sacramento County has designated 4,600 acres along the river as a regional park, and its 23-mile trail system of the American River Parkway has been designated a “National Recreational Trail.” Folsom Lake is similarly surrounded by the Folsom Lake State Recreation Area, providing both recreation and habitat protection. These parks and recreational areas draw millions of local visitors each year.

Some local tributaries to the lower American River have notable, active water management plans. One is the Alder Creek Watershed Management Action Plan, developed by City of Folsom (Folsom). The 15-mile-long Alder Creek flows from the Sierra Nevada foothills west to Lake Natoma on the lower American River. Located in a place of anticipated urban development, the plan included a watershed assessment to characterize natural resource conditions as well as education and outreach to encourage watershed stewardship. With assistance from CALFED funding, Folsom developed Alder Creek management recommendations and implementation strategies in a collaborative manner (Folsom 2010). Some Alder Creek projects are included in this IRWMP.

Placer and Sacramento counties both manage the Dry, Arcade, and Steelhead creek system. The two counties jointly developed a 2003 Dry Creek Watershed Resource Management Plan, and Dry Creek is included in many of Placer County's conservation programs, such as Placer Legacy. The Dry Creek Conservancy, a nonprofit organization, also aims to facilitate watershed conservation, restoration, and education in Dry Creek, as well as in other Placer County creeks. The ABCW has been active in these creeks as well, conducting a 2008 Steelhead Creek Drinking Water Quality Study and Watershed Assessment (ABCW 2008). Recreation also plays a role in watershed stewardship, as Sacramento County manages a 6-mile corridor known as the Dry Creek Parkway. Regional plans aim to eventually create a 70-mile greenway loop in this Region.

#### **2.6.2.5. Lower Sacramento Watershed**


The Lower Sacramento Watershed lies mostly to the west and outside of the ARB Region, but its 200 square miles within the ARB Region includes most of the urban and developed areas adjacent to the river. Cities in this watershed include Sacramento, Rancho Cordova, and Elk Grove. The Lower Sacramento Watershed is primarily urban. The suburbs, such as Elk Grove, have been rapidly developing and expanding in the past few decades, creating water supply-, environmental-, and flood-related interests in this watershed.

The Morrison Creek Stream Group (**Figure 2-18**) carries flows from the Lower Sacramento Watershed within the ARB Region and is the focus of the description of this subsection. Of the Morrison Creek tributaries, information for Laguna Creek<sup>4</sup> is more available, as it has been studied and is managed by Laguna Creek Watershed Council and the Upper Laguna Creek Collaborative. Characteristics of Laguna Creek are included in a general sense as a representative of the other creeks of the Morrison Creek Stream Group. The Lower Sacramento Watershed and its subwatersheds are shown in **Figure 2-24**.

---

<sup>4</sup> A tributary of the Cosumnes River is also named Laguna Creek, not to be confused with this one of the Morrison Creek Stream Group.

**Section 2**  
**Region Description**



**Figure 2-24. Lower Sacramento Watershed**

**Lower Sacramento Watershed: Hydrology**

The Morrison Creek Stream Group is a tributary to the Sacramento River, and includes Morrison, Florin, Elder, Union House (Beacon), Strawberry, Laguna, and Elk Grove creeks (see **Figure 2-24**). Laguna Creek and its many tributaries, such as Elk Grove Creek, join Morrison Creek north of the SRWWT. These streams are small, local streams that have been extensively relocated and channelized as a result of urban development. Laguna Creek, for example, is a meandering single channel that conveys runoff from an average of 16 to 17 inches of rain that falls over this small watershed. Urbanization has increased peak flows and associated erosion, habitat degradation, and flood concerns.

The Morrison Stream Group flows into Stone Lakes National Wildlife Refuge west of Elk Grove, south of the FRWP intake facility. During winter months, high flows may also be directed to the Stone Lakes National Wildlife Refuge, located in the Upper Mokelumne Watershed, described in **Section 2.6.2.7** (Elk Grove 2008).

***Lower Sacramento Watershed: Water Quality***

Many creeks of the Morrison Stream Group have TMDLs for the pesticide diazinon. EPA's 303(d) list also identifies pentachlorophenol and sediment toxicity from unknown sources, and pyrethroids from agricultural runoff and unknown sources. Assuming Laguna Creek is representative of the Morrison Creek Stream Group, additional water quality concerns potentially include fecal coliform (*E. coli*) concentrations, dissolved oxygen, trace metals, and excess nutrients (Geosyntec Consultants 2007).

***Lower Sacramento Watershed: Habitat and Species***

As discussed, the streams of the Morrison Creek Stream Group have been extensively relocated and channelized as a result of urban development. These streams were first impacted by farming, starting in the late 19th century when native grasslands and sparse riparian vegetation were displaced by crops, pasture, and invasive nonnative grasses and weeds. Vernal pool grassland habitat can be found in some upstream reaches.

Laguna Creek, and potentially other nearby tributaries, support sensitive species, such as valley elderberry longhorn beetle, giant garter snake, and western pond turtle; aquatic foraging birds; American peregrine falcon; and nesting raptors, such as Swainson's hawk and white-tailed kite. There are no special-status fish species that are known to occur in Laguna Creek. Altered habitats and the presence of nonnative aquatic species are primary limiting factors impacting the native fish community (Laguna Creek Watershed Council 2009).

***Lower Sacramento Watershed: Watershed Management and Stewardship***

The Laguna Creek Watershed Council is a nonprofit organization established in 2008 that represents a diverse group of watershed residents, community group leaders, and local government agency representatives. The council has been active in watershed management and stewardship for Laguna Creek, within the Morrison Stream Group. However, similar agencies and efforts for other streams within the Morrison Creek Stream Group, as a whole, have not been identified.

**2.6.2.6. Upper Cosumnes Watershed**

The Upper Cosumnes Watershed covers 335 square miles of the southeastern portion of the ARB Region. The watershed within the Region is primarily agricultural, including croplands, vineyards, pastures, and

***Section 2***  
***Region Description***

---

orchards. This area supports smaller communities, such as the Galt and Rancho Murieta Community Services District (Rancho Murieta), and residential areas have developed in recent years. Deer Creek and Laguna Creek (see **Figures 2-18** and **2-25**) are the main tributaries to the lower portion of the Cosumnes River that flows within the ARB Region. The Upper Cosumnes Watershed is considered to have a high potential for effective restoration, and it is the largest, undammed (i.e., no large, permanent dams) river remaining in the Sierras. Its downstream end is also a part of the Delta and is influenced by tidal effects. Thus, there are also strong environmental interests in this watershed. Unlike the other watersheds, the Upper Cosumnes Watershed has been studied as a whole by the Cosumnes River Preserve (CRP) and is generally presented as such in this subsection description.






Figure 2-25. Upper Cosumnes Watershed


### Upper Cosumnes Watershed: Hydrology

Flowing through the southern portion of the ARB Region, the Cosumnes River is a tributary to the Mokelumne River and is a part of the larger San Joaquin River Hydrologic Region. The 80-mile-long Cosumnes River is a small river whose headwaters begin at about at 7,200 feet above sea level in the Sierra Nevada. The river flows southwest to the Delta. The segment of the watershed within the ARB Region is characterized as tidal floodplain or open floodplain. The tide influences multiple shifting channels in the tidal floodplain areas, while the open (non-tidal) floodplain portion is not influenced by tides (CRP 2008).

**Section 2**  
**Region Description**

---

Most of the flow in the Cosumnes River and its tributaries results from winter rain, and the annual hydrograph closely follows the pattern of precipitation. The river is considered to be undammed because it has no major hydroelectric dams. Extreme low flows (including dry bed) occur in the lower Cosumnes River in the late summer, after long periods without precipitation. Average annual flows can also vary from around 25 cfs to more than 1,500 cfs. **Figure 2-26** shows the average monthly flows for the Cosumnes River.



Data Source: USGS 11335000 gage at Michigan Bar 10/1908-09/2011  
Key: cfs = cubic feet per second

**Figure 2-26. Average Monthly Flows at Michigan Bar**

There are no required in-stream flows for aquatic resources maintenance for the Cosumnes River. The USFWS is working to determine and evaluate these requirements that will ensure adequate flows for all life stages for all salmonids (USFWS 2013).

**Upper Cosumnes Watershed: Water Quality**

Water quality of the Cosumnes River is impacted by levels of nitrogen, phosphorous, and suspended sediments, from both point and nonpoint sources. Water temperature, conductivity, and pH generally increase downstream (CRP 2006). EPA’s 303(d) list identifies *E. coli*, sediment toxicity, and invasive species as impairments to the Cosumnes River system. Since 2011, the Central Valley Water Board has implemented a Delta-wide mercury TMDL, and this plan identifies the entire Cosumnes River Watershed as a high mercury contributor (Central Valley Water Board 2010).

Despite contamination concerns, water quality is sufficient for water contact recreation and municipal use after treatment. Rancho Murieta Community Services District takes water from the Cosumnes River at

Granlees Dam for municipal use. Other uses are primarily agricultural for private irrigators along the river.

***Upper Cosumnes Watershed: Habitat and Species***

The Upper Cosumnes Watershed's lower reaches within the ARB Region support one of the biologically richest regions in California's Central Valley. Stretches of the river are relatively unaffected by development, with sloughs, ponds, oak woods, and fertile bottomlands. Marshes and grasslands provide wintering grounds for tens of thousands of migrating birds, songbirds and raptors, including sandhill crane, tundra swan, and great blue heron. The river is home to a number of resident, fall-run native fishes, and Chinook salmon are showing signs of rebounding after years of decline. Located between Sacramento and Stockton, there is increasing pressure for urban development in the watershed. Farmland conservation is considered to be important in the coming years, as it provides habitat for wildlife and helps buffer important streamside areas from the effects of urbanization.

***Upper Cosumnes Watershed: Watershed Management and Stewardship***

The CRP plays an integral part in watershed management and stewardship in the Upper Cosumnes Watershed. CRP is currently a multiagency partnership, including the federal, state, and local governments, nonprofit organizations, and local school districts. Cooperative management agreement partners include:

- U.S. Bureau of Land Management
- The Nature Conservancy (TNC)
- Sacramento County Department of Regional Parks
- CDFW
- Ducks Unlimited, Inc.
- DWR
- California State Lands Commission
- NRCS
- Galt Joint Union Elementary School District

The partnership has studied and developed watershed assessment plans and CRP Management Plans. The CRP has also encouraged recreation and over 60,000 people visit each year. More information about the CRP is available on their Web site at <http://www.cosumnes.org/>

**Section 2**  
**Region Description**

---

TNC and local farmers started a 1,040-acre organic farm on the CRP in 1995. By the year 2000, TNC had protected more than 20,000 acres of private farmland and rangeland in the watershed through conservation easements, and 10,000 acres more through direct purchase. The preserve has continued to grow and it now encompasses more than 46,000 acres. The CRP is reestablishing riparian forest and perennial grasslands through active and passive restoration efforts. Valley oak, Oregon ash, Fremont's cottonwood, box elder, willow, wild rose, and elderberry are planted to create the diverse understory of trees and shrubs found in mature riparian forest (NMFS 2009).

**2.6.2.7. Upper Mokelumne Watershed**

The Upper Mokelumne Watershed is located in portions of Sacramento, San Joaquin, Amador, and Calaveras counties and encompasses some 1,266 square miles. Only a small portion of the Upper Mokelumne (104 square miles) is within the ARB Region. Most of the significant hydrologic, habitat, and watershed management of the Upper Mokelumne occurs south of the ARB Region, so it is not described further here. The portion of the Upper Mokelumne Watershed within the ARB Region consists of minor drainages from primarily human-made inland Delta waterways. The Upper Mokelumne Watershed and its subwatersheds are shown in **Figure 2-27**.




Figure 2-27. Upper Mokelumne Watershed

**Upper Mokelumne Watershed: Hydrology**

The primary hydrologic feature of the Upper Mokelumne is the lower Mokelumne River, which constitutes a few miles of the ARB Region southwestern boundary. The lower Mokelumne is dammed about 34 miles upstream by the Camanche Dam and Reservoir operated by EBMUD. The operation of Camanche Dam and Pardee Dam further upriver have significantly modified the downstream flow regime.

## ***Section 2 Region Description***

---

### ***Upper Mokelumne Watershed: Water Quality***

Water quality has been characterized in the Mokelumne River for the portion of the Upper Mokelumne Watershed that is within the ARB Region. While water quality is considered good for most purposes, there are constituents that exceed protective water quality standards, causing the lower Mokelumne River to be placed on the State Water Board's 303(d) listing of impaired water bodies. These pollutants include: chlorpyrifos associated with agricultural runoff; dissolved oxygen from unknown sources; and copper, mercury, and zinc associated with mining in the upper portions of the watershed.

### ***Upper Mokelumne Watershed: Habitat and Species***

The Upper Mokelumne Watershed within the ARB Region is dominated by cropland, grassland, and wetland. In a 2009 report by the NMFS evaluated the Mokelumne River for its habitat potential to support salmon and steelhead (NMFS 2009). The report concluded that the lower river segment does have a low potential to support viable self-sustained populations of steelhead. Issues include reduced flows in this reach of the river from damming and diversions, impediments to passage, relatively high water temperatures, lack of spawning gravels, and water quality concerns.

Another noteworthy habitat within the ARB Region of the Upper Mokelumne Watershed is the Stone Lakes National Wildlife Refuge. The refuge is part of the National Wildlife Refuge System and is a major stop along the Pacific Flyway for migrating birds. The refuge is authorized for up to 18,000 acres and is part of a partnership between the USFWS and more than two dozen other partners (see [http://www.fws.gov/refuge/Stone\\_Lakes/](http://www.fws.gov/refuge/Stone_Lakes/)). The refuge is home to more than 200 species of birds and many other fish and wildlife species.

### ***Upper Mokelumne Watershed: Watershed Management and Stewardship***

As described, the USFWS and more than two dozen partners are actively engaged in the Stone Lakes National Wildlife Refuge. USFWS adopted a Comprehensive Conservation Plan for the refuge in 2007 that provides a 15-year management direction (see [http://www.fws.gov/refuge/Stone\\_Lakes/what\\_we\\_do/planning.html](http://www.fws.gov/refuge/Stone_Lakes/what_we_do/planning.html)).

### **2.6.3. Groundwater: Groundwater Basin Characteristics**

Groundwater is an important source of water supply within the ARB Region and is an integral part of the regional water resources setting. Groundwater supports a significant portion of the Region's water needs, and often helps reduce impacts to water users in times of shortage. Efforts to increase conjunctive use<sup>5</sup> in

---

<sup>5</sup> As defined by the 2009 California Water Plan Update, conjunctive use (management) is the "...coordinated and planned use and management of both surface water and groundwater resources to maximize the availability and reliability of water supplies in a region..." (DWR). Conjunctive use involves using and storing surface water to intentionally recharge groundwater during wet years. Stored groundwater can then be used during

the Region have increased the use of surface water when available during wet and normal conditions, while preserving and protecting groundwater resources for dry and critically dry periods.

There are three groundwater subbasins defined by DWR that underlie the ARB Region, as shown in **Figure 2-3**: the North American, South American, and Cosumnes groundwater subbasins. These subbasins are bounded by the Sacramento or Feather River to the west and the geologic formations of the Sierra Nevada to the east. The North American Subbasin boundaries are defined by the Bear and American rivers, the South American Subbasin by the American and Cosumnes Rivers, and the Cosumnes Subbasin by the Cosumnes and Mokelumne rivers. These subbasins are discussed separately in the following subsections after an initial characterization of the hydrogeology, water quality, and contamination issues that span across the entire ARB Region. Each subbasin has one or more entities that manage groundwater. Groundwater management plans prepared by these entities, corresponding annual management plan reports, and DWR's *Bulletin 118 California's Groundwater*, are the main sources of information for the rest of **Section 2.6.3**. Groundwater extraction in the Region is discussed in **Section 2.9**.

#### **2.6.3.1. Hydrogeology of the ARB Region**

Groundwater resources in Sacramento County and most of the ARB Region have been extensively investigated and reported in DWR's *Bulletin 118, California's Groundwater*. The *Bulletin's* 2003 update describes various geologic formations that constitute the water-bearing deposits underlying Sacramento County and significant portions of western Placer County. Located in the Sierra Nevada foothills and mountain areas, El Dorado County does not generally have significant groundwater resources from a municipal supply standpoint. Groundwater-bearing formations in the Region include an upper aquifer system consisting of the Riverbank, Turlock Lake, and Laguna formations, and a lower aquifer system consisting primarily of the Mehrten Formation. The formations are shown in **Figure 2-28** and are typically composed of lenses of interbedded sand, silt, and clay, interlaced with coarse-grained stream channel deposits. **Figure 2-28** illustrates that these deposits form a wedge that generally thickens from east to west to a maximum thickness of about 2,500 feet under the Sacramento River.

Groundwater occurs in an unconfined to semi-confined state throughout the Region. Semi-confinement may occur in local areas, and the degree of confinement typically increases with depth. Groundwater in the Riverbank, Turlock Lake, and Laguna formations is typically unconfined. The deeper Mehrten Formation, a major source of groundwater, exhibits semi-confined conditions. The Valley Springs and


---

drier years. Conjunctive use is an integral part of the WFA and requires actions such as regional cooperation, groundwater management, construction of new wells, and operational changes in water use depending on hydrologic year type.

**Section 2**  
**Region Description**

Ione Formations underlie some of the productive aquifers in the Region and are transitional aquifer systems that contain a mixture of saline and fresh groundwater (Sacramento Groundwater Authority [SGA] 2008b).

Groundwater in the ARB Region moves from sources of recharge to areas of discharge. Most recharge to the local aquifer system occurs along active stream channels where extensive sand and gravel deposits exist. As a result, the highest groundwater elevations occur near the American and Sacramento rivers.



**Figure 2-28. Regional Geologic Cross Section**

**2.6.3.2. Groundwater Quality in the ARB Region**

Water quality analyses of the aquifers underlying the ARB Region have shown that groundwater found in the upper aquifer system is generally of higher quality than that found in the lower aquifer system. Water from the upper aquifer (specifically the Laguna Formation) generally does not require treatment (unless high arsenic levels are encountered), other than disinfection for public drinking water systems. In contrast, the lower aquifer system (specifically the Mehrten Formation) generally contains higher concentrations of iron and manganese. The lower aquifer system also has higher concentrations of total dissolved solids (TDS), although this aquifer also typically meets water quality standards as a potable



water source. At depths of approximately 1,400 feet or greater (actual depth varies throughout the basin, but could be as shallow as 800 feet), TDS concentrations exceed 2,000 milligrams per liter (mg/L); thus, the groundwater is considered nonpotable (Sacramento Central Groundwater Authority [SCGA] 2006).

Groundwater from both the upper and lower aquifers is used, and the groundwater quality generally meets the federal maximum contaminant level (MCL) standards. SGA and SCGA publish Basin Management Reports in accordance with their groundwater management plans (GMP). Together, the two agencies monitor over 200 sampling wells for TDS, arsenic, nitrate, iron, and manganese. MCL exceedences for TDS, arsenic, and nitrate are very rare. For arsenic, manganese, and hexavalent chromium (CrVI), many samples are below the detectable contaminant threshold. In comparison, about 20 to 25 percent of samples exceed the secondary MCL for iron and manganese, and groundwater high in these contaminants are treated before use. However, iron and manganese are generally not a human health hazard, although they do cause laundry, fixture staining, and taste and odor problems (SGA 2011, SCGA 2010).


The deep aquifer (below the Mehrten Formation) underlying the upper and lower aquifers is saline connate water (trapped in rock pores and often pressurized), at depths ranging from 800 feet in the east to 2,000 feet below ground surface in the west.

### **2.6.3.3. Principle Groundwater Contamination Plumes**

The ARB Region enjoys plentiful and high-quality water resources from a statewide water resources perspective. Surface water quantities vary seasonally and quality is generally good to excellent. While the ARB Region enjoys similarly robust groundwater resources, contamination has and continues to be a threat and cause for serious concern. There are numerous groundwater contamination plumes in the ARB Region stemming from previous industrial activities that have directly impacted or continue to threaten groundwater quality. Throughout the Region, groundwater contamination plumes have forced some wells to be taken out of service in the past 2 decades, and continue to threaten other local groundwater supplies. For example, wells owned by California American Water (Cal-Am), GSWC, and SCWA have been impacted and shut down due to the migration of contaminants from Aerojet General Corporation (Aerojet), while wells in Sacramento Suburban Water District (SSWD) have been abandoned due to the McClellan plume from the former air force base (AFB). Contaminant plumes from Aerojet have migrated north, beneath the American River, impacting wells in CWD and Fair Oaks Water District (FOWD). The Aerojet and McClellan AFB locations are the largest, most extensive groundwater contamination plumes in the ARB Region. The approximate location and extent of these plumes and others, such as the plumes from Mather AFB and the Union Pacific Railroad sites as of 2008, are shown in **Figure 2-29**. Some of the

**Section 2**  
**Region Description**

main contaminants of concern include trichloroethene, tetrachlorethene (PCE), perchlorate, and n-nitrosodimethylamine (NDMA).



**Figure 2-29. Extents of Contamination Plumes as Reported in 2011 SGA Basin Management Report**

Monitoring wells and pump-and-treat facilities have been installed in numerous locations to control further contaminant plume migration and to remediate soil and groundwater resources. The Sacramento Environmental Management Site Department maintains a policy of special review by appropriate regulatory agencies for well permits within 2,000 feet of a known contaminant plume (referred to as Consultation Zones) and prohibits drilling of new public water supply wells at the former McClellan AFB. Groundwater contamination impacts the availability of future groundwater supply and the basin's ability to fully develop conjunctive use programs (SCGA 2010).

#### 2.6.3.4. North American Groundwater Subbasin

The North American Groundwater Subbasin covers portions of Sutter, Placer, and northern Sacramento counties, and is defined by the Bear River on the north, the Feather River and the Sacramento River on the west, the American River on the south, and the Sierra Nevada foothills on the east. The eastern boundary represents the approximate edge of the alluvial basin, where little or no groundwater flows into or out of the groundwater basin from the Sierra Nevada basement rock. This boundary passes about 2 miles east of Lincoln. The basin spans 351,000 acres (DWR 2003).

#### *Sustainable Yields and Groundwater Level Trends*

Three different management entities overlie the North American Groundwater Subbasin: Sutter County, Western Placer County (WPC), and the SGA. The Sutter County area is mostly outside the ARB Region, so it is not discussed here. The WFA set the long-term average annual extraction limit (sustainable yield) for Sacramento County (SGA area) to 131 thousand acre-feet (TAF). The WPC group is currently conducting a study of sustainable yield in its portion of the basin, and results are expected in mid-to-late 2013.

Groundwater levels in the central part of North American Subbasin have historically declined by about 1.5 feet per year (DWR 2003). The cone of depression in the North American Subbasin generally underlies the SSWD service area, a historically heavy groundwater user. Since the WFA and construction of projects designed to offset average annual groundwater pumping, groundwater elevations have stopped their overall decline and have begun increasing in parts of the basin. Between 1997 and 2010, groundwater elevations have increased an average of 5 feet in the SGA management area (SGA 2011). Groundwater elevations have also been monitored in

Western Placer County –  
GMP (2007)

Plan Participants and  
MOA Members:

- Roseville
- Lincoln
- PCWA
- Cal Am

Sacramento  
Groundwater Authority –  
GMP (2003, Updated  
2008)

SGA (JPA) members:

- Cal-Am
- CWD
- CHWD
- Folsom
- Sacramento
- Sacramento County
- Del Paso Manor
- FOWD
- GSWC
- NCMWC
- OVWC
- Rio Linda/Elverta
- SSWD
- SJWD
- Other  
representatives of  
agriculture and self-  
supplied  
groundwater users

**Section 2**  
**Region Description**

---

southwestern Placer County and northern Sacramento County (WPC 2007).

**Groundwater Quality**

Monitoring of public wells generally show good water quality in the North American Subbasin. Typical naturally occurring constituents that exceed drinking water standards within SGA include iron and manganese. Neither constituent is considered to be a major concern as blending and treatment (if needed) are straightforward. Other common naturally occurring constituents the SGA are CrVI and radon. There are no MCL drinking water standards for CrVI or radon, but these could be a concern in the future as standards are developed. In addition to the contaminant plumes noted above, a number of wells with relatively high concentrations of PCE, including several that exceed the MCL, were detected in the northern part of Sacramento County. PCE is commonly associated with human industrial activities.

**2.6.3.5. South American Groundwater Subbasin**

The South American Groundwater Subbasin is defined as the area bounded on the west by the Sacramento River, on the north by the American River, on the south by the Cosumnes and Mokelumne rivers, and on the east by the Sierra Nevada. The basin spans 248,000 acres (DWR 2003).

**Sustainable Yields and Groundwater Level Trends**

The Central Sacramento County GMP was developed as part of the successor effort of the WFA. The WFA established the annual sustainable yield for the South American Subbasin at 273 TAF. The 15-foot groundwater level decline from the 1987 to 1992 drought has mostly recovered during the time between 1995 and 2003. For the years 2003 to 2008, groundwater levels remained fairly stable or continued to recover. Much of this recovery can be attributed to the increased use of surface water in the South American Groundwater Subbasin area, and the conversion of irrigated agricultural lands into urban development in Sacramento

Sacramento Central  
Groundwater Authority  
– GMP (2006)

SCGA JPA Members:

- Sacramento
- Cal Am
- Folsom
- OHWD
- GSWC
- Elk Grove
- Rancho Murieta
- SRCSD
- Rancho Cordova
- Sacramento County
- EGWD
- Agricultural Interests
- Agricultural Residential
- Commercial/Industrial-Self Supplied
- Conservation Landowners
- Public Agencies Self-Supplied

County around Elk Grove. The groundwater cone of depression in the South American Subbasin is west of Elk Grove (SCGA 2006).

***Groundwater Quality***

Groundwater quality in this subbasin is generally suitable for nearly all uses, but some localized contamination or poor water quality has been observed. Several SCWA wells located west of Highway 99 have been phased out of production because of arsenic concentrations. Several volatile organic compound (VOC) sources currently exist within the subbasin including old landfills, wrecking yards, military bases, and research and development facilities. Additionally, some private wells have elevated concentrations of nitrate, although it is still below drinking water standards. However, there are no reports of new sources of VOC contamination or of migration of previously identified plumes (SCGA 2010).

**2.6.3.6. Cosumnes American Groundwater Subbasin**

In contrast to the North and South American groundwater subbasins, the Cosumnes Groundwater Subbasin is a part of the greater San Joaquin Valley Groundwater Basin. The subbasin is defined by the areal extent of unconsolidated to semi-consolidated sedimentary deposits that are bounded on the north and west by the Cosumnes River, on the south by the Mokelumne River, and on the east by consolidated bedrock of the Sierra Nevada. The basin spans an area of 281,000 acres (DWR 2003). The Cosumnes Groundwater Subbasin extends past the southern and eastern boundary of the ARB Region.

***Sustainable Yields and Groundwater Level Trends***

The South Sacramento County Agricultural Water Authority and neighboring stakeholders and water agencies formed the South Area Water Council (SAWC) to develop a 2011 South Basin GMP. This GMP encompasses the Cosumnes Groundwater Subbasin within the ARB Region in its entirety. The WFA determined the annual sustainable yield of the entire Cosumnes Groundwater Subbasin to be 115 TAF. In general, wells near the Cosumnes River show stable groundwater elevation trends, while wells further away from the river show a declining trend. Groundwater levels in wells outside the influence of the Cosumnes River have generally declined between 10 and 50 feet from 1963 to 2007. The primary cone of depression falls northeast of Galt (SAWC 2011).

South Area Water Council – South Basin GMP (2011)

Plan MOU Members:

- OHWD
- Galt ID
- Clay WD
- SCWA
- TNC
- Rancho Murieta
- Galt
- DWR

**Groundwater Quality**

There are no reported significant groundwater quality issues in the Cosumnes Groundwater Subbasin (SAWC 2011).

**2.7. Flood and Stormwater Management Systems**

Throughout California, and especially the Central Valley, a complex system of dams and reservoirs, levees, weirs, bypasses, and other features have been constructed over the last 150 years to protect urban and rural areas against periodic flooding. Federal, state, and local jurisdictions often overlap, complement, and at times, conflict with each other to manage this flood risk. The state designates that urban areas should maintain protection from a 200-year-level storm event, but as seen in **Figure 2-4**, areas along the American and Sacramento rivers, especially the downstream western portions of the ARB Region, are susceptible to 100-year floods. FloodSAFE California’s (FloodSAFE) California’s Flood Future (2013b) studied the flood hazards in IRWM regions statewide for 100-year and 500-year floods.<sup>6</sup> This information is summarized in **Table 2-13**.

**Table 2-13. ARB Region’s Exposure to Flood Hazards**

	<b>100-Year Flood</b>	<b>500-Year Flood</b>
Land Area Exposed (acres)	118,434	241,642
Land Area Exposed (percent of total land area)	15%	31%
Population Exposed (number of people)	51,586	594,234
Population Exposed (percent of total population)	4%	41%
Total Depreciated Replacement Value of Exposed Structures and Contents (\$1,000s)	\$4,344,109	\$13,797,914
Crop Area Exposed (acres)	47,282	81,832
Crop Area Exposed (percent of total crop area)	29%	51%
Value of Exposed Crops (\$1,000s)	\$66,858	\$119,076
Total Sensitive Plants and Animal Species <sup>1</sup>	57	63
Total Essential Facilities <sup>2</sup>	15	250
Transportation Facilities	145	456
High Potential Loss Facilities <sup>3</sup>	20	55
Lifeline Utilities <sup>4</sup>	0	20

Data Source: DWR, 2013b, Draft California’s Flood Future

Notes:

<sup>1</sup> Sensitive species include state and federal listings of endangered and threatened species.

<sup>2</sup> Essential facilities include care facilities, emergency centers, fire stations, police stations, and schools.

<sup>3</sup> High potential loss facilities include dams and hazardous material sites.

<sup>4</sup> Lifeline utilities include potable water, oil, natural gas, electric power, and communication facilities.

Key:

ARB = American River Basin

<sup>6</sup> A “100-year flood” is a flood that has a 1 in 100 chance of being exceeded in any given year. This may also be expressed as the 1% annual chance of exceedence flood, or “1% annual chance flood.” Similarly, a 500-year flood has a 1 in 500 (or 0.2%) chance of being exceeded in any given year (DWR 2012a).

Several agencies are responsible for operations and maintenance of the Region’s flood and stormwater management systems, including nonpoint source water pollution control. Flood management considers systemwide flooding potential, while stormwater management concerns localized storm drainage on a smaller scale, with attendant water quality protections. Responsibilities for flood management generally fall under federal, state, and regional purviews. Federal and state governments also assist local efforts. For example, DWR’s FloodSAFE is a long-term strategic initiative developed to reduce flood risk in California, and DWR’s flood risk management programs are consolidated under FloodSAFE. This includes provision of voter-authorized funding through Propositions 1E and 84 to assist local flood projects. In contrast to flood management, stormwater management generally falls under county, city, or local drainage districts or their respective departments.

While strategies are highly dependent on regional watershed characteristics, the jurisdictions charged with flood and stormwater management responsibilities typically do not follow or align with watershed boundaries. Accordingly, this subsection begins with a region-wide perspective describing the role of the federal and state governments and the State Plan of Flood Control (SPFC) facilities in higher level flood management. SAFCA, a regional multicounty, multiagency flood management entity is then characterized. Thereafter, responsible local agencies or partnerships and relevant plans within Sacramento, Placer, and El Dorado counties are described.

### **2.7.1. State Plan of Flood Control Facilities**

SPFC facilities, as legally defined in the California Water Code (CWC), are a portion of the flood management system that includes state- and federally authorized projects under the jurisdiction of DWR, Central Valley Flood Protection Board, and the USACE (DWR 2010).

The locations of SPFC facilities are shown in red in **Figure 2-30**. **Tables 2-14** and **2-15** characterize the SPFC facilities in the ARB Region. Folsom Dam is a multipurpose reservoir that serves flood control, water supply, recreational, and ecosystem purposes on the American River. Shasta Dam is another multipurpose SPFC facility that serves flood control, water supply, recreational, and ecosystem purposes on the Sacramento River. Operations of both dams and reservoirs provide flood protection upstream from the ARB Region.


The vast levee system in the ARB Region is a combination of SPFC and local levees. Levees along larger streams and rivers tend to be under state and federal jurisdiction while levees along smaller local creeks and streams tend to be under local agency jurisdiction—however, there are exceptions. DWR Sacramento Maintenance Yard maintains DWR levees, which includes Maintenance Area 4, west of Sacramento, and

***Section 2***  
***Region Description***

---

Maintenance Area 9, south of Sacramento along the Sacramento River. A separate DWR branch, the Flood Protection Inspection Branch, is responsible for levee inspection (DWR 2010).





Data Source: Central Valley Flood Management Planning Program, State Plan of Flood Control Descriptive Document (2010)

Note: DWR may alter and update flood management-related maps as the CVFMPP evolves.

**Figure 2-30. SPFC Facilities in the ARB Region**

**Section 2**  
**Region Description**

DWR has studied the current status of SPFC levees and assigned levee hazard classifications according to performance on levee failure assessments. Senate Bill (SB) 5 requires urban areas to provide at least 200-year flood protection as a condition for further development. Nonurban levee design criteria vary depending on local circumstances.

**Table 2-14. SPFC Facilities in the ARB Region**

Reservoir	Dam	Total Reservoir Capacity (AF)	Flood Storage Capacity (AF)	Owner/Operator
Folsom Lake	Folsom Dam	973,000	400,000 to 670,000	Reclamation

Data Sources: DWR, Central Valley Flood Management Planning Program, State Plan of Flood Control Descriptive Document (2010)

Key:  
AF = acre-foot  
ARB = American River Basin  
SPFC = State Plan of Flood Control

**Table 2-15. SPFC Levees in the ARB Region**

Levee Location within the ARB Region	Design Capacity (cfs) from O&M Manuals		Classification	Hazard Categorization
	Left Bank	Right Bank		
Sacramento River	110,000	N/A	Mostly urban	Mostly Meets Criteria
Bear River	37,000	N/A	Nonurban	Moderate to High
Yankee Slough	2,500	2,500	Nonurban	Moderate to High
American River (from Sacramento River to Carmichael)	115,000 to 180,000	115,000 to 180,000	Urban	Meets Criteria
Natomas East Main Drainage Canal	12,600 to 16,300	1,100 to 16,300	Urban	Left bank meets criteria, right bank does not meet criteria
Dry Creek	15,000	N/A	Urban	Meets criteria
Arcade Creek	3,300	3,300	Urban	Marginal

Data Sources: DWR, Central Valley Flood Management Planning Program, State Plan of Flood Control Descriptive Document (2010) and DWR, Flood Control System Status Report (2011a)

Key:  
ARB = American River Basin  
cfs = cubic-feet per second  
N/A = not applicable  
O&M = operations and maintenance  
SPFC = State Plan of Flood Control

The Central Valley Flood Protection Act of 2008 directed DWR to prepare the Central Valley Flood Protection Plan (CVFPP) for adoption by the Central Valley Flood Protection Board. The 2012 CVFPP proposes a systemwide investment approach for sustainable, integrated flood management in areas currently protected by SPFC facilities. DWR has initiated Basin-Wide Feasibility Studies, along with associated Regional Flood Management Planning (RFMP) and the Central Valley Flood System Conservation Strategy, to advance both ongoing and long-term implementation of the CVFPP

RFMP is an important part of flood management improvement planning in the Central Valley. The locally-led RFMP efforts are developing long-term, regional flood management plans that address local needs (such as urban level of flood protection requirements), articulate local/regional priorities, and establish the common vision of regional partners. DWR has provided funding and resource support to help develop regional plans consistent with the 2012 CVFPP. It is anticipated that all regional plans will be completed in 2014.

The ARB Region, along with the Westside Sacramento IRWM Region, is part of the Lower Sacramento-Delta North Region (separate from ARB Region boundaries), and the West Sacramento Area Flood Control Agency is heading RFMP effort. Although these RFMP and IRWM efforts have differing planning boundaries, the two initiatives should be in coordination with one another. Once written, the two plans will involve common objectives and projects. They also share similar sets of stakeholders. See Section 3.4 for details of coordination between the ARB Region and the Westside Sacramento IRWM Region.

### **2.7.2. Sacramento Area Flood Control Agency**

Sacramento, Sacramento County, Sutter County, the ARFCD and RD 1000 jointly created SAFCA in 1989 through a Joint Exercise of Powers Agreement to provide the Sacramento region with increased flood protection along the American and Sacramento rivers. SAFCA formed in response to the record flood of 1986 when Folsom Dam exceeded its normal flood control storage capacity and several area levees nearly collapsed under the strain of the storm. SAFCA's jurisdiction spans across two counties and multiple watersheds tributary to the lower Sacramento River, as shown in **Figure 2-4**

SAFCA's mission is "to reduce flood risk, thereby minimizing the impacts of floods on human safety, health, and welfare; and, consistent with these flood risk reduction goals, to preserve and enhance the environmental and aesthetic values that floodways and floodplains contribute to the quality of life in the Sacramento region." SAFCA is governed by a board of directors that is appointed by its member agencies. The board has 13 members, and holds monthly public meetings. Under the Sacramento Area Flood Control Agency Act of 1990 (SAFCA Act), the California Legislature conferred on SAFCA broad

**Section 2**  
**Region Description**

---

authority to finance flood management projects and has directed SAFCA to carry out its flood management responsibilities in ways that provide optimum protection to the natural environment. Since then, the SAFCA Act has been amended by Assembly Bill 930 of 2007 allowing SAFCA to acquire land easements as necessary and to use revenues from fees on projects that protect SAFCA’s area.

Flood management projects have historically been initiated and funded by either or both federal and state laws, usually in response to major flooding events. Since the passage of Propositions 84 and 1E in 2006, the state (DWR) and state-local partnerships have become increasingly stronger in planning and implementing flood management projects. DWR works with SAFCA in the development and implementation of regional flood management projects and revisions to floodplain mapping. Natomas Basin levees have been recently upgraded in a project jointly funded by the state and SAFCA.

SAFCA receives funding from development fees and annual assessments imposed on properties that benefit in three separate districts in Sacramento and Sutter counties. **Table 2-16** identifies and describes the assessment districts and how the district funding is implemented.

**Table 2-16. SAFCA Districts and Funding Expenditures**

District	Area Coverage	Funding Expenditures
Operations and Maintenance (O&M) District	Areas within SAFCA’s jurisdiction that are influenced by American River flows, contributing tributary creeks, and drainage channels; and are benefitted by SAFCA O&M projects	Annual operation and maintenance
Consolidated Capital Assessment District (CCAD)	Natomas Basin within Sacramento and Sutter counties, plus the portions of the City and County of Sacramento outside Natomas that lie within the 200-year floodplain of the American and Sacramento Rivers and their tributaries in North and South Sacramento.	Capital improvements include Folsom Dam, levees along the American and Sacramento River, and other levees and related flood management facilities
Natomas Basin Local Assessment District (NBLAD)	Entire Natomas Basin (all properties within Sutter County and Sacramento County within the American Basin)	Capital improvements on Natomas levees

Key:  
SAFCA = Sacramento Area Flood Control Agency

**2.7.3. Sacramento County Area**

This subsection describes the stormwater and flood management conditions of various agencies or organizations within Sacramento County. This includes Sacramento County, six incorporated cities therein, a partnership between the county and those cities to jointly manage stormwater quality, a flood control district, and an RD. Sources of information include agency-specific management plans such as:

storm drainage system master plans, the county-wide 2011(b) Local Hazard Mitigation Plan, and the 2009(b) Watershed Management Plan.

### **2.7.3.1. Sacramento Stormwater Quality Partnership**

Stormwater management used herein includes water quantity (storm drainage) and water quality management of urban stormwater runoff, combined sewer system discharges, and larger, system-wide flood flows. Sacramento County and the cities of Sacramento, Citrus Heights, Elk Grove, Folsom, Galt, and Rancho Cordova, collectively known as the Sacramento Stormwater Quality Partnership (SSQP), developed and adopted a Stormwater Quality Improvement Plan in 2009, describing their compliance with their NPDES Municipal Stormwater Permit (NPDES No. CAS082597; Order NO. R5-2008-0142). This permit is issued by the Central Valley Water Board and covers the fourth term from 2008 to 2013 (SSQP, 2009). SSQP submitted a Report of Waste Discharge and a Long-term Effectiveness Assessment for renewing the municipal NPDES permit in March 2013, and this is expected to be approved in early 2014 for the next 5 years (personal comm. with SSQP 2013). The county and each city collaborate on matters of mutual concern but maintain separate jurisdiction over their respective stormwater systems. Each city is briefly discussed in the following subsections.

### **2.7.3.2. Sacramento County**

Sacramento County is responsible for various aspects of stormwater and flood management. The need for flood protection within Sacramento County has been recognized since the mid-to-late 1800s. Sacramento County, bordered by both the Sacramento and American rivers, has identified flooding as the county's largest concern in the 2011 Sacramento County Local Hazard Mitigation Plan (Sacramento County, 2011b). Sacramento County is vulnerable to five flood types: localized flooding, riverine flooding, flash flooding, levee overtopping/failure, and dam failure. As a result, the five watersheds within Sacramento County have individual watercourses and respective flood zone areas. These watersheds include:

- Sacramento River
- Dry Creek/Steelhead Creek (Natomas East Main Drain)
- Natural Stream Group & Tributaries
- Morrison Creek Stream Group
- Southern Portion of the County (Cosumnes River)

The Sacramento County Department of Water Resources is responsible for drainage and flood management within the current and future urbanized portions of unincorporated Sacramento County and the cities of Citrus Heights and Rancho Cordova. The drainage and flood management system operated

and maintained by Sacramento County consists of 2,500 miles of storm drain pipe, 1,500 miles of roadside ditches, 400 miles of creeks and open channels, 35 pump stations, and 12 detention basins. The Drainage Section of the Sacramento County Department of Water Resources actively works with SAFCA on the development and implementation of regional flood management projects and revisions to floodplain mapping. This department is also responsible for the Sacramento County Stormwater Quality Program, which aims to improve quality of urban stormwater runoff in partnership with the SSQP.

#### **2.7.3.3. City of Citrus Heights**

The Citrus Heights Stormwater Program oversees the operations and maintenance of a storm-drain system consisting of 26 miles of creeks, 54 miles of open ditches, 5.5 miles of concrete-lined channels, 62 bridges, hundreds of miles of pipe, and thousands of catch basins and manholes. The program also provides sandbags before official storm events and information on flood-prone areas. The Citrus Heights Satellite Work Program of the Sacramento Regional Conservation Corps staff performs numerous functions to assist city staff in cleaning and maintaining the creeks and drainage systems throughout Citrus Heights. The goal of the program is to effectively manage stormwater runoff as a resource while improving water quality.

#### **2.7.3.4. City of Elk Grove**

Storm drainage within Elk Grove is conveyed through a storm drainage and flood control collection (SD&FCC) system consisting of approximately 400 miles of underground pipes and 60 miles of natural and constructed channels. The terrain throughout Elk Grove is relatively flat, with natural creeks and channels that traverse the city. The eastern portion (primarily east of Waterman Road) is predominantly rural with residences built on large lots and where agricultural uses are common. In 2011, Elk Grove adopted the Stormwater Drainage Master Plan, which identifies, analyzes, and selects stormwater-related projects to upgrade the SD&FCC system. The plan encompasses programs and project locations throughout both urbanized and rural areas within Elk Grove. Elk Grove also collects stormwater utility fees to maintain publicly owned water drainage facilities, manage flood, and execute the Stormwater Quality Program, as a part of the SSQP.

#### **2.7.3.5. City of Folsom**

Folsom's Public Works Department, Streets Division, operates and maintains an extensive storm drainage system, including about 190 miles of pipe, 23 miles of natural drainage channels/creeks, 30 flood management and/or water quality detention basins, and over 200 outfalls to creeks/rivers. Since late 2006, Folsom has also been involved in the Alder Creek Watershed Project, a project to manage the 11-square-mile watershed and to protect its natural resources. The 2010 Alder Creek Watershed Management Action

Plan identified policies and projects to implement management actions, and some recommended site-specific projects involved floodplain restoration, Natomas Company Dam reservoir management, and stormwater detention basin.

#### **2.7.3.6. City of Galt**

Galt's storm drainage infrastructure includes over 70 miles of storm drainage lines spanning 4 inches to 84 inches in diameter, one detention pond, and two pump stations. With a few areas of planned construction, the majority of the existing storm drainage system contains sufficient capacity to convey peak runoff. Localized flooding, however, is a potential concern. Galt lacks curbs and gutters in some portions of the city and the size and capacity of some small agricultural drainage structures do not accommodate larger storm flows. The city collects storm drainage fees to pay for storm drainage operations.

#### **2.7.3.7. City of Rancho Cordova**

The Sacramento County Department of Water Resources provides drainage and flood preparedness services to the City of Rancho Cordova (Rancho Cordova), including floodplain management, review of drainage studies and improvement plans, and maintenance of the storm drainage systems. The storm drain infrastructure described under the subsection for Sacramento County includes the Rancho Cordova area. Rancho Cordova is also located within Zones 11A and 11B of the SCWA, which charges a development fee to new projects to fund the planning, design, and construction of new trunk drainage systems. City residents pay a Rancho Cordova Stormwater Utility Fee to pay for the bulk of drainage program services.

Currently, the city experiences localized flooding issues associated with undersized drainage facilities in existing developed and developing areas. This includes existing drainage issues along Sunrise Boulevard south of White Rock Road where surface water flows exceed the capacity of drainage facilities (siphons and overchutes) of the Folsom South Canal. Existing 100-year peak flows are exceeded in several of these facilities and result in localized flooding along Sunrise Boulevard as well as discharge of drainage into the Folsom South Canal.

#### **2.7.3.8. City of Sacramento**

The Sacramento Department of Utilities provides drainage services within city limits. To manage runoff from city streets, the Department of Utilities maintains 41,000 storm drain inlets, hundreds of miles of drainage pipeline, 65 miles of canals and ditches, over 100 pump stations, and numerous detention basins. Through this series of canals, pipes, and pump stations, water is directed away from homes and into creeks, lakes, and rivers. To assist with flood management, the Department of Utilities works year-round, ensuring that pumps, pipelines, canals, and over 18 miles of levee are maintained to provide flood

**Section 2**  
**Region Description**

---

protection during heavy rainfall. The Downtown, Midtown, Land Park, and East Sacramento portions of Sacramento are served by a combined sewer system. Runoff from these areas, with the exception of some wet-weather runoff, is treated at the SRCSD Regional Wastewater Treatment Plant before it is discharged into the Sacramento River. In emergency situations, the Department of Utilities is in communication with other agencies such as DWR, the California Department of Public Health, SAFCA, Sacramento County, and various RDs (Sacramento 2013).

**2.7.3.9. American River Flood Control District and Reclamation District 1000**

Two regional districts operate and maintain flood facilities in the Sacramento County region: ARFCD and RD 1000. The ARFCD was formed in 1927 to maintain the 40 miles of levees along the American River and portions of Steelhead, Arcade, Dry, and Magpie creeks. Year-round activities include mowing levee slopes, trimming vegetation, weed management, rodent abatement, erosion repairs, access roads maintenance, fixing gates, and equipment maintenance.

RD 1000 maintains over 40 miles of levees surrounding the perimeter of the Natomas Basin to retard floodwaters from the Sacramento River, American River, Steelhead Creek (Natomas East Main Drainage Canal), Pleasant Grove Creek Canal, and Natomas Cross Canal (which is outside the ARB Region). RD 1000 also operates and maintains hundreds of miles of canals and seven pump stations in the Natomas Basin to collect and safely discharge the rain that falls within the Natomas Basin back into the river.

**2.7.4. Placer County Area**

This subsection describes the stormwater and flood management activities of Placer County, Placer County Flood Control and Water Conservation District (FCWCD), and five incorporated cities or towns within Placer County. Sources of information include each agency's stormwater management plan (SWMP) and each agency's Web site describing their stormwater and flood-management related programs.

**2.7.4.1. Placer County**

The Placer County Public Works Department has Floodplain Management and Stormwater Quality Management Programs. The Floodplain Management Program administers FEMA policies through a community effort of corrective and preventive measures for reducing flood damage to properties. This program is responsible for supervising flood zone building requirements and flood insurance programs in unincorporated areas within Placer County. Placer County's Stormwater Quality Program aims to reduce pollutants in stormwater runoff, eliminate non-stormwater discharges and lessen the long-term impacts of stormwater discharges from development, business, and municipal activities. The plan also complies with



NPDES requirements. The West Placer SWMP applies to the unincorporated areas of Placer County within the ARB Region. Placer County also works closely with Placer County FCWCD, which is responsible for regional flood management planning, management, and mitigation.

Placer County has also implemented flood and stormwater-related projects through the Placer Legacy Open Space and Agricultural Conservation Program. A few projects, such as the Sundance-Lakeview Farms in 2008 included riparian property acquisitions or conservation easements, and a part of their reported benefits consisted of integrated flood-ecosystem management, floodwater conveyance, and floodwater storage (Placer County 2012).

#### **2.7.4.2. Placer County Flood Control and Water Conservation District**

The Placer County FCWCD was established in 1984 by the State Legislature as a Special District, separate from county government, to address flood management issues arising with urban growth. Placer County FCWCD boundaries are the same as the Placer County boundaries. The primary purpose of the Placer County FCWCD is to protect lives and property from the effects of flooding by comprehensive, coordinated flood prevention planning (Placer County 2009). Placer County FCWCD is responsible for identifying solutions for regional flood management for the entire county and for providing or assisting in coordination for regional projects. The Placer County FCWCD is also responsible for managing flood issues for multiple communities in Placer County, including Roseville, Rocklin, Lincoln, Loomis, and Auburn.

Placer County FCWCD has three separate plans with flood management objectives. The 1992 Auburn Bowman Flood Control Plan covers 41.5 square miles and identifies flooding problems, makes specific recommendations to address them, and develops a funding mechanism to implement the recommendations. The 1993 Cross Canal Watershed Flood Control Plan studies the area drained by Auburn and Markham Ravine, Coon, Curry and Pleasant Grove creeks. The Natomas Cross Canal carries the combined flow of these creeks to the Sacramento River. This study was prepared to respond to concerns over potential increases in flooding in the lower portion of the watershed due to urban development potential upstream. Finally, the Dry Creek Watershed Flood Control Plan was updated in 2011, which evaluates existing flooding problems and identifies flood management options as well as a funding mechanism to achieve plan recommendations. This updated plan recommends building regional detention basin projects for peak flow attenuation, implementing a flood warning system, repairing bridges and culverts, supporting building elevation and floodplain buy-outs, and incorporating LID measures.

#### **2.7.4.3. City of Auburn**

Auburn's Public Works Department is responsible for the operation, maintenance and management of stormwater infrastructure. Auburn has a 2003 SWMP to reduce pollutants in stormwater runoff, to comply with NPDES stormwater regulations, and to meet the state's general permit. Auburn contains seven main drainage basins: Auburn Ravine Creek, Lincoln Basin, North Fork American River Basin, Brewery Lane Basin, Baltimore Ravine Basin, Dutch Ravine Basin, and Mormon Ravine Basin. These waterways are used for recreation, habitat, fishing, and water supply. Adverse effects to the waterways are reduced by six federally designated minimum control measures, and Auburn annually reports on the implementation of these measures.

#### **2.7.4.4. City of Lincoln**

The Lincoln Department of Public Works/Operations Division is responsible for operating and maintaining the drainage systems within the city limits. Storm runoff drains to Markham Ravine and Auburn Ravine in the northern portion of the city. The other surface water drainage systems include Ingram Slough, the Orchard Creek watershed, and a minor portion of the Pleasant Grove Creek watershed, which is located at the southern end of the city. Presently, community residential and commercial development exists within the Auburn Ravine and Ingram Slough watersheds. The newly annexed lands south of Lincoln are within the remaining watersheds. Surface water within the city is dominated by the seasonal rainfall runoff flows from the Markham Ravine and Auburn Ravine watersheds.

#### **2.7.4.5. Town of Loomis**

Loomis's Department of Public Works and Engineering has responsibility for stormwater management. The SWMP updated in 2008 complies with NPDES requirements and was approved by the Central Valley Water Board. The SWMP aims to improve the quality of water in Loomis's two natural streams: Secret Ravine and Miners Ravine, both a part of the Dry Creek Watershed. The SWMP developed and implements an interdisciplinary approach to stormwater. Of the six federally mandated minimum control measures, Loomis considers Post Construction Stormwater Management to be the best use of their resources in achieving better water quality. Because Loomis is a part of the Dry Creek Watershed, the Dry Creek Conservancy is also active in preserving local streams. Their actions also complement stormwater and flood management.

#### **2.7.4.6. City of Rocklin**

The City of Rocklin (Rocklin) Department of Public Works maintains all storm drain infrastructure in Rocklin. Rocklin has had a municipal NPDES stormwater discharge permit since 2003, and implements its 2003 Stormwater Management Program. This program originally proposed six minimum control

measures, which ranged from development of public education and outreach to enforcement of illicit discharge detection and elimination program. Recently, the program has expanded to include volunteer stormwater management projects, incorporation of nonstructural Best Management Practices (BMP), and focus on urban water runoff quality. Rocklin provides stormwater management guides and pollution prevention tips to various water users and potential polluters.

#### **2.7.4.7. City of Roseville**

The Roseville Department of Environmental Utilities is responsible for drainage and stormwater management within Roseville's city limits. Roseville's 2004 SWMP meets the NPDES discharge requirements and Waste Discharge Requirements. As required for SWMPs, Roseville has six minimum control measures that are implemented through BMPs. The SWMP originally planned for a 5-year implementation period, but the planned measures and BMPs are still relevant and continue to be executed, as seen in Roseville's Annual Progress Reports. Roseville also has progressive public involvement and outreach activities related to stormwater management.

#### **2.7.5. El Dorado County Area**

The El Dorado County Department of Environmental Management is responsible for drainage and stormwater management within the unincorporated areas of western El Dorado County. Along with the Departments of Transportation, General Services, Agriculture, Planning and Building, the Department of Environmental Management operates a stormwater management program to manage and improve stormwater quality. In general, the county's Stormwater Coordinator is responsible for:

- Preparing and updating SWMPs
- Approving stormwater treatment practices
- Providing Stormwater Construction Permits
- Maintaining close communication with the Central Valley Water Board
- Overseeing and coordinating implementation of the SWMP
- Monitoring the program
- Evaluating the program and reporting to the Central Valley Water Board annually

In addition, there are several community service districts within El Dorado County that provide operations and maintenance services for drainage facilities. El Dorado County also provides flood rate mapping information through its Planning Services.

## **2.8. Water Delivery and Wastewater Systems**

This subsection describes currently existing pumping facilities, transmission facilities, collection systems, treatment facilities, storage facilities, fire protection systems, and physical plants of regional scale for the ARB Region. Thereafter, there are per agency descriptions on the agency's water system (where applicable), groundwater system (where applicable), and wastewater treatment and recycled water system (where applicable). Agencies are described in order, generally from northeast to southwest; starting north of the American River, and then south. Dedicated wastewater agencies (i.e., agencies that do not supply surface or groundwater) are discussed in latter portions of this subsection (starting with Placer County **Section 2.8.26**), unless the agency is a combined water and wastewater utility.

Information for this subsection is primarily from a synthesis of each agency's description with information available from UWMPs, Water Supply Master Plans, Water Supply Infrastructure Plans, and/or Sewer System Management Plans (SSMP). A few of the smaller agricultural water agencies, Clay Water District, Galt Irrigation District, and Omochumne-Hartnell Water District (OHWD), are not described below. These districts formed initially to purchase water supplies in areas that derive water supply from private irrigation wells. These agencies have historically purchased very limited surface water supply and have limited water supply infrastructure (SAWC 2011).

### **2.8.1. Major Water Supply and Wastewater-Related Infrastructure**

Folsom Dam on the American River and Shasta Dam on the Sacramento River, both parts of the federal CVP, operated by Reclamation are major sources of raw surface water to the ARB Region. In addition to these reservoirs, there are 15 surface WTPs and 14 groundwater treatment plants in the Region. Many agencies also have groundwater wells, many with some form of onsite wellhead treatment. The locations of these water treatment plants are shown in **Figure 2-5**. Existing WTPs and their respective capacities are listed in **Table 2-17**.

There are more water agencies than WTPs in the ARB Region. Many agencies share joint intakes, treatment plants, and pipelines to deliver municipal water. For example:

- PCWA owns and operates a pipeline from the upper American River to provide water to Lincoln and Roseville, in addition to serving its own needs in Auburn, Loomis, and Rocklin within PCWA's service area.
- SJWD's Sidney N. Peterson WTP is located near Folsom Lake, treating and delivering water to the San Juan Family: Citrus Heights Water District (CHWD), FOWD, Orange Vale Water Company (OVWC) and the Ashland portion of Folsom, periodically providing water to SSWD and Roseville when supplies are available.

- Sacramento’s Fairbairn WTP treats water that is then delivered to other agencies, including SSWD, Fruitridge Vista Water Company (FVWC), and SCWA south of the American River in Sacramento County.
- The Freeport Project serves both SCWA and EBMUD’s interests; Vineyard WTP treats Sacramento River water and delivers it within SCWA and to a portion of Elk Grove.

**Table 2-17. Treatment Capacity at Existing/Planned WTPs within the ARB Region**

Source Water/Facility	Year Constructed or Last Expanded	Design Hydraulic Capacity (MGD)	Permitted Capacity (MGD)	Ultimate Capacity (MGD)
<b>Upper American River</b>				
<b>PCWA</b>				
Bowman WTP	n/a	7	7	7
Auburn WTP	n/a	8	8	14
Foothill WTP	n/a	55	55	55
Sunset WTP	n/a	8	8	8
<b>Folsom Lake</b>				
<b>EID</b>				
El Dorado Hills WTP	2010	26	26	26
<b>Folsom</b>				
Folsom WTP	n/a	50	50	50
<b>Roseville</b>				
Roseville WTP	2008	100	100	100
<b>SJWD</b>				
Sidney N. Peterson WTP <sup>[1]</sup>	2010	150	150	150
<b>Lower American River</b>				
<b>GSWC</b>				
Coloma WTP	2002	9	9	9
Pyrites WTP	n/a	5.4	5.4	5.4
<b>CWD</b>				
Bajamont WTP	2001	22	22	22
<b>City of Sacramento</b>				
E.A. Fairbairn WTP	2005	200	200	200
<b>Sacramento River</b>				
<b>City of Sacramento</b>				
Sacramento River WTP	2003	160	160	160
<b>SCWA</b>				
Vineyard Surface WTP <sup>[2]</sup>	2012	50	50	100
<b>Cosumnes River</b>				
<b>Rancho Murieta CSD</b>				
Rancho Murieta WTPs <sup>[3]</sup>	1995	n/a	3.4	n/a

**Section 2**  
**Region Description**

**Table 2-17. Treatment Capacity at Existing/Planned WTPs within the ARB Region (contd.)**

Source Water/Facility	Year Constructed or Last Expanded	Design Hydraulic Capacity (MGD)	Permitted Capacity (MGD)	Ultimate Capacity (MGD)
<b>Groundwater (Offsite or Centralized Groundwater Treatment Plants)</b>				
<b>Elk Grove WD</b>				
Railroad Street Treatment and Storage Facility	2005	10	10	10
<b>City of Galt</b>				
Golden Heights WTP	n/a	n/a	n/a	n/a
Industrial Park WTP	n/a	n/a	n/a	n/a
<b>SCWA</b>				
Mather Housing WTP	1976	6	6	6
Waterman WTP	1991	8.6	8.6	8.6
Calvine Meadows WTP <sup>[4]</sup>	2000	10	10	10
East Park WTP	2001	2.9	2.9	2.9
Dwight WTP	n/a	n/a	n/a	n/a
East Elk Grove WTP	2002	13	13	13
Anatolia WTP <sup>[5]</sup>	2005	13	13	13
Wildhawk WTP	2006	10	10	10
Lakeside WTP	n/a	6.5	6.5	6.5
Poppy Ridge WTP <sup>[6]</sup>	n/a	13	13	13
Big Horn WTP	n/a	13	13	13

Data Sources: EID Integrated Water Resources Master Plan (2013), EID UWMP (2011), PCWA UWMP (2011), GSWC UWMP (2011), City of Folsom UWMP (2011), and direct agency comments (May 2013).

Notes:

<sup>[1]</sup> In 2012, SJWD evaluated the Sidney N. Peterson WTP's capacity. DPH may approve the new permit for 150 MGD.

<sup>[2]</sup> The SCWA Vineyard WTP's design capacity has been increased from 85 MGD to 100 MGD to accommodate the replacement water supply to customers in east Sacramento County whose groundwater supply has been contaminated by Aerojet operation.

<sup>[3]</sup> Rancho Murieta has plans to expand their WTPs to a capacity of 7 MGD

<sup>[4]</sup> The Calvine Meadows WTP is expected expansion from 5 MGD to 10 MGD

<sup>[5]</sup> The Anatolia WTP is expected expansion from 6.5 MGD to 13 MGD in the future.

<sup>[6]</sup> The expansion of Poppy Ridge WTP from 6.5 MGD to 13 MGD is under design.

Key:

CWD = Carmichael Water District

EID = El Dorado Irrigation District

GSWC = Golden State Water Company

MGD = million gallons per day

N/A = not applicable

PCWA = Placer County Water Agency

SCWA = Sacramento County Water Agency

SJWD = San Juan Water District

WD = Water District

WTP = water treatment plant

There are also 12 WWTPs in the Region, as shown in **Figure 2-6** and listed in **Table 2-18**. Sewer system management is operated by individual agencies or sanitation districts, and they update their management plans periodically. Some agencies serve both water supply and wastewater roles. Others, such as Placer County and SRCSD, collect and treat wastewater across a large area from numerous water supply agencies. Permits are issued by the State Water Board, under the Statewide General Waste Discharge Requirements for Order No. 2006-0003-DWQ adopted May 2, 2006.

Common infrastructure linking adjacent water and wastewater systems include hundreds of miles of transmission mains and multiple interconnections, although not all interconnections are currently used.

**Table 2-18. WWTPs Within the ARB Region**

<b>Owner</b>	<b>WWTP Name</b>	<b>Type of Treatment</b>	<b>Capacity (MGD)</b>	<b>Discharge Location</b>	<b>Recycled Water Production</b>
EID	El Dorado Hills WWP	Tertiary	4.0	Carson Creek	Yes
Lincoln	Lincoln WWTRF	Tertiary	4.2	Auburn Ravine	Yes
City of Auburn	Auburn WWTP	Tertiary	1.65	Auburn Ravine	No
Placer County	Placer County No. 3	Tertiary	0.30 <sup>1</sup>	Miners Ravine	No
Placer County	Sheridan WWTP <sup>2</sup>	Secondary and chlorination	0.06 <sup>1</sup>	Land Application	No
Roseville	Dry Creek WWTP	Tertiary	18	Dry Creek	Yes
Roseville	Pleasant Grove WWTP	Tertiary	12	Pleasant Grove Creek	Yes
SRCS D	Sacramento Regional WTP	Secondary <sup>3</sup>	200	Laguna Creek	No
SRCS D	Sacramento Regional WRF	Tertiary	5	Laguna Creek	Yes
Rancho Murieta	Rancho Murieta WWTF	Secondary and Tertiary	2.0; 2.3 <sup>4</sup>	Cosumnes River	Yes
City of Galt	City of Galt WWTP	Tertiary	3.0	Laguna Creek	Yes

*Data Sources: State Water Board Wastewater Treatment Facilities Database (February 22, 2001), UWMPs, SSMPs, SRCS D 2020 Master Plan 2008, and direct agency comments (May 2013)*

Notes:

<sup>1</sup> Average dry weather flow capacity

<sup>2</sup> Sheridan WWTP is planned to be decommissioned in 2014 and merged with the Roseville wastewater system.

<sup>3</sup> Designs to upgrades to Tertiary with BNR to meet NPDES requirements currently underway

<sup>4</sup> 2 MGD secondary treatment capacity and 2.3 MGD tertiary treatment capacity

Key:

ARB = American River Basin

EID = El Dorado Irrigation District

MGD = million gallons per day

n/a = not available

SRCS D = Sacramento Regional County Sanitation District

WRF = Water Reclamation Facility

WWTF = Wastewater Treatment Facility

WWTP = Wastewater Treatment Plan

## **2.8.2. Placer County Water Agency**

PCWA maintains stored water in the Sierra Nevada, upstream from the ARB Region, and delivers this water throughout Placer County. Their canals and pipelines connect to other water agencies in Placer and Sacramento counties, making PCWA a regionally important source and transporter of water. Within its service area, PCWA provides surface water and some groundwater to retail and wholesale municipal and industrial (M&I) customers. In addition, PCWA provides surface water and groundwater for agricultural

customers in its service area. PCWA's service area within the ARB Region is developing from rural water uses to urban uses.

### **2.8.2.1. Placer County Water Agency Water System**

PCWA provides water to retail customers in five service zones; Zones 1 and 5 are within the ARB Region boundaries (PCWA 2011).

Zone 1 includes areas under the land-use authorities of the cities of Auburn, Rocklin, and Lincoln, a portion of Roseville, the Town of Loomis, and Placer County. There are 16 storage tanks providing approximately 49 million gallons (MG) of storage capacity. PCWA is constructing another 10 MG storage tank in the Sunset Industrial Area. There are approximately 496 miles of treated water pipeline in Zone 1.

Zone 5 was created in 2000 to reduce reliance on groundwater supplies by providing surface water for commercial agricultural in the westernmost portion of Placer County, generally west of Lincoln. PCWA provides only raw surface water supplies to this region.

Currently, about a third of the total water supplied by PCWA (including areas outside the ARB Region) is used for treated drinking water distributed through eight individual treated water systems. The PCWA treated water systems supply over 26,000 service connections. About two-thirds of the total water supplied by PCWA is raw water, used for irrigation of farms, ranches, landscapes, parks, and golf courses throughout Placer County. PCWA operates about 165 miles of canals, reservoirs, and diversions to supply approximately 4,500 raw water users. Approximately 3,000 irrigation water customers purchase irrigation water on a year-round basis while another 1,500 customers purchase irrigation water seasonally. Recycled water use for irrigation in areas adjacent to Lincoln and Roseville is anticipated to reach near 5 TAF by 2020.

### **2.8.3. City of Lincoln**

Lincoln supplies a combination of surface water (treated water purchased from PCWA), groundwater, and recycled water to its service area. The subsection below describes Lincoln's surface water, groundwater, wastewater, and recycled water systems.

#### **2.8.3.1. City of Lincoln Water System**

Lincoln's service area is in northern western Placer County, an area that had seen heavy development in the past decade. Lincoln purchases surface water from PCWA that has been treated at PCWA's Sunset and Foothill WTPs. Lincoln supplies potable water through a pressurized distribution system consisting



of one pressure zone. The distribution system has three gravity storage tanks with 1.5 MG, 3 MG, and 5 MG capacities, respectively, and one 1.5 MG pumped storage tank (Lincoln 2003).

### **2.8.3.2. City of Lincoln Groundwater System**

Lincoln currently operates numerous groundwater wells to supplement its surface water supply. These wells can supply more than 10 percent of demand during shortage, summer peaks, and emergency outages. Lincoln plans to install additional wells to meet 75 percent of average day demand at build-out (Lincoln 2010).

### **2.8.3.3. City of Lincoln Wastewater and Recycled Water System**

The Lincoln Department of Public Services owns, operates and maintains a sanitary sewer system. The system collects and treats wastewater at the Lincoln Wastewater Treatment and Reclamation Facility (WWTRF) located on the Auburn Ravine. The WWTRF currently has 4.2 MGD of treatment capacity, with future expansion potential of up to 30 MGD. Lincoln's WWTRF has received recognition for its records of safety and compliance.

Lincoln's WWTRF also produces recycled water, which is currently used for industrial and common area landscape irrigation at four sites with a net irrigation area of 382 acres. All new developments include "purple pipes" for distribution and delivery of recycled water to augment other water supplies. Lincoln is planning to expand its recycled water deliveries from its water reclamation facility and is considering expansion options that could accommodate wastewater flows from nearby agencies through a potential partnership arrangement called the Regional Sewer Project. Lincoln, Placer County, and Auburn proposed and initiated their Regional Sewer Project in March 2012. This project intends to pump wastewater from Placer County's Sewer Maintenance District 1 to Lincoln's WWTRF instead of treating and discharging at its current north Auburn treatment plant. Participation from Auburn is still pending.

## **2.8.4. City of Roseville**

Roseville's service area is within incorporated city limits in Placer County, near the northern boundary of Placer and Sacramento counties. Roseville serves a combination of surface water, groundwater and recycled water throughout its service area. Roseville also operates its own wastewater collection and treatment systems. The subsection below describes existing components of its surface water, groundwater, wastewater, and recycled water systems.

### **2.8.4.1. City of Roseville Water System**

Roseville is served by four pressure zones with a small portion served by PCWA due to topography. There are 14 total interconnections between Roseville and neighboring agencies for emergency, backup,

**Section 2**  
**Region Description**

---

and special service needs. There are five total interconnections with PCWA, three 12-inch interconnections with SJWD, three interconnections with Cal-Am, and three interconnections with CHWD. Roseville uses two booster pumping stations to increase and maintain pressure to its Zone 5 and Zone 2 pressure zones in east Roseville.

Water distribution is accomplished through over 400 miles of water transmission and distribution mains ranging in size from 4 inches to 66 inches in diameter. The water system currently has 32.15 MG of storage to manage flow fluctuations on a daily basis and for emergency needs, and is projected to need a total of 49 MG of storage at system build-out. The storage infrastructure includes five pre-stressed concrete storage tanks each with a capacity of 2.9 MG, 4 MG, 6 MG, 7.25 MG, and 10 MG, and one steel storage tank with a capacity of 2 MG.

Roseville operates a 100 MGD WTP on Barton Road near Folsom Lake in the Granite Bay community. Raw water from Folsom Lake is conveyed to the WTP through parallel 60-inch and 48-inch pipelines.

**2.8.4.2. City of Roseville Groundwater System**

By practice and city policy, Roseville uses its groundwater supplies for backup and dry year water supply. Roseville has four wells currently in service and operational with one backup well, with additional wells planned. All four existing wells are equipped for both groundwater extraction and injection as part of Roseville's Aquifer Storage and Recovery (ASR) Program. Other wells will be equipped similarly following regulatory approval. The ASR program has received all approvals from regulatory agencies and intends to store surplus drinking water in underground aquifers for later recovery during drought/shortage conditions.

**2.8.4.3. City of Roseville Wastewater and Recycled Water System**

Roseville's Environmental Utilities Department studies, operates, and manages Roseville's wastewater collection and treatment system. Roseville currently operates two regional wastewater treatment facilities serving approximately 45,000 residential, 1,932 commercial, and 600 industrial sewer connections (Roseville 2012). Approximately 744 miles of sewer collection pipe connects to the Dry Creek WWTP, located in Central Roseville, and the Pleasant Grove WWTP, located in northwest Roseville. The Deer Creek WWTP has an average dry weather flow (ADWF) capacity of 18 MGD and the Pleasant Grove WWTP has an ADWF capacity of 12 MGD. Effluent from both WWTPs is tertiary-treated, meeting Title 22 recycled water standards.

Roseville's recycled water system predominantly serves landscape irrigation demands. The program has continued to expand since its beginning in 1998. The Deer Creek WWTP and Pleasant Grove WWTP

recycled water systems are independent but are interconnected. The Pleasant Grove WWTP system includes a network of 20-inch transmission pipelines; the Deer Creek WWTP system includes a network of 8- to 20-inch pipelines to serve landscape irrigation purposes for golf courses, streetscapes, parks, and irrigation and processing water at both WWTPs. The recycled water system includes two booster pump stations – one at Woodcreek Oaks and one adjacent to Pleasant Grove WWTP. In addition to storage available at the WWTPs, there are three tanks: a 1.5 MG storage tank next to the pump station at Woodcreek Oaks (Roseville 2006) and two 1 MG tanks adjacent to Pleasant Grove WWTP. Both WWTPs have the capacity to produce additional recycled water supplies for industrial and landscape irrigation uses, if needed. Roseville currently supplies recycled water to a major golf course (Morgan Creek Golf Course) within Cal-Am’s service area.

### **2.8.5. California American Water**

Cal-Am is a privately owned public utility with services areas throughout California. Cal-Am provides surface water and groundwater to nine service areas in its northern division, seven of which are in the Region covered by the ARB IRWMP (Cal-Am 2011).

#### **2.8.5.1. California American Water Water System**

Cal-Am operates seven distinct water systems in the Region. Four of the service areas are located north of the American River: Antelope, Lincoln Oaks, Arden, and West Placer. Three of the service areas are located south of the American River: Security Park, Suburban Rosemont, and Parkway. Cal-Am purchases a mix of surface and groundwater on a wholesale basis from Sacramento, PCWA, and SSWD. Cal-Am plans to construct an intertie with Zone 40 of SCWA in the near future to serve Security Park. Cal-Am has an agreement for surface water deliveries from Sacramento into its Parkway Service Area and has made arrangements for surface water deliveries for conjunctive use operations in Antelope and Lincoln Oaks. All other Cal-Am service areas are served by groundwater.

#### **2.8.5.2. California American Water Groundwater System**

Cal-Am’s existing water supply facilities include 49 active wells in the four service areas north of the American River and 49 active wells south of the American River. Cal-Am customers are generally served by direct-feed groundwater wells, with iron and manganese treatment facilities in its Parkway system. Several wells in Cal-Am’s Suburban and Rosemont Systems are either threatened or have been impacted by groundwater contamination emanating from the Aerojet and former Mather AFB. One well (Moonbeam) has granular activated carbon treatment that removes contaminants before use as a potable supply. In addition, several wells in the Parkway and Lincoln Oaks systems have been impacted by PCE.

Three wells in Lincoln Oaks and one Parkway currently have granular activated carbon systems that are used to remove PCE.

### **2.8.6. San Juan Water District**

Located adjacent to Folsom Lake, SJWD is a wholesale and retail agency. The entire wholesale area consists of 45 square miles and includes CHWD, FOWD, OVWC, and Folsom (Ashland area), together known as the San Juan Family. SJWD diverts, treats, and delivers surface water to its wholesale and retail customers within its service area and has an agreement with the other agencies of the San Juan Family to provide for their full water demands.

#### **2.8.6.1. San Juan Water District Water System**

SJWD diverts water from Folsom Lake to the Sidney N. Peterson WTP through an 84-inch pipeline. This WTP recently obtained a new permit following a capacity evaluation in 2012 that expanded its permitted capacity to 150 MGD. From the WTP, finished water is stored in Hinkle Reservoir (62 MG capacity) at the WTP site for later delivery. SJWD owns, operates, and maintains approximately 163 miles of pipeline and five pump stations to deliver water to retail and wholesale customers. Along with Hinkle Reservoir, SJWD has two smaller storage facilities for treated water at Kokila Reservoir (4.5 MG) and Los Lagos Reservoir (1.6 MG) are used for storage in SJWD retail service area.

The Cooperative Transmission Pipeline/Northridge Transmission Pipeline (CTP/NTP) serves the SJWD wholesale area. Between the WTP and C-Bar-C Park, the CTP/NTP consists of about 9,000 feet of 78-inch-diameter pipe and almost 20,000 feet of 72-inch-diameter pipe with several 30- to 48-inch-diameter stubs. The CTP/NTP provides redundancy to the older water transmission system, so that these pipelines could be rehabilitated. Some of these older transmission mains, which were constructed in the early 20th century, are still used in conjunction with the CTP/NTP to deliver water to FOWD (the 40-inch-diameter pipeline known as the “Fair Oaks 40”) and CHWD (42- and 54-inch-diameter pipelines). San Juan also has a 33-inch-diameter pipeline along Barton Road with an interconnection with Roseville.

SJWD has 15 connections with neighboring agencies. One of these connections is at the C-Bar-C Park where the NTP begins, extending westward from the CTP/NTP, supplying water to SSWD. SJWD also has an 18-inch connection to the CTP/NTP on Santa Juanita and a 12-inch connection off the CHWD 42-inch pipeline. Four connections are emergency interconnections that are normally closed. These include one interconnection with Roseville, one with OVWC, and two with CHWD.

The eight remaining connections are used regularly to supply the wholesale service area (five connections) and parts of Placer County outside the service area (three connections). SJWD’s connections

for the wholesale area include three with OVWC and two with FOWD. The interconnections outside the wholesale area include two with Roseville and one with PCWA.

### **2.8.7. Orange Vale Water Company**

Located immediately south of SJWD, OVWC is a mutual water company. One of the San Juan Family agencies, OVWC currently provides surface water to its service area, with groundwater supplied during emergencies. The subsection below describes the OVWC water system and groundwater system.

#### **2.8.7.1. Orange Vale Water Company Water System**

OVWC purchases treated surface water from SJWD per a wholesale agreement. Surface water provided by SJWD is treated at Sidney N. Peterson WTP. Treated water is transported to Hinkle Reservoir and delivered to OVWC through the CTP at five metered locations. Water is then distributed by gravity through the OVWC system. The OVWC water system consists of over 75 miles of pipeline, ranging from a 1.5-inch to a 30-inch diameter. The system also includes approximately 1,100 distribution system valves and 5,531 active connections. OVWC does not currently have any storage or treatment facilities (OVWC 2005, 2011).

#### **2.8.7.2. Orange Vale Water Company Groundwater System**

To supplement its surface water supply, OVWC currently maintains one well for emergency purposes. The well has a pumping capacity of 1,500 gallons per minute (gpm) and the potential to provide supplemental water supplies when surface water supplies are reduced during dry year conditions.

### **2.8.8. Citrus Heights Water District**

CHWD is located southwest of SJWD and adjacent to OVWC. Also a part of the San Juan Family, CHWD currently provides surface water and groundwater to its service area. This subsection includes a description of CHWD's surface water and groundwater distribution systems.

#### **2.8.8.1. Citrus Heights Water District Water System**

CHWD has about 265 miles of transmission and distribution mains and a combination of 26 connections and interconnections with adjacent agencies. Four of the connections are to the CTP. The interconnections include six with Cal-Am, three with SJWD, three with FOWD, six with SSWD, two with Roseville, one with OVWC, and one with CWD. Most of the interconnections are for emergency use only and are usually closed. CHWD has three pressure zones and has no storage tanks or water treatment facilities, as it purchases treated surface water, delivered by gravity, from SJWD per a wholesale agreement (CHWD 2011).

### **2.8.8.2. Citrus Heights Water District Groundwater System**

To supplement its surface water supply, CHWD currently operates five groundwater wells, with a projected total yield of 2,500 acre-feet per year (AFY). Over the past 50 years, groundwater production has averaged approximately 850 AFY. The district projects installing a new well every 4 years to maintain groundwater supply reliability.

### **2.8.9. Fair Oaks Water District**

FOWD is located south of OVWC and CHWD and is adjacent to the lower American River. One of the San Juan Family water agencies, FOWD currently provides a combination of surface water and groundwater to its service area. The subsection below describes the existing surface water and groundwater systems.

#### **2.8.9.1. Fair Oaks Water District Water System**

FOWD currently purchases surface water from SJWD per a wholesale agreement. FOWD has two types of connections: surface water supply and emergency. The three surface water supply connections with SJWD are located at the northeastern end of the district and include the 30-inch Filbert/Pershing connection, the 36-inch Main/Pershing connection, and the 12-inch Main/Twin Lakes connection. FOWD operates three pressure zones and has five emergency interconnections with adjacent agencies, all of which are normally closed. The three interconnections with CHWD range in size from 6 to 12 inches in diameter. The interconnection with CWD is 8 inches in diameter and is equipped with a 12-inch, one-way meter to CWD. FOWD also has an 8-inch interconnection with OVWC. The district has one storage tank and booster pump (3 MG capacity).

FOWD has two primary transmission mains (Northern and Southern Transmission Mains). From the connection with SJWD, the Northern Transmission Main connects to both the 39-inch Filbert Avenue Main (which conveys water from the CTP/NTP and is the primary source of water) and the Fair Oaks 40-inch Main. The Northern Transmission Main consists of about 22,000 feet of 27- to 24-inch-diameter concrete pipe. The Southern Transmission Main runs southeast from the Fair Oaks 40-inch Main to near the Upper Pressure Zone Storage and Pumping Station before turning west. The Southern Transmission Main consists of about 20,000 feet of 30- to 28-inch-diameter steel pipe. The primary source of water to the Southern Transmission Main is the Fair Oaks 40-inch Main.

#### **2.8.9.2. Fair Oaks Water District Groundwater System**

To supplement its surface water supply, FOWD currently operates six wells, most of which are located in the east/central portions of FOWD's water system. Their capacities range from 500 gpm to 2,700 gpm. Groundwater typically accounts for about 10 percent of the FOWD's total water supply.

### **2.8.10. Carmichael Water District**

Located adjacent to the lower American River, CWD is generally a self-sufficient water agency, with its own water rights and water infrastructure. CWD supplies a combination of surface water and groundwater to its service area. The subsection below describes the components of the surface water and groundwater systems.

#### **2.8.10.1. Carmichael Water District Water System**

The CWD water system consists of three pressure zones. To serve all three zones, CWD pumps water from the American River at Bajamont WTP (22 MGD capacity with a 28 MGD pumping capacity) on the lower American River downstream from Folsom Dam. The WTP was constructed in 2001, along with its associated 2 MG storage reservoir. The distribution system also includes two storage tanks (1 MG and 3 MG) and one additional storage reservoir.

CWD currently has four interconnections that are used primarily for emergency purposes. These interconnections are normally closed. There are interconnections with FOWD (one 8-inch) and CHWD (one 6-inch). There are also two interconnections with SSWD, but only one of them is used.

#### **2.8.10.2. Carmichael Water District Groundwater System**

To supplement its surface water supply, CWD operates eight groundwater wells. Two additional wells are kept as backup wells for emergency purposes only. The eight primary wells have a combined pumping capacity of 6,550 gpm, and the two backup wells provide an additional 1,600 gpm capacity (CWD 2005). Between 2005 and 2010, CWD relied on groundwater for about 15-30 percent of its total annual water supply.

### **2.8.11. Sacramento Suburban Water District**

SSWD is located in northern Sacramento County, purchases surface water from adjacent agencies, and relies on groundwater to meet its full demand. SSWD's water system is divided into two parts: (1) North Service Area (NSA) for the areas of the former Northridge Water District, the former McClellan AFB and associated Capehart housing, and the North Highlands service area of the former Arcade Water District; and (2) South Service Area (SSA) for the town and country service area of the former Arcade Water District. Both the NSA and SSA are discussed separately below.

#### **2.8.11.1. North Service Area Water System**

The NSA distribution system consists of two pressure zones. To serve the two pressure zones, there are seven storage facilities and groundwater pumping stations and 24 interconnections with adjacent agencies and the SSA.

**Section 2**  
**Region Description**

---

To deliver surface water to the NSA, SSWD uses SJWD's diversion and treatment facilities. The NSA system has two primary transmission mains that are part of the NTP. The primary east-west link of the NTP consists of about 40,000 feet of 48-inch pipe located in Antelope Road. A 30-inch-diameter, 4,000-foot section of the NTP paralleling Interstate 80 conveys surface water to the southeastern portion of the NSA, including the Arvin area.

There are nine connections or turnouts in the NSA off of the CTP/NTP. These nine turnouts range in size from 12 inches to 30 inches in diameter. (There are three other turnouts for CHWD and one for CWD.) There are 19 emergency interconnections with Cal-Am, CHWD, CWD, Sacramento, Rio Linda/Elverta Community Water District (Rio Linda/Elverta) and the SSA.

**2.8.11.2. North Service Area Groundwater System**

The NSA contains 41 active wells with a combined pumping capacity of 48,725 gpm. The groundwater production system is designed to provide 100 percent of the system demand. There are three inactive wells that are not currently operational.

**2.8.11.3. South Service Area Water System**

The SSA includes the town and country area of the former Arcade Water District, served as one pressure zone. The SSA distribution system includes one 5 MG capacity groundwater storage reservoir and a 13,900 gpm pump station completed in 2006. Distribution piping in the SSA ranges from 4 inches to 24 inches in diameter. The SSA has two open connections and 34 emergency interconnections with the NSA, Arden-Cordova Water Service, CWD, Cal-Am, Del Paso Manor Water District (Del Paso Manor), Sacramento, and SCWA.

**2.8.11.4. South Service Area Groundwater System**

The SSA contains 50 active wells with a combined pumping capacity of 51,952 gpm. Like the NSA groundwater system, the SSA system is designed to provide 100 percent of the system demand. There are currently two inactive wells needing rehabilitation for service.

**2.8.12. Del Paso Manor Water District**

Del Paso Manor is a small public water system nearly encompassed by SSWD in its South Service Area Water System. Del Paso Manor serves water to approximately 4,500 customers using eight groundwater wells. Total groundwater production reported in 2010 was 1,409 acre-feet.

**2.8.13. Golden State Water Company**

GSWC is a subsidiary of American States Water Company that serves communities throughout California. In the ARB Region, GSWC provides surface water and groundwater to over 16,000 people of



the Arden Cordova Service Area. The Arden area is located south of SSWD, north of the lower American River, and is supplied entirely by groundwater. The Cordova area is located south of the lower American River, across from CWD and FOWD, and is supplied by a mixture of surface water and groundwater. This subsection describes GSWC's surface water and groundwater systems.

#### **2.8.13.1. Golden State Water Company Water System**

Surface water is supplied to the Cordova System from the Coloma WTP and Pyrites WTP. The Coloma WTP and Pyrites WTP treat water that is pumped from the Folsom South Canal, which is gravity fed from Lake Natoma at Nimbus Dam. The Folsom South Canal is part of CVP and is operated and maintained by Reclamation. The Arden and Cordova systems combined comprise over 20 miles of 2- to 6-inch-diameter distribution pipeline, and over 95 miles of 8- to 24-inch-diameter pipeline. The Cordova System has three 6-inch interconnections with Cal-Am, two interconnections with SCWA with a third under construction, one 12-inch connection with Folsom, and five reservoirs for a total storage capacity of 14.5 MG. There are currently no connections between the Arden and Cordova systems without wheeling through other agencies.

#### **2.8.13.2. Golden State Water Company Groundwater System**

The Arden system is supplied by six wells which served just over 1,200 AFY in 2005. The Cordova system is supplied by seven active wells with annual capacity of 20,751 acre-feet (AF) to supplement surface water from the Coloma WTP. Groundwater is estimated to account for about 50 percent of Cordova's water supply. All active wells have disinfection and there is one inactive well in the Cordova system.

#### **2.8.14. Rio Linda/Elverta Community Water District**

Rio Linda/Elverta is located west of SSWD, at the northern border of Sacramento County. It currently supplies only groundwater to its service area, although water can be purchased from SSWD through an interconnection during emergencies. Discussions for potential conjunctive use with other agencies are ongoing with neighboring districts. The subsection describes the existing water and groundwater systems.

#### **2.8.14.1. Rio Linda/Elverta Community Water District Water System**

RLECWD does not currently use surface water on a regular basis, and has an intertie with SSWD for emergency purposes. SSWD supply through the intertie is a mix of surface and groundwater, with a design capacity of 2,500 gpm.

#### **2.8.14.2. Rio Linda/Elverta Community Water District Groundwater System**

About half of the RLECWD's area is currently served by private wells; the remainder is served by RLECWD groundwater distribution facilities. RLECWD's groundwater system consists of 11 production wells typically producing 500 to 1,500 gpm of good quality water. Many of the wells are over 25 years old, but the newest well was constructed in 2011. Ten of the wells have disinfection treatment. The only well that does not have disinfection treatment is rarely used due to high iron and manganese levels. RLECWD's water system consists of a network of 12-inch-diameter and smaller pipelines to convey water to customers. There is a 0.1 MG elevated water tank that provides system storage.

#### **2.8.15. Natomas Central Mutual Water Company**

Natomas Central Mutual Water Company (NCMWC) is a private, not-for-profit corporation formed to serve some 280 member/shareholders in northwest Sacramento County and southwest Sutter County. NCMWC serves more than 33,200 acres and has water rights for up to 120 TAF per year from Reclamation. NCMWC's distribution system includes pipelines, pumps, and more than 50 miles of canals (NCMWC 2013).

#### **2.8.16. City of Sacramento**

Sacramento currently provides surface water and groundwater to wholesale and retail customers within its city limits and the American River Place of Use (POU), a contiguous area of 63,182 acres. Sacramento is self-sufficient regarding its water supply system, with legal and infrastructural access to water from both the American and Sacramento rivers. Sacramento is also responsible for collection of wastewater and delivery to SRCSD. This subsection describes Sacramento's water, groundwater, and wastewater collection systems.

##### **2.8.16.1. City of Sacramento Water System**

Sacramento owns two WTPs. The Fairbairn WTP is located on the south side of American River about 7 miles upstream from the confluence with the Sacramento River. In 2005, the Fairbairn WTP was expanded to 200 MGD. The Sacramento River WTP, located on the east bank of Sacramento River below the confluence with the American River, has a design capacity of 160 MGD.

Sacramento provides water to two pressure zones within its city limits. The larger pressure zone encompasses the majority of the city, with a smaller pressure zone in the northeastern part of the city. Three major pump stations at the Sacramento River WTP, Fairbairn WTP, and Florin Reservoir serve the two pressure zones. Ten smaller pump stations are operated at other locations throughout the city. Sacramento currently maintains approximately 130 miles of primary water transmission main pipelines

(12- to 60-inch diameter) and approximately 1,270 miles of distribution pipelines (4- to 10-inch diameter). In addition, Sacramento maintains 16 storage facilities, 11 storage reservoirs and 5 clearwells at the 2 WTPs with a total storage capacity of 85.3 MG.

### **2.8.16.2. City of Sacramento Groundwater System**

In addition to surface water supply, Sacramento currently operates 32 active municipal groundwater supply wells, with 30 of these wells located within the city limits north of the American River, and the remaining two wells located south of the American River. The total capacity of the well pumping facilities is about 33 MGD (Sacramento 2005). Of the 32 active municipal wells, 6 of the wells are for emergency operations only, and 3 are only used seasonally.

### **2.8.16.3. City of Sacramento Wastewater System**

Wastewater collection within the Sacramento is provided by both the city and the Sacramento Area Sewer District (SASD). SASD maintains approximately 35 percent of the public collection system within the city limits, primarily in the northwest and southeast sections of the city. The city's Department of Utilities maintains the remaining portion of the public collection system, which includes a combined sewer system in the older central city area with a total service area of approximately 7,545 acres and approximately 305 miles of 4- to 120-inch-diameter pipes. The separated sewer system is located primarily in the northeast, east, and southwest sections of the city with a total service area of about 25,435 acres. Wastewater conveyed by the city's separated sewer system, as well as unincorporated areas within Sacramento County and the cities of West Sacramento and Folsom, is routed to SRCSD's SRWWTP for treatment and disposal via an interceptor system consisting of large-diameter pipes and pump stations (Sacramento 2008–2009).

## **2.8.17. El Dorado Irrigation District**

EID supplies surface water and recycled water to customers in its service area which spans an area of 220 square miles, primarily located in the South Fork American River and North Fork Cosumnes River watersheds. EID provides water to more than 100,000 people for municipal, industrial, and irrigation uses. The portion of EID in the ARB Region is the downstream and western portion of the larger EID service area. This subsection focuses on the El Dorado Hills area, unless otherwise noted and describes the water, wastewater, and recycled water systems and planned facilities.

### **2.8.17.1. El Dorado Irrigation District Water System**

The EID water transmission system is comprised of three, interconnected subsystems; each subsystem is identified by its water supply source. The El Dorado Forebay and Jenkinson Lake subsystems are outside the ARB Region, but the Folsom Lake subsystem supplies the western portion of El Dorado County,

which is within the ARB Region. Water is pumped from Folsom Lake to the El Dorado Hills WTP (26 MGD). Treated water is conveyed through distribution mains using two pump stations that supply two primary pressure zones (960 Zone and 820 Zone) and several storage tanks (EID 2013).

### **2.8.17.2. EID Wastewater and Recycled Water Systems**

EID's three largest wastewater service areas (El Dorado Hills, Deer Creek, and Mother Lode) are served by a series of lift stations, forcemains, and gravity mains that convey sewage to either the El Dorado Hills WWTP or Deer Creek WWTP. EID operates and maintains a sanitary sewer system serving a population of approximately 75,800 people with over 47.6 square miles of service area. The system has 361 miles of gravity collection system, 27 miles of force mains, and 64 lift stations. The El Dorado Hills WWTP has a rated ADWF capacity of 4.0 MGD, and the Deer Creek WWTP has a rated ADWF capacity of 3.6 MGD (EID 2009).

EID operates two interconnected recycled water systems. Approximately 65 percent of the treated effluent produced at the El Dorado Hills WWTP is reclaimed, and approximately 35 percent reclaimed at the Deer Creek WWTP. While the Deer Creek WWTP is located outside the ARB Region, an 18-inch-diameter pipeline connects the El Dorado Hills and Deer Creek systems. EID typically discharges 1 MGD of treated effluent to Deer Creek to maintain downstream riparian habitat and provide water for beneficial uses. Disinfected, tertiary quality recycled water produced at these two facilities are distributed for irrigation of residential landscape, commercial landscape, and recreational turf. Recycled water is also used in a few areas for fire suppression and dust control. The peak capacity of the recycled water system is approximately 5.1 MGD. Since recycled water demands currently exceed recycled water supplies, the deficit is supplemented by potable water. EID plans to expand their recycled water operations as daily wastewater flows increase and to explore options for additional recycled water storage (EID 2013).

### **2.8.18. City of Folsom**

Folsom is located south of and adjacent to Folsom Lake. Folsom currently supplies surface water almost entirely to its service area. Groundwater is only used on a limited basis for golf course irrigation and as an emergency supply for Intel Corporation. This subsection includes a description of the surface water distribution system, the groundwater system, and the wastewater system operated by Folsom.

#### **2.8.18.1. City of Folsom Water System**

Folsom supplies surface water to seven pressure zones within its city limits, and to one pressure zone that extends slightly beyond city limits to the southwest. The eight pressure zones are organized into four service areas—Folsom Service Area West, Folsom Service Area East, Ashland Area, and American River Canyon Area. The Ashland Area and American River Canyon area are served by SJWD's Sidney N.

Peterson WTP. While SJWD provides water supplies to both of these service areas, Folsom physically serves the SJWD water to customers in the Ashland Service Area, while SJWD serves customers in American River Canyon (Folsom 2010).

Folsom receives surface water from Folsom Lake and treats raw water at the 50 MGD Folsom WTP. Drinking water is supplied through approximately 343 miles of pipeline to 19,376 service connections. Folsom's water system also includes 12 storage tanks with a total capacity of 34.5 MG. Reservoirs 1 and 2 at the WTP have a capacity of 3 and 4 MG, respectively. Eight other storage tanks with capacities ranging from 1.5 MG to 4 MG are located throughout the distribution system, and nine booster pump stations pump water to the eight pressure zones.

Folsom has two system interconnections: (1) an emergency connection to the Ashland District across the Rainbow Bridge, and (2) an interconnection with GSWC. Though located within Folsom, the Ashland District normally receives water service from SJWD. Both interconnections are normally closed (Montgomery Watson, 1998).

#### **2.8.18.2. City of Folsom Groundwater System**

Groundwater use within Folsom is limited to private use by the Empire Ranch Golf Course and as an emergency supply for Intel Corporation. Intel Corporation uses two emergency backup wells, with 100 and 15 gpm capacities, respectively (Folsom 2011).

#### **2.8.18.3. City of Folsom Wastewater System**

Folsom operates and maintains 267 miles of (6- to 33-inch-diameter) pipelines and 9 active pump/lift stations. Folsom's primary wastewater customers are residential, industrial, and commercial customers with most wastewater generated from residential users. Folsom conveys this wastewater to the SRCSD system where it is treated at the SRCSD Wastewater Reclamation Facility (Folsom 2009).

### **2.8.19. Sacramento County Water Agency**

SCWA supplies a combination of surface water, groundwater, and recycled water to its service area of three water supply benefit zones—Zone 40, Zone 41, and Zone 50. Zones 40 provides for the acquisition, construction, maintenance, and operation of facilities for the production, conservation, transmittal, distribution, and sale of groundwater or surface water within that zone. Zone 50 provides for the funding of water projects within that zone. Zone 41 includes large retail areas in southern Sacramento County and smaller retail areas in northern Sacramento County (SCWA 2011). This subsection describes the water and groundwater systems. SCWA's recycled water system is operated (by agreement) in collaboration with SRCSD, which is described in **Section 2.8.26**.

### **2.8.19.1. Sacramento County Water Agency Water System**

SCWA uses Sacramento River water from either its Vineyard WTP or water from one of three interconnections—the Mercantile Intertie with GSWC, the El Centro Intertie with El Centro Reservoir, and the Franklin Intertie with Sacramento. The SCWA water system has a total storage capacity of 31 MG and 10 pump stations. SCWA also maintains over 70 miles of transmission mains of 16 inches to 48 inches in diameter.

The Vineyard WTP was a component of the FRWP, undertaken in collaboration with EBMUD. The project included a new 185 MGD intake facility on the Sacramento River and 17 miles of underground pipeline through Sacramento County. From the Freeport pipeline, a smaller pipeline then delivers a portion of SCWA’s water to the Vineyard WTP. The first phase of the plant with a 50 MGD treatment capacity began operations in 2012. In accordance with approved planning documents, SCWA intends to decrease its reliance on groundwater by using its surface water supplies (when available) and treatment capacity.

### **2.8.19.2. Sacramento County Water Agency Groundwater System**

SCWA service areas are generally dependent on groundwater supplies. Groundwater is fed into the delivery system by individual wells (direct feed wells) or by centralized groundwater treatment plant(s) ranging in capacity from 1 MGD to 13 MGD that treat water from several wells. SCWA has a combination of direct-feed wells and groundwater treatment facilities where needed. Typical municipal capital facilities for groundwater production include groundwater extraction wells (including raw water piping from the wells to the treatment plant), treatment, at grade storage tanks, booster pumps, and transmission pipelines to the distribution system. Treatment plants typically remove iron, manganese, and in some cases arsenic.

## **2.8.20. Elk Grove Water District**

Elk Grove Water District (EGWD) serves about 36,000 people in an area of approximately 13 square miles in southern Sacramento County. Surrounded on all sides by SCWA, EGWD provides a combination of groundwater and surface water from SCWA to their Service Area No. 2 customers and groundwater to its Service Area No. 1 customers.

### **2.8.20.1. Elk Grove Water District Water System**

EGWD supplies a mix of surface water and groundwater to Service Area No. 2, and EGWD is responsible for maintenance and operation of the distribution mains. SCWA wholesales the water to EGWD, and they own and operate one WTP, the East Elk Grove Groundwater Treatment Plant, which is located within the service area.

### **2.8.20.2. Elk Grove Water District Groundwater System**

In Service Area No. 1, EGWD owns and operates groundwater wells and the Railroad Street Treatment and Storage Facility. This facility has two aboveground storage tanks with a combined capacity of 4 MG and a treatment capacity of 7,200 gpm. The Hampton Village WTP is in the process of being refurbished with completion scheduled for 2014.

### **2.8.21. Fruitridge Vista Water Company**

FVWC relies almost entirely on groundwater to serve an area of 4 square miles south of Sacramento along State Route 99. The service area is primarily residential east of Route 99 and primarily commercial to the west, serving a total of five schools. FVWC considers their service area to be 95 percent built-out, except for the south and southeast areas.

FVWC operates 16 groundwater wells, which have been sufficient to meet past water demands. FVWC has taken four wells out of production due to methyl tertiary-butyl ether and PCE contamination, and replaced this loss in supply with three new wells and two new permanent interties with Sacramento. Additionally, FVWC has six emergency interties with both Sacramento and Cal-Am.

### **2.8.22. Tokay Park Water Company**

Tokay Park Water Company is a small water district serving an area of under 2 square miles southeast of FVWC. Service is provided to approximately 199 primarily residential connections. Supply is from groundwater. Estimated demand is 142 AFY (Sacramento Local Agency Formation Commission 2013).

### **2.8.23. Florin County Water District**

Florin County Water District is a small water district serving an area of approximately 2.5 square miles east of Tokay Park Water Company. Service is to approximately 12,588 customers through 2,213 connections. Supply is from 10 groundwater wells. Estimated demand is 2,668 AFY (Sacramento Local Agency Formation Commission 2013).

### **2.8.24. Rancho Murieta Community Services District**

Rancho Murieta is located in southeastern Sacramento County along the Cosumnes River. Rancho Murieta uses surface water and recycled water in its service area, although access to groundwater is an option being considered to diversify its water supply portfolio in dry years. Surface water storage and increased recycled water capacity are also being studied.

#### **2.8.24.1. Rancho Murieta Community District Water System**

Rancho Murieta's water supply stems from Granlees Dam on the Cosumnes River. Raw water is distributed by booster pumps and pipelines to three primary reservoirs (Calero, Chesbro, and Clementia)

with a combined usable storage of 4,225 AF. Rancho Murieta has two WTPs with a combined capacity of 3.5 MGD, and both plants have plans for expansion if needed for a total capacity of 7.0 MGD.

#### **2.8.24.2. Rancho Murieta Community Services District Wastewater and Recycled Water Systems**

Rancho Murieta Wastewater Reclamation Plant (WWRP) serves the entire Rancho Murieta community, producing 537 AFY of treated effluent. The collection system consists of gravity sewer lines with three lift stations. The WWRP has secondary and tertiary treatment systems, with maximum capacities of 2.0 MGD and 2.3 MGD, respectively.

Rancho Murieta treats all of its wastewater to Title 22 standards and distributes recycled water to irrigate golf courses, which have a normal year water demand of 550 AFY. Rancho Murieta's WWRP stores secondary wastewater in two large reservoirs, and then applies tertiary treatment during the irrigation season from April to November.

#### **2.8.25. City of Galt**

Located approximately 20 miles south of Sacramento, Galt serves an area of 3,815 acres. Of this total area, 58 percent is residential, 19 percent is commercial and light industry, and the remaining 23 percent are parks, open spaces, or mixed uses. Galt does not have access to surface water and relies on groundwater to meet water demands.

##### **2.8.25.1. City of Galt Groundwater System**

The city owns and maintains over 99 miles of water lines ranging from 1 to 24 inches in diameter, eight active wells, four aboveground water storage tanks, and two treatment plants. Galt plans to increase both WTP capacities and to drill new water supply wells to increase system capacity and water availability to meet planned needs. The Golden Heights WTP has a current capacity of 1,815 gpm and is planned to be expanded to 4,500 gpm in 2013. Industrial Park WTP will potentially be upgraded from 1,360 gpm to 4,160 gpm. A new WTP and wells are also being planned at Kost Reservoir.

##### **2.8.25.2. City of Galt Wastewater and Recycled Water System**

Galt owns, maintains, and operates its own WWTP, gravity sewer pipelines and force mains, sewer lift stations, and pump stations. The city collects wastewater from residential, commercial, institutional, and industrial customers within the service area. The WWTP is permitted for 3.0 MGD and currently operates at approximately 2.2 MGD. Treated effluent is used for irrigation purposes and/or is discharged to Laguna Creek.



Galt's WWTP consists of secondary treatment, tertiary filtration, and ultraviolet (UV) disinfection, and connects to an effluent storage reservoir with a capacity of 70 MG. This WWTP has the capacity to produce recycled water, but currently, neither the necessary distribution infrastructure nor the demand exists for widespread use. However, Galt has identified potentially interested irrigation water customers and has undertaken studies to develop recycled water use. Galt applied 335 MG of recycled water in 2011 to an onsite agricultural reuse site to grow fodder crops.

### **2.8.26. Placer County**

Placer County is responsible for providing wastewater services for the entire Placer County outside of cities of Lincoln, Roseville, and Auburn and the areas served by the South Placer Municipal Utility District. Placer County Environmental Engineering Division operates and maintains 10 separate sanitary sewer systems that are self-supporting and maintained through user fees.

Five of the 10 separate sewer systems are located within the ARB Region. Sewer Maintenance District (SMD) 1 is located in North Auburn, and 102 miles of pipe carry wastewater to the North Auburn WWTP, which is right outside of the ARB Region boundary. SMD 2 in Granite Bay and County Service Area 28, Zone2A3 in Sunset Industrial Park consist of 118 miles and 10 miles of sewer pipes, respectively. Both these systems connect to Roseville's WWTPs for treatment. SMD 3 in Horseshoe Bar/Folsom Lake with 16 miles of pipeline and County Service Area 28, Zone 6 in Sheridan with 3 miles of pipeline are small but have their own WWTPs (Placer County 2010).

Wastewater capital improvement projects have been identified and planned in the near future, including upgrades to Auburn Ravine Lift Station and Sheridan WWTP, repairs to 2,000 feet of pipe in SMD 2, and adding denitrification treatment capacity to the WWTP in SMD 3. Placer County is also considering decommissioning SMD 3 WWTP and consolidating this district with SMD 2 (Placer County 2009, Placer Local Agency Formation Commission 2010).

### **2.8.27. City of Auburn**

Located in the northeastern corner of the ARB Region, Auburn owns and operates its own wastewater treatment and collection system, which serves the city within its boundaries.

Auburn maintains over 85 miles of wastewater collection lines and 11 sewer lift stations throughout the city. This network of pipes collects sewage from residences and businesses and transports it to the Auburn WWTP located west of the city. The Auburn WWTP discharges its tertiary treated effluent into Auburn Ravine at a maximum permitted flow of 1.65 MGD. Auburn plans to upgrade its WWTP to comply with NPDES permits and meet sewer system waste discharge requirements. The upgrade will include

replacement of chlorine with UV disinfection and modification of the treatment plant to reliably reduce effluent nitrogen levels (Auburn 2012).

### **2.8.28. South Placer Municipal Utilities District**

South Placer Municipal Utilities District (SPMUD) provides wastewater collection and conveyance services for the communities of Rocklin, Newcastle, Loomis, Penryn, and portions of the Loomis Basin. SPMUD has a service area of 18,560 acres and currently serves 29,666 dwelling units. The SPMUD system includes 247 miles of pipeline and eight pump stations, and the wastewater is conveyed to the Dry Creek Regional WWTP or the Pleasant Grove Regional WWTP, which are operated and maintained by Roseville. Newcastle Sanitation District was recently annexed into SPMUD.

### **2.8.29. Sacramento Regional County Sanitation District**

SRCSO collaborates with other local agencies in the Sacramento area to collect, convey, and treat wastewater at the SRWWTP. SRCSD's Interceptor System conveys wastewater from Folsom, Sacramento, city of West Sacramento, and SASD, serving over 250 square miles. As of 2008, the system involved about 177 miles of gravity interceptors, and 47 miles of force mains. The SRWWTP, located in Elk Grove, treats about 200 MGD on an average dry day, provides secondary treatment, and discharges into the Sacramento River. Treatment upgrades are currently in planning and design to meet recent NPDES requirements necessitating facility upgrades (SRCSD 2008, 2009). Sacramento County's Department of Water Quality provides staffing for operations, maintenance, engineering, and administrative services for SRCSD and County Sanitation District 1. These special districts provide sanitary sewer and wastewater collection, conveyance, and treatment within the urbanized areas of Sacramento County and the Livoti Tract in south Placer County.

Although primarily a wastewater treatment provider, SRCSD uses recycled water produced at its Water Reclamation Facility (WRF) to meet nonpotable water demands on its own property and wholesales it to SCWA to meet nonpotable demands as part of the SRCSD/SCWA Demonstration Project.

SRCSO embarked on its Water Recycling Program with a goal to manage discharge from the SRWWTP to the Sacramento River while providing a reliable supply source for water purveyors in the region, where feasible. In conjunction with the secondary treatment provided at SRWTP, SRCSD operates its 5 MGD WRF to produce tertiary treated recycled water at the same site. For Phase I of the Water Recycling Program, SRCSD partnered with SCWA to use all of the 5 MGD capacity for onsite uses at the Sacramento Regional WWTP complex and nonpotable commercial and public landscape areas in the Laguna West, Lakeside, and Laguna Stonelake developments located within SCWA's service area immediately south of SRCSD's facility. The Phase 2 service area consisted of the East Franklin and

Laguna Ridge development areas located to the south and east of the Phase 1 system. Expansion of the SRCSD Recycled Water Program into the Phase 2 area required a separate recycled water pipeline to be constructed from the Sacramento Regional WWTP to facilities owned and operated by SCWA. Much of the internal “purple” pipe distribution system has been constructed as part of recent development.

SRCSD’s Water Recycling Opportunities Study, completed in 2007, identifies a goal of recycling 30 to 50 MGD with new water agency partnerships elsewhere in the region by 2030. Since 2010, a new discharge permit issued by the Central Valley Water Board requires SRCSD to treat all of its effluent to tertiary levels by June 2021, which could greatly expand opportunities for using recycled water in the future. SRCSD is also developing a program to irrigate agricultural land and create habitat for endangered wildlife through the South Sacramento County Agriculture and Habitat Lands Water Recycling Project.

## **2.9. Water Demands and Supplies**

This subsection describes water demands and supplies in the ARB Region. Because the ARB Region is significantly urbanized, this subsection focuses on M&I water use. However, the Region has significant private agricultural water users who use a combination of seasonal surface waters or self-supplies using groundwater. Some water agencies, such as PCWA Zone 5, specifically deliver water for larger scale irrigation uses. **Section 2.9.1** portrays historic and projected water demands in the Region, as well as ongoing demand reduction efforts. **Section 2.9.2** begins with a brief discussion on surface water rights and contracts within the Region, which legally dictate areas of water availability. The subsection then explains restrictions on surface water availability, groundwater use patterns, and recycled water availability. The water supply picture is summarized with a description of the water agencies’ current water supply portfolios and their projected future water supplies. This subsection concludes with an explanation of how these water demands and supplies interact and play a role in shaping future development in the ARB Region.

### **2.9.1. Water Demands**

Current and projected water demands help determine anticipated future water supply needs. Water demand is dependent on numerous factors, such as population, land use, season, efficiency of the distribution system, and water user efficiency. M&I water demands vary hourly, within a single day, and seasonally, thus demands are typically normalized for general discussion purposes. Residential water demands typically peak in the morning and early evening, corresponding to when residents wake up and return home. Seasonally, summers have a higher water demand than winters due to outdoor irrigation. With the Sacramento region's hot, dry climate and long summer season, more than 65 percent of a household's yearly water consumption typically goes toward landscape irrigation, most of which is used

**Section 2**  
**Region Description**

---

during the summer months (Sacramento 2011). The following subsections discuss historic and projected water demands annually, as well as demand management efforts within the Region.

**2.9.1.1. Historical Water Demands**

Estimated recent historical water demands in the ARB Region are provided in **Table 2-19**. These demand reports include system losses, but do not include wholesale deliveries to other agencies. Historically, water demands have increased within the Region as population has grown. However, in recent years, water demands within the Region have decreased from about 844,000 AFY in 2005 to 780,000 AFY in 2010, a decrease of more than 7 percent. The decrease associated with urban water supply was around 8 percent in that same time period. While the exact cause (or causes) for decreases in water demand are not precisely known, reductions associated with implementing water efficiency programs, the economic downturn, reduced economic output, and slowing of new construction have been factors generally observed statewide. Moreover, both 2008 and 2009 were dry years, which may have led to higher water use efficiency. Volumetric pricing following the installation of water meters may also be another factor for demand reduction in the ARB Region.

**Table 2-19. Estimated Recent Historical Water Demands (AFY)**

<b>Water Agency</b>	<b>2005</b>	<b>2010</b>
California American Water	44,970	37,297
Carmichael Water District <sup>1</sup>	12,496	9,732
Citrus Heights Water District	19,034	13,725
Del Paso Manor Water District	1,657	1,409
El Dorado Irrigation District	37,223	32,525
Elk Grove Water District	7,915	6,720
Fair Oaks Water District	12,454	11,800
Florin County Water District	2,668	2,668
City of Folsom	24,974	26,243
Fruitridge Vista Water Company	4,891	4,157
City of Galt	5,300	5,174
Golden State Water Company <sup>2</sup>	18,098	16,478
City of Lincoln <sup>3</sup>	9,376	9,203
Natomas Central Mutual Water Company	37,332	23,438
Orange Vale Water Company	4,915	4,585
Placer County - Ag/Ag-Res	56,300	58,300
Placer County Water Agency <sup>4</sup>	92,276	97,839
Rancho Murieta Community Services District	2,008	1,710
Rio Linda/Elverta Community Water District	3,400	2,720
City of Roseville <sup>5</sup>	31,075	28,633
City of Sacramento	131,564	108,276

**Table 2-19. Estimated Recent Historical Water Demands (AFY) (contd.)**

Water Agency	2005	2010
Sacramento County - Ag/Ag-Res 6	192,500	192,500
Sacramento County Water Agency	35,971	35,509
Sacramento Suburban Water District	41,193	36,386
San Juan Water District	14,270	12,650
Tokay Park Water District	142	142
<b>Regional Total</b>	<b>844,002</b>	<b>779,819</b>

*Data Sources:*

*Rio Linda/Elverta Community Water District data were provided in the 2010 Public Draft UWMP. City of Galt data were provided in the 2010 public review UWMP. Rancho Murieta Community Services District's information is from their 2006 and 2010 Integrated Water Master Plan. Florin County and Tokay Park Water District data are estimates from Sacramento County Local Agency Formation Commission, as other data are not available. Placer County Ag/Ag-Res data are from 2013 Draft Western Placer County Sustainable Yield. Sacramento County Ag/Ag-Res data are estimated from the Sacramento Area Integrated Water Resources Model (SaciWRM).*

*All other information was taken from the 2010 UWMP of each water agency.*

*Notes:*

- <sup>1</sup> Carmichael Water District demand is for 2006 (CWD 2011).
- <sup>2</sup> Golden State Water Company includes Cordova System only.
- <sup>3</sup> City of Lincoln demand is for 1996 (Lincoln, 2003) and 2006 (Lincoln, 2010).
- <sup>4</sup> Placer County values reported for Zone 1 and Zone 5.
- <sup>5</sup> City of Roseville also provides raw surface water to Linda Creek for to sustain the natural flow for environmental purposes. The water usages for the years above are: 27.77 MG for 2005, and 73.1 MG for 2010.
- <sup>6</sup> Sacramento County Ag/Ag-Res data theoretically include water use by Clay Water District, Galt Irrigation District, Omochumne-Hartnell Water District, and South Sutter WD.

*Key:*

AFY = acre-feet per year  
 Ag/Ag Res = agriculture/ agricultural-residential  
 UWMP = Urban Water Management Plan

### 2.9.1.2. Projected Water Demands

In UWMPs, each water agency estimated its future water demands based on a minimum of land-use and population projections through 2030 (**Table 2-20**). Anticipated effects of climate change are separately discussed in **Section 2.10**. If a water agency contracts its water to another agency, that demand is shown under the retailing agency using the water, and not under the agency that sold the water. Demand projections at least to 2035, providing a 20-year planning horizon, will be available for the next round of UWMP updates in 2015. From 2010 to 2030, the ARB Region is expecting a greater than 22 percent increase in overall water demands due to growth.

**Table 2-20. Projected Annual Water Demands (AFY)**

Water Agency	2015	2020	2025	2030
California American Water	46,488	44,029	48,267	51,922
Carmichael Water District	9,642	9,566	9,569	9,571
Citrus Heights Water District	18,904	17,893	18,329	18,765
Del Paso Manor Water District <sup>1</sup>	1,600	1,600	1,600	1,600
El Dorado Irrigation District	47,721	51,052	58,753	68,290

**Table 2-20. Projected Annual Water Demands (AFY) (contd.)**

Water Agency	2015	2020	2025	2030
Elk Grove Water District	9,775	9,580	10,040	10,500
Fair Oaks Water District	10,573	10,903	11,011	11,118
Florin County Water District <sup>1</sup>	2,668	2,668	2,668	2,668
City of Folsom	28,135	31,310	34,548	36,259
Fruitridge Vista Water Company	3,717	3,277	2,838	2,838
City of Galt	7,123	7,321	8,506	9,883
Golden State Water Company	19,782	19,936	20,153	20,626
City of Lincoln	10,730	11,373	12,706	14,040
Natomas Central Mutual Water Company	32,000	29,000	23,000	23,000
Orange Vale Water Company	5,391	4,799	4,904	5,009
Placer County – Ag/Ag-Res	60,000	60,000	60,000	60,000
Placer County Water Agency	99,499	99,632	100,262	100,906
Rancho Murieta Community Services District	1,710	2,250	3,000	3,659
Rio Linda/Elverta Community Water District <sup>1</sup>	3,296	2,961	2,995	3,030
City of Roseville	45,760	49,494	55,071	56,507
City of Sacramento	146,300	138,300	149,200	160,100
Sacramento County – Ag/Ag-Res	183,450	174,400	165,350	156,300
Sacramento County Water Agency	46,796	54,206	61,090	68,975
Sacramento Suburban Water District	37,869	38,691	39,531	40,390
San Juan Water District	12,969	13,630	15,049	16,616
Tokay Park Water District <sup>1</sup>	142	142	142	142
<b>Regional Total</b>	<b>892,040</b>	<b>888,013</b>	<b>918,582</b>	<b>952,714</b>

Notes:

Rio Linda/Elverta Water District data were provided in the 2010 Public Draft UWMP. City of Galt data were provided in the 2010 public review UWMP. Rancho Murieta Community Services District's information is from their 2010 Integrated Water Master Plan. Placer County Ag/Ag-Res data are from 2013 Draft Western Placer County Sustainable Yield. Sacramento County Ag/Ag-Res data are estimated from the Sacramento Area Integrated Water Resources Model (SacIWRM). All other information was taken from the 2010 UWMP of each water agency.

<sup>1</sup> Growth is not expected for these water agencies.

Key:

AFY = acre-feet per year

Ag/Ag Res = agriculture/ agricultural-residential

UWMP = Urban Water Management Plan

### 2.9.1.3. Conservation and Demand Management

Conservation and demand management helps promote smart growth and smart water management in light of urban development and associated increases in water demand. Increasing conflicts between varying water users and needs, lack of infrastructure age and capacity concerns, interest in decreasing energy use, and uncertainties posed by climate change all result in a need for demand management. This subsection describes the targets each agency has set to meet the statewide goal of decreasing per capita water use and

describes how those targets will be met. Effective demand management will increase regional water supply reliability, which is discussed in **Section 2.9.2.6**.

***20 Percent Reduction by Year 2020***

In February 2008, the state released a seven-part comprehensive plan for improving the Delta. As part of this effort, the Legislature directed state agencies to develop a plan to reduce statewide per capita urban water use by 20 percent by the year 2020. This marked the initiation of the 20x2020 Water Conservation Plan process. Resulting from this plan, all urban water suppliers had to plan for a 20 percent reduction in per capita water demand by 2020 and 10 percent by 2015. Calculation methodologies and targets were required and identified in water supplier’s 2010 UWMPs and are summarized in **Table 2-21**.

**Table 2-21. Baseline and Target Demands (gallons per capita per day)**

<b>Water Agency</b>	<b>Baseline Demand</b>	<b>2015 Target</b>	<b>2020 Target</b>
California American Water	217	195	173
Carmichael Water District	306	275	244
Citrus Heights Water District	287	258	230
El Dorado Irrigation District	281	253	225
Elk Grove Water District	253	227	202
Fair Oaks Water District	322	290	258
City of Folsom	429	386	343
Fruitridge Vista Water Company	n/a	n/a	n/a
City of Galt	215	194	172
Golden State Water Company	369	332	295
City of Lincoln	246	221	197
Orange Vale Water Company	347	312	278
Placer County Water Agency	298	270	241
Rancho Murieta Community Services District	298	268	238
Rio Linda/Elverta Community Water District	298	268	238
City of Roseville	309	278	247
City of Sacramento	279	251	223
Sacramento County Water Agency	278	250	222

**Table 2-21. Baseline and Target Demands (gallons per capita per day) (contd.)**

<b>Water Agency</b>	<b>Baseline Demand</b>	<b>2015 Target</b>	<b>2020 Target</b>
San Juan Water District	508	458	407
Sacramento Suburban Water District	242	218	193

*Data Sources: Rancho Murieta Community Services District developed a 2010 Integrated Water Master Plan. Other agencies developed 2010 UWMPs.*

Notes: Rancho Murieta Community Services District does not have a UWMP, but reported their target demands in their 2010 Integrated Water Master Plan. Fruitridge Vista Water Company did not provide estimates of its baseline and targets in its 2010 UWMP. Fruitridge Vista Water Company did not provide estimates of its baseline and targets in its 2010 UWMP.

***Urban Water Demand Management Practices and Measures***

Conservation and demand management have been and will continue to be actively employed throughout the ARB Region. Potential conservation BMP were studied initially in this region in Sacramento’s Water Conservation Study/Urban Management Plan prepared in September 1991. Subsequently, the Water Forum recommended an expanded list of conservation measures, including residential water metering. Through discussions with various stakeholders and water agency representatives, the Water Forum developed a list of conservation measures, or BMPs, for adoption and implementation. The Water Forum anticipates full implementation of these BMPs by the year 2030.

The BMPs adopted by the Water Forum are a subset of those developed by the California Urban Water Conservation Council (CUWCC) and DWR. CWC Section 10631 also stipulates that Demand Management Measures (DMM) required in UWMPs are synonymous with CUWCC’s BMPs. Nineteen of the 27 water agencies in the Region develop UWMPs, and these agencies are required to implement and track progress on the BMPs or DMMS. Explanations of DMMS are available in DWR’s *Guidebook to Assist Urban Water Suppliers to Prepare a 2010 Urban Water Management Plan* ([http://www.water.ca.gov/urbanwatermanagement/docs/2010FinalUWMPGuidebook\\_linked.pdf](http://www.water.ca.gov/urbanwatermanagement/docs/2010FinalUWMPGuidebook_linked.pdf)) (2011b). One of the BMPs/DMMS that discusses wholesale agency assistance programs is only applicable to a handful of agencies within the ARB Region.

***Water Use Efficiency Program***

The RWA operates an award-winning Water Use Efficiency Program (WEP), a program designed to help its participants implement their BMPs by pooling resources. All members of the RWA have participated in this program since its creation in 2001 or since they have joined the RWA. WEP’s advisory committee continues to meet monthly. WEP has a user-friendly Web site named “Be Water Smart,” which can be accessed at <http://www.bewatersmart.info/>. WEP program activities include:



- Residential audit programs where a water auditor visits homes with customers, surveying both interior and exterior water uses. The program provides the customer with low-flow showerheads, toilet dams, water efficiency information, and irrigation watering schedules.
- Toilet and clothes washer rebate programs.
- The Irrigation Management Service, providing irrigation scheduling for commercial agricultural customers (EID and PCWA).
- Classes and advice to conserve water on residential lawns and gardens.
- Water education programs.
- Other programs with quantifiable water savings, including plumbing retrofits, leak detection and repair, landscape water audits, and commercial/industrial audits.

#### **2.9.1.4. Metering Policies**

Water metering was a contentious issue historically in the ARB Region for a variety of social, physical and financial reasons. Notwithstanding regional sentiment, a variety of laws and policies have been enacted to addressing water metering:

- Since 1992, CWC Section 525-529.7 requires all new construction statewide to have water meters installed during construction.
- Agencies using CVP water, including water supplied under Public Law 101-514 (Fazio Water) (e.g., SJWD) have been required to meter all connections since the Central Valley Project Improvement Act was passed in 1992.
- Signatories to The Water Forum Agreement (2000) agreed to phased implementation of water meters over a period of years.
- Assembly Bill 2572, passed in 2004 requiring water meters on all residences by 2025 for urban water suppliers, which primarily addressed agencies with water metering prohibitions in their charters. An urban water supplier is defined in CWC Section 10617 as having either 3,000 connections or supplying more than 3,000 acre-feet of water per year.

Almost all water agencies in the Region are now fully metered or have plans for full meter implementation with metered rates by 2025.

#### **2.9.2. Water Supplies**

Meeting water demands with adequate and reliable water supplies is an essential goal of water agencies. Potential sources of water supply include surface water, groundwater, and recycled water. In the ARB Region, surface water approximately supplies 60 percent of water demand, while groundwater supplies most of the remaining 40 percent. The exact ratios vary by water year type. Recycled water currently supplies about 3 percent of demand and is a hydrology-independent source of supply. However, recycled

water is used only in certain portions of the Region, and a larger scale integration of recycled water into the regional water portfolio remains a continuing goal and a challenge. After a discussion of each of these water sources, this subsection concludes with a characterization of the current water supply portfolios and projected water supplies for each water agency, portraying some of the future challenges in the Region.

### **2.9.2.1. Surface Water Supplies**

The ARB Region has three sources of surface water: American, Sacramento, and Cosumnes rivers. Availability of surface water is dependent on water rights and contract agreements, which legally define who can use water where, when, and how. Surface water availability is also constrained by hydrology and related diversion limitation agreements or legal restrictions as well as infrastructure capacity to pump, treat, store, and deliver water at the time, quantity, and quality that it is needed. Discussion of surface water constraints is presented in **Section 2.9.2.1** and includes the Water Forum Agreement, Hodge Flows, and Reclamation's CVP restrictions.

#### ***Water Rights and Contracts***

This subsection provides a regional overview of available surface water from the Sacramento, American, and Cosumnes rivers pursuant to water rights, contracts, and other agreements. This information is presented by agency in **Table 2-22**. This discussion on water rights and contracts is intended to provide a general overview on water availability from a high-level discussion perspective, and is not an exacting legal description. Listed water rights and contracts include known conditions or restrictions, such as POU, diversion rate limitations, and seasonal or hydrologic restrictions. The data displayed in **Table 2-22** shows the potential maximum amount of water an agency may access, including supplies possibly available during surplus conditions, if the agencies have the infrastructure capacity and water demands to accommodate the diversion.

The discussion of water supply availability by agency and the interplay of constraints, such as hydrology, infrastructure capacity, and availability of supplemental supplies is found in **Section 2.9.2.5**. Thus, data presented in **Table 2-22** does not necessarily correlate with current actual or future agency water demand data.

Water is commonly "wheeled" in the ARB Region from wholesaler to retailers through subcontracts, assignments, and agreements. For example, Roseville has an agreement with SJWD to receive 4,000 AFY from SJWD's 25,000 AFY contract with PCWA for Middle Fork Project water. Due to these subcontracts, assignments, and agreements, the water rights and contracts data are not directly totaled to provide an overall regional number. As shown in **Table 2-22**, agencies that provide water to other retailers throughout the Region include PCWA (from their Middle Fork Project water rights), Sacramento

(from the American River), SCWA, SJWD (mostly to the “San Juan Family” of CHWD, FOWD, and OVWC), and SSWD. A brief narrative follows **Table 2-22** to describe the water rights and contracts in the ARB Region.

This subsection focuses on water rights and contracts held by municipal water agencies. Accordingly, there may be other, independent agricultural water rights holders from the American, Sacramento, and Cosumnes rivers that are not listed. Further, an agency’s water right or contract outside the ARB Region, if distinguishable, is not included for overall clarity. This is especially relevant to PCWA and EID, who have jurisdiction and active service areas across Placer and El Dorado counties, respectively, but which are beyond the formal ARB Region.

**Table 2-22. Surface Water Rights and Contracts**

Water Agency	American River		Sacramento/Cosumnes Rivers	
	Description of Right or Entitlement	Maximum Use (AFY)	Description of Right or Entitlement	Maximum Use (AFY)
California American Water	Purchase from Sacramento	4,831	N/A	N/A
	Purchase from SSWD	2,000		
	Purchase from SCWA	5,000		
	Total	11,831		
Carmichael Water District	Appropriative	10,859	N/A	N/A
	Appropriative	3,669		
	Appropriative	18,099		
	Total	32,627		
Citrus Heights Water District	Wholesale contract with SJWD	Unspecified quantity <sup>1</sup>	N/A	N/A
	Total	N/A		
Del Paso Manor Water District	Potential contract with Sacramento via SSWD	2,460	N/A	N/A
	Total	2,460		
Fruitridge Vista Water Company	Contract with Sacramento	3,629		
	Total	3,629		
El Dorado Irrigation District <sup>2</sup>	Reclamation-Folsom Reservoir	7,550		
	From EDCWA, Public Law 101-514 Fazio <sup>3</sup>	7,500		
	FERC Project 184 (Appropriative)	17,000		
	Total	32,050		
Elk Grove Water District	Purchase from SCWA <sup>4</sup>	2,935		
	Total	2,935		
Fair Oaks Water District	Wholesale contract with SJWD	Unspecified quantity <sup>1</sup>		
	Total	N/A		

**Section 2**  
**Region Description**

**Table 2-22. Surface Water Rights and Contracts (contd.)**

Water Agency	American River		Sacramento/Cosumnes Rivers	
	Description of Right or Entitlement	Maximum Use (AFY)	Description of Right or Entitlement	Maximum Use (AFY)
Folsom, City of	Pre-1914	22,000	N/A	N/A
	Pre-1914 Co-tenancy with GSWC (assigned in perpetuity)	5,000		
	Agreement with SCWA for Public Law 101-514 "Fazio Water"	7,000		
	Pre-1914 and CVP Supply through wholesale contract with SJWD for Ashland	1,540		
	Total	35,540		
Golden State Water Company	Pre-1914 <sup>5</sup>	10,000		
	Total	10,000		
Lincoln, City of	Contract with PCWA	34,000	N/A	N/A
	Contract with NID <sup>6</sup>	12,000		
	Total	46,000		
Natomas Central Mutual Water Company <sup>7</sup>			Appropriative from Sacramento River (conditioned by Settlement Agreement with Reclamation)	120,200
			Total	120,200
Orange Vale Water Company	Wholesale contract with SJWD	Unspecified quantity <sup>1</sup>		
	Total	N/A		
Placer County Water Agency	Middle Fork Project	120,000	N/A	N/A
	CVP Contract	35,000		
	Agreement with PG&E <sup>8</sup>	100,400		
	Pre-1914 <sup>9</sup>	3,400		
	Total	258,800		
	Subcontracted to Lincoln, Roseville, SJWD, and SSWD <sup>10</sup>	(118,000)		
Rancho Murieta Community Services District	N/A	N/A	Cosumnes River:	
			Permit 16762	6,368
			Total	6,368
Roseville, City of	CVP Contract	32,000	N/A	N/A
	Water Transfer Agreement with SJWD (wet and average years only)	4,000		
	Water Purchase Agreement with PCWA	30,000		
	Total	66,000		
Sacramento, City of	Appropriative (conditioned by Settlement Agreement with Reclamation) <sup>11</sup>	245,000	Sacramento River:	81,800
	Total	245,000	Pre-1914 and Appropriative (conditioned by Settlement Agreement with Reclamation)	
	Obligated sales to neighboring agencies	(30,017)	Total	81,800

**Table 2-22. Surface Water Rights and Contracts (contd.)**

Water Agency	American River		Sacramento/Cosumnes Rivers	
	Description of Right or Entitlement	Maximum Use (AFY)	Description of Right or Entitlement	Maximum Use (AFY)
SCWA	SMUD 1 Assignment	15,000	Sacramento River: Appropriative Water <sup>12</sup>	
	SMUD 2 Assignment	15,000		
	"Fazio" Water (Public Law 101-514)	15,000		
	Wholesale Water Agreement(s) with Sacramento	9,300		
	Appropriative Water <sup>12</sup>	21,700		
	Other Water Contracts	5,200		
	Total	81,200		
	Subcontracted to EGWD <sup>13</sup>	(4,600)		
San Juan Water District	Pre-1914	33,000	N/A	N/A
	CVP Contract	11,200		
	"Fazio" Water (Public Law 101-514)	13,000		
	Water Purchase Agreement with PCWA	25,000		
	Total	82,200		
	CHWD, FOWD, Folsom, and OVWC <sup>14</sup>	(42,697)		
Sacramento Suburban Water District	Agreement with City of Sacramento	26,404	N/A	N/A
	Agreement with PCWA	29,000		
	Total	51,404		
	Projected sales to Cal-Am and Rio Linda/Elverta	(1800)		

Data Sources: 2010 UWMPs, Rancho Murieta 2010 Integrated Water Master Plan Update, Rio Linda/Elverta public review draft of 2010 UWMP.

Notes:

<sup>1</sup> CHWD, FOWD, OVWC, City of Folsom north of the American River (Ashland area), and the San Juan Water District Retail service area comprise the San Juan Family; CHWD, FOWD, OVWC, and Folsom's Ashland area have an unspecified quantity contract with SJWD that states that SJWD will deliver water according to each of their demands.

<sup>2</sup> EID also has water rights from the El Dorado Forebay and Jenkinson Lake, which are not part of the ARB Region.

<sup>3</sup> Projected to be available by 2015.

<sup>4</sup> As of 2010. Projected to increase up to 4,560 by 2035.

<sup>5</sup> GSWC has access to Pre-1914 water through the Natomas Ditch Company and associated POU. A portion of this water (5,000 AF/year) is contracted to Folsom.

<sup>6</sup> This number reflects that of a normal year.

<sup>7</sup> For use in both Sacramento and Sutter counties. Includes base supply of up to 98,200 AF and CVP supply of up to 22,000 AF.

<sup>8</sup> Water sources are Yuba and Bear rivers, outside the ARB Region.

<sup>9</sup> Water sources are tributaries to Auburn Ravine and Coon Creek, outside the ARB Region.

<sup>10</sup> PCWA supplies Lincoln from a mix of all their water sources, including but not exclusively of Middle Fork Project Water.

<sup>11</sup> Settlement agreement with Reclamation limits Sacramento's total diversion from the Sacramento and American rivers. This total was 227,500 AFY in 2010 and is to gradually increase to 326,800 by 2030.

<sup>12</sup> SCWA's appropriative water rights to divert water from the American and Sacramento Rivers (Permit 21209) provide intermittent water that typically would be available during the winter months of normal or wet years. The number shown is the expected long-term average use of the water and not the water right amount, which can range up to 71,000 AFY.

<sup>13</sup> SCWA water sold to EGWD is a mix of surface and groundwater.

<sup>14</sup> Amount wholesaled from SJWD includes contracts with the San Juan Family with unspecified quantities. The total shown assumes projected 2015 demand for CHWD, FOWD, and OVWC.

**Table 2-22. Surface Water Rights and Contracts (contd.)**

Key:

AFY = acre-feet per year  
CHWD = Citrus Heights Water District  
CVP = Central Valley Project  
EDCWA = El Dorado County Water Agency  
EGWD = Elk Grove Water District  
EID = El Dorado Irrigation District  
FERC = Federal Energy Regulatory Commission  
FOWD = Fair Oaks Water District  
GSWC = Golden State Water Company

N/A = not applicable  
NID = Nevada Irrigation District  
OVWC = Orange Vale Water Company  
PCWA = Placer County Water Agency  
POU = Place of Use  
SCWA = Sacramento County Water Agency  
SJWD = San Juan Water District  
SMUD = Sacramento Municipal Utility District  
SSWD = Sacramento Suburban Water District  
UWMP = Urban Water Management Plan

***American River Water Rights***

Eight agencies participating in the ARB IRWMP have water rights on the American River: CWD, EID, Folsom, GSWC, PCWA, Sacramento, SCWA, and SJWD. Details of these water rights are summarized in **Table 2-22**. The POU of this water is usually coincident with the jurisdictional boundaries of the respective agencies. Exceptions include Sacramento who has an authorized POU for American River water outside the current city limits, generally, including: (1) portions of SSWD, (2) Del Paso Manor, (3) SCWA Arden Park Vista Service Area, and (4) CWD. The POU for SJWD's water rights is most of its wholesale service area. The POU for PCWA prioritizes use in Placer County before use in Sacramento County. Portions of the ARB Region are supplied by water sources that lie outside of Region boundaries, including the upper American, Bear, and Yuba rivers. However, water diverted within the Region is not currently exported outside Region boundaries. Aside from local water agencies, the Reclamation has rights to much of American and Sacramento River water through their construction of the CVP.

***American River Contracts***

Four agencies have existing water supply contracts with Reclamation for CVP supplies: EID, PCWA, Roseville, and SJWD. SJWD provides CVP water to agencies within its wholesale service area, including CHWD, FOWD, Folsom-Ashland, and OVWC. Details of these contract entitlements are summarized in **Table 2-22**.

In addition, SJWD and SCWA have water supply contracts with Reclamation from Public Law 101-514 (commonly referred to as "Fazio Water"). SJWD's supply is used within SJWD's Sacramento County wholesale area. Folsom has a subcontract with SCWA for 7,000 AFY. EID also receives Fazio Water from El Dorado County Water Agency. SCWA's "SMUD Assignment" water is another water supply contract with Reclamation.

Four agencies with American River water rights contract their water to other local water agencies: PCWA, Sacramento, SCWA, and SJWD. PCWA has water contracts with Reclamation and Pacific Gas and Electric (PG&E) and provides water to Cal-Am, Lincoln, Roseville, SJWD, and SSWD. Sacramento

provides (or can provide) American River water to Del Paso Manor, FVWC, SCWA, and SSWD within its American River POU. SSWD further subcontracts some of this water to Cal-Am, potentially Del Paso Manor, GSWC, and portions of SCWA. SCWA has appropriative water rights to divert water from the American (via the Sacramento River) and subcontracts some of that water to Cal-Am and Elk Grove. SJWD is a wholesaler to CHWD, FOWD, OVWC, Folsom (Ashland), and SSWD and Roseville.

### ***Sacramento River Water Rights***

NCMWC, Sacramento, and SCWA have water rights on the Sacramento River. Total rights held by NCMWC in both Sacramento and Sutter counties are for up to 120,200 AFY per a Settlement Agreement. Sacramento holds a combination of pre-1914 and appropriative water rights on the Sacramento River for diversion of up to 225 cfs, up to 81,800 AFY, for service within city limits. SCWA also has an appropriative water right to divert water from the Sacramento River to provide intermittent water that typically would be available during the winter months of normal or wet years.

### ***Cosumnes River Water Rights***

Rancho Murieta obtains all its water supplies from the Cosumnes River through Permit 16762 issued in 1969 and renewed for 2001 to 2020.

### ***Aerojet Replacement Water Supply***

Aerojet has legal responsibility for groundwater contamination in Sacramento County. This contamination has affected water agencies' groundwater supplies, including GSWC and Cal-Am. Aerojet provides replacement water from its extraction and treatment of contaminated groundwater at several groundwater extraction and treatment (GET) facilities. Treated water is then discharged into several tributaries of the American River. Legal agreements include contracts to use this remediated Aerojet water.

Aerojet has guaranteed that replacement water supplies will be made available to offset lost groundwater production in the Cordova System (GSWC), up to a maximum 15,200 AFY. The Settlement Agreement requires that Aerojet supplies replacement water. GSWC can divert up to 5,000 AFY of GET water via the Folsom South Canal.

In 2010, SCWA entered into an agreement with Aerojet to transfer ownership of 8,900 AFY of remediated groundwater (SCWA 2011).

The 2007 Aerojet Agreement between Folsom and Aerojet stipulates that Folsom has access to GET water from GET Facilities A and B. Both facilities are currently undergoing modifications, pursuant to the Partial Consent Decree with the EPA. When completed, the facilities are expected to provide Folsom

## ***Section 2***

### ***Region Description***

---

3,250 AFY. Water derived from the GET facilities will be used to meet industrial demands within the Aerojet Industrial Property (projected to average 2,731 AFY) as well as other potential nonpotable demands throughout the city. The Aerojet Agreement is not yet effective as the conditions within the agreement have not been satisfied. Nevertheless, there is nothing to suggest that the conditions will not be satisfied.

#### ***Other Agreements***

Folsom, SSWD, Roseville, and SJWD have temporary contracts with Reclamation for surplus water (often referred to as Section 215 water). Section 215 water is available on an intermittent basis subject to hydrologic conditions.

#### ***Surface Water Use Restrictions***

The beginning of **Section 2.9.2.1** discussed the legal background and setting of water availability in the ARB Region. The maximum water rights and contract amounts, however, are rarely used. Some of the limiting factors are the WFA, Hodge Flows (a legal decision), Reclamation's CVP restrictions, and infrastructure limitations of the water delivery systems. Annual hydrology and inflows to Folsom Lake triggers the WFA and Hodge Flows as both seek to maintain environmental flows in the lower American River during dry and critically dry periods. CVP allocations are similarly hydrology dependent. Infrastructure limitations result from water demand growth apart from existing infrastructure or sources of supply, lack of funds to maintain older systems and construct new facilities, and differing system designs among individual water agencies.

#### ***Water Forum Agreement***

The WFA, a voluntary MOU among some 40 signatories, includes water diversion restrictions according to the American River hydrologic year types, restricting overall water diversions (AFY) for each signatory agency. These restrictions are intended to maintain flows in the lower American River in times of shortage. As discussed in **Section 2.6.2.2** and shown in **Table 2-22**, water year types for the American River are determined by the amount of unimpaired inflow into Folsom Lake from March to November. Each signatory faces restrictions during drier or dry years, and some agencies, such as Roseville, have agreed to leave water in the American River during certain years of shortage. Other water agencies, such as Folsom, which has limited groundwater availability, have signed agreements with neighboring agencies willing to use more groundwater supplies, so that Folsom can maintain their use of surface water during dry years. Similarly, the San Juan Family of agencies adopted a surface water supply and water shortage management plan in 2008 to address conjunctive use of surface and groundwater supplies.



### ***Hodge Flows***

Hodge Flows stem from a legal decision made by Judge Richard Hodge on the *Environmental Defense Fund v. East Bay Municipal Utility District* litigation. Water diversion rates are restricted if river flows that bypass the Fairbairn WTP are below 2,000 cfs from October 15 through February 28, 3,000 cfs during March through June, and 1,750 cfs during July through October 14. American River water from Sacramento is subject to these Hodge Flow criteria.

### ***Reclamation's CVP Water Use Conditions***

Reclamation imposes a shortage policy for CVP water in times of drought, unavoidable interruptions, and other operational restrictions from legal obligations. This shortage policy applies to CVP water from both American and Sacramento rivers. Reclamation's shortage policy, generally, is as follows: when deemed necessary, irrigation water is first reduced. Once irrigation water is at 75 percent allocation, both M&I and irrigation water allocations are incrementally reduced until M&I allocation is 75 percent of the full allocation and irrigation allocation is 50 percent of the full amount. Reclamation reserves the right to impose further restrictions as necessary. Full 100 percent allocation is defined as the amount of water used in the most recent 3 years of full water availability, not necessarily the contracted amount.

### **2.9.2.2. Groundwater Supplies**

As discussed in **Section 2.6.3**, the ARB Region overlies productive and generally high-quality groundwater subbasins. Groundwater is both a primary supply for some agencies and a supply that augments surface water use for some agencies, especially during shortage periods. The WFA established sustainable yields for each the three groundwater subbasin underlying Sacramento County in the ARB Region, (see **Section 2.6.3**) and prescribed a regional conjunctive use program to optimize regional water supplies. While groundwater is a regionally significant source of supply, some agencies, particularly those along the eastern edge of the Region, do not have access to groundwater due to underlying geologic conditions.

**Table 2-23** shows historical groundwater pumping for public water suppliers in the ARB Region from 2006–2010, as reported in the 2010 UWMPs. Similar to regional water demands, these data show greater than a 10 percent decrease in groundwater use in the past 5 years, which in part, can be attributed to an increase in conjunctive use practices. This reported reduction in groundwater extraction support observed recovering groundwater levels in SGA and SCGA Basin Management Reports. Independent groundwater pumpers and small water suppliers are not required to report extractions in California, so those data are not available for this report.

**Section 2**  
**Region Description**

**Table 2-23. Groundwater Extraction (AFY)**

<b>Year</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>
California-American Water	40,748	41,320	44,012	42,907	34,849
Carmichael Water District	3,519	2,868	1,581	1,609	1,518
Citrus Heights Water District	100	98	352	2,120	1,560
Del Paso Manor Water District <sup>1</sup>	1,654	1,638	1,610	1,504	1,409
El Dorado Irrigation District	0	0	0	0	0
Elk Grove Water District	6,365	6,963	6,460	5,407	3,784
Fair Oaks Water District	845	899	2,225	1,109	1,194
City of Folsom	0	0	0	0	0
Fruitridge Vista Water Company <sup>2</sup>	3,717	n/a	n/a	n/a	4,157
City of Galt	5,668	6,203	5,953	5,741	5,174
Golden State Water Company	14,425	11,006	10,438	9,324	7,679
City of Lincoln	623	924	1,085	836	962
Orange Vale Water Company	0	0	0	0	0
Placer County Water Agency <sup>3</sup>	0	0	0	0	0
Rio Linda/Elverta Community Water District	3,378	3,305	3,340	2,914	2,719
City of Roseville <sup>4</sup>	0	1,468	392	0	0
City of Sacramento	20,917	18,618	18,414	18,867	17,768
Sacramento County Water Agency	34,152	35,803	39,248	39,450	37,121
Sacramento Suburban Water District	26,559	37,084	23,516	23,021	20,178
San Juan Water District	0	0	0	0	0
<b>Total</b>	<b>162,670</b>	<b>168,197</b>	<b>158,626</b>	<b>154,809</b>	<b>140,072</b>

Notes:

<sup>1</sup> Del Paso Manor Water District is not required to submit UWMPs but reports data to Sacramento Groundwater Authority.

<sup>2</sup> Fruitridge Vista Water Company did not report data for all noted years in its 2010 UWMP.

<sup>3</sup> Placer County Water Agency does use groundwater supplies in Zone 40 near Truckee, but not in western Placer County

<sup>4</sup> Groundwater use in 2007 and 2008 was driven by the Aquifer Storage and Recovery demonstration project as opposed to water supply.

Data Sources: 2010 UWMPs

Key:

AFY = acre-feet per year

UWMP = Urban Water Management Plan

### **2.9.2.3. Recycled Water**

Seven agencies within the Region, SRCSD, SCWA, EID, Lincoln, Rancho Murieta, Roseville, and Galt use recycled water as part of their water supply portfolios. Recycled water is a hydrology-independent supply, making it a very reliable source of water. Availability and production of recycled water is directly dependent on the availability of treatment and distribution infrastructure with a complementary customer demand for recycled water supply. As public acceptance of recycled water continues to increase, recycled

water is expected to become an increasingly valuable regional water supply resource as local, regional and statewide water demands continue to grow.

**Table 2-24** below summarizes the current use of recycled water in the Region. SRCSD, primarily a wastewater treatment provider, uses recycled water produced at its WRF to meet onsite nonpotable water demands and wholesales recycled water to SCWA as part of the SRCSD/SCWA Demonstration Project. Galt also has capacity to produce recycled water, but currently uses it only at onsite agricultural fields. EID, Lincoln, Rancho Murieta, Roseville, and Galt currently operate recycled water programs to meet nonpotable water demands within their respective service areas and offset demands for potable water supplies.

**Table 2-24. Recycled Water Use Summary–2010**

Agency	Recycled Water Treatment Facility	Recycled Water Use (AFY)	Approx. Percent of Total Water Supply (%)
EID	El Dorado Hills WWTP Deer Creek WWTP <sup>1</sup>	2,062	3
Galt	Wastewater Treatment Plant <sup>2</sup>	1,070	0
Lincoln	City of Lincoln WRTF	270	3
Rancho Murieta CSD	Rancho Murieta Wastewater Reclamation Plant	550	21
Roseville	Dry Creek WWTP Pleasant Grove WWTP	1,700	4
SCWA	SRCSD WRF	800	0.1
SRCSD	SRCSD WRF	500	N/A

Notes:

Recycled water use in 2010, per each agency's Urban Water Management Plan (UWMP), except for Rancho Murieta, which is from 2010 Integrated Water Master Plan Update.

<sup>1</sup> Deer Creek WWTP is not located in the ARB Region, but its system is interconnected with the El Dorado Hills system.

<sup>2</sup> City of Galt's data are from recycled water use in 2011. Galt's reported recycled water use is for wastewater disposal at a 186-acre agricultural reuse site for fodder crops. This operation is not considered as part of Galt's overall water supply or demand for public uses

Key:

AFY = acre-feet per year

CSD = Community Services District

EID = El Dorado Irrigation District

SCWA =Sacramento County Water Agency

SRCSD = Sacramento Regional County Sanitation District

WRF = Water Recycling Facility

WRTF = Water Recycling Treatment Facility



WWTP = wastewater treatment plant

#### 2.9.2.4. Desalinated and Imported Water

Currently, there is no known use of desalinated or imported water in the Region, and use of these supplies is not anticipated in the future.

### **2.9.2.5. Agency Water Supply Portfolios**

Agency water supply portfolios describe the relative percentage of various water supply sources used by individual water agencies. An agency's portfolio can be affected by physical, legal, and hydrologic considerations associated with their respective supplies as explained in **Section 2.9.2.1**. Most water agencies within the ARB Region are required to submit an UWMP, which includes information on an agency's water supply portfolio in normal and dry years. The reported data for current normal year reliability and data for current dry year reliability are presented in **Figure 2-31**. This figure shows which agencies have access to surface water, groundwater, and/or recycled water, and the relative proportions of those sources used by each water agency.



Data Source: Normal or average year and single-dry year water reliability information in UWMPs

Notes:

- 10 water agencies within the ARB Region that do not have UWMPs and are excluded from this figure.
- Golden State Water Company's water supply portfolio is projected for 2035. City of Galt's is reported for 2015. PCWA's is reported for built out conditions.
- EID's water supply portfolio only includes water sources that serve the ARB Region. PCWA's portfolio includes only Zone 1 and 5.
- CHWD, EGWD, FVWC, and Sacramento did not provide exact current water supply values. The values reflected in these tables, instead refer to their water supplies reported for 2010.

- Surface Water (%)
- Groundwater (%)
- Recycled Water (%)
- Difference from Normal Year (%)

**Figure 2-31. Water Supply Portfolios as Reported in 2010 UWMPs**

Although **Figure 2-31** does not provide enough detail for a full analysis of water supply reliability for the Region, it is recognized that groundwater becomes a critical resource for some agencies and the Region as

**Section 2**  
**Region Description**

a whole in dry years to offset restrictions in surface water use. Thus, operational flexibility of water supply distribution becomes a regionally significant challenge, especially during dry years.

**2.9.2.6. Projected Water Supplies**

Projecting water supply availability and relating these projections to estimated future water demands are integral to planning over a 20-year horizon. **Table 2-25** below summarizes water supply projections reported by each water supply agency in their respective UWMPs. These data includes surface water, groundwater, and recycled water supplies. Projections for 2035 will be available for all water agencies with the next iteration of UWMPs in 2015. According to the available data, water supplies for the Region are expected to fully meet projected demands through 2030.

**Table 2-25. Projected Water Supplies**

Water Purveyor	Projected Water Supplies (Acre-feet/Year)			
	2015	2020	2025	2030
California American Water	46,488	44,029	48,267	51,922
Carmichael Water District	40,783	40,783	40,783	40,783
Citrus Heights Water District	18,904	17,893	18,329	18,765
Del Paso Manor Water District	1,600	1,600	1,600	1,600
El Dorado Irrigation District	79,046	110,568	112,420	122,420
Elk Grove Water District	9,775	9,580	10,040	10,500
Fair Oaks Water District	21,241	21,897	22,572	23,282
Florin County Water District	2,668	2,668	2,668	2,668
City of Folsom	46,790	46,790	46,790	46,790
Fruitridge Vista Water Company	10,866	10,866	10,866	10,866
City of Galt	7,123	7,321	8,506	9,883
Golden State Water Company	36,641	24,850	24,850	24,850
City of Lincoln	10,968	11,373	12,706	14,040
Natomas Central Mutual Water Company	32,000	29,000	23,000	23,000
Orangevale Water Company	5,500	4,800	5,000	5,100
Placer County – Ag/Ag-Res	60,000	60,000	60,000	60,000
Placer County Water Agency <sup>1</sup>	226,243	259,685	260,736	261,787
Rancho Murieta Community Services District	7,206	7,478	7,478	7,478
Rio Linda/Elverta Community Water District	3,296	2,961	2,995	3,030
City of Roseville	53,197	58,670	68,980	69,397
City of Sacramento	177,035	179,252	200,369	220,162
Sacramento County – Ag/Ag-Res	183,450	174,400	165,350	156,300
Sacramento County Water Agency	64,779	73,464	90,598	114,898

**Table 2-25. Projected Water Supplies (contd.)**

Water Purveyor	Projected Water Supplies (Acre-feet/Year)			
	2015	2020	2025	2030
Sacramento Suburban Water District	70,541	70,541	53,541	53,541
San Juan Water District	12,969	13,630	15,049	16,616
Tokay Park Water District	142	142	142	142
<b>Regional Total</b>	<b>1,229,251</b>	<b>1,284,241</b>	<b>1,313,635</b>	<b>1,369,820</b>

Notes:

Rio Linda Elverta Community Water District data were provided in the 2010 Public Review Draft UWMP. Rancho Murieta Community Services District data were provided in the 2010 Integrated Water Master Plan. All other information was taken from the 2010 UWMP of each water purveyor. Sacramento and Placer County - Ag/Ag-Res is independent pumping, so it was assumed that future demand estimates would be fully met.

<sup>1</sup> Only Zones 1 and 5 in the Placer County Water Agency system are within the American River Basin Region

Key:

UWMP = Urban Water Management Plan

### **2.9.3. Future Outlook Considering Water Supplies and Demands**

Comparing estimated Region water demands (**Table 2-20**) and estimated water supplies (**Table 2-25**), along with an understanding of Region water rights and contracts (**Table 2-22**) generally leads to the conclusion that overall, the ARB Region has sufficient water to meet future needs—which is true in normal water years and especially true when comparing the ARB Region to other IRWM regions statewide. However, future water shortages in single and multi-year scenarios continue to be of concern. The RWA, its member agencies, and the ARB Region expect to face future challenges and uncertainties and have created an ARB IRWMP Framework (**Section 5**) to effectively address those challenges at multiple levels of detail. The ARB Region has a history of pro-actively planning for the future, and continues to benefit from decades of integrated planning efforts. **Section 5** contains a more comprehensive discussion on water resources issues and challenges facing the ARB Region, but at a high level, the following issues potentially impact water demands, water rights, and water supplies, and are under active investigation:

- Climate change and associated hydrologic impacts
- Aging infrastructure
- Better integration of water infrastructure systems
- Groundwater contamination
- Urban conversion
- Protection of water rights
- Water quality and increasing regulations

- Watershed and ecosystem protection
- Integration with statewide water planning efforts

## **2.10. Climate Change**

Clear indications of a changing climate have been observed in California and the western United States over the last several decades. Statewide average temperatures have increased by about 1.7°F between the years 1895 and 2011, with even greater increases observed in the Sierra Nevada over that timeframe (California Energy Commission [CEC] 2012). The effects of climate change on hydrology in California are already apparent, including changes to snowpack, river flows, storm intensity, temperature, winds, and sea levels. Planning for and adapting to the continuation of these trends, particularly their impacts on public safety, ecosystem, and long-term water supply reliability, will be among the most significant challenges facing water and flood managers this century (California Natural Resources Agency [CNRA] 2009).

State and local agencies are already engaged in a number of efforts designed to improve California's ability to adapt to a changing climate. IRWM planning efforts are collaborative and include many entities involved in water management. These aspects make IRWM an appropriate platform for addressing issues, such as climate change where multiple facets of water management are affected on a regional scale. To this end, climate change is one of 16 "standards" in the 2012 IRWM Guidelines, that IRWM plans must meet to receive planning and implementation grant funds through Propositions 84 and 1E. To provide guidance for implementing this climate change standard and incorporating climate change analyses into the IRWM planning process, DWR developed the Climate Change Handbook for Regional Water Planning (Handbook) (EPA/DWR 2011).

In accordance with the Handbook, this subsection describes the vulnerabilities due to climate change that stakeholders in the ARB Region are likely to face in the future. Based on the severity of the vulnerability, each is given a ranking in relation to one another. This ranking process will help the Region to determine where they are potentially vulnerable to climate change, and which considerations require the greatest attention. In addition, this subsection describes efforts that member agencies have taken in order to adapt to climate change and to reduce greenhouse gas (GHG) emissions in the ARB Region.

### **2.10.1. Regional Climate Change Effects and Vulnerabilities**

This subsection describes the approach for assessing and prioritizing climate change vulnerabilities in the ARB Region.



### **2.10.1.1. Approach**

This approach for assessing climate change in the ARB Region involved the following steps:

1. Characterizing the Region.
2. Reviewing literature on regional climate change impacts.
3. Assessing and prioritizing climate change vulnerabilities using a checklist.
4. Conducting a quantitative vulnerability assessment.
5. Compiling ongoing efforts to address climate vulnerabilities.

This approach was developed consistent with the general approach outlined in the Handbook.

#### ***Characterize Region***

To adequately analyze and address the potential impacts of climate change, a description of the existing resources in the Region that may be impacted is required. **Sections 2.1** through **2.9** characterize the water resources, environmental, and socioeconomic characteristics of the Region.

#### ***Review Regional Climate Change Impacts***

There have been multiple studies of climate change impacts on water resources specific to the western United States and California. A literature review was conducted to survey existing information and determines the potential regional impacts of climate change. Reviewed documents included:

- Cal-Adapt (CEC 2011)
- Reports on the Third Assessment from the California Climate Change Center (CEC 2012)
- California Climate Adaptation Strategy (CNRA 2009)
- Central Valley Flood Protection Plan (DWR 2012a)
- Sea-Level Rise for the Coasts of California, Oregon, and Washington: Past, Present, and Future (National Research Council [NRC] 2012)
- SECURE Water Act Section 9503(c) – Reclamation Climate Change and Water, Report to Congress (Reclamation 2011b)
- Sacramento County Climate Action Plan (Sacramento County 2011a)

Climate change is projected to alter temperature patterns, globally and in California. Effects can include changes in average temperature, the timing of seasons, and the degree of cooling that occurs in the

## ***Section 2***

### ***Region Description***

---

evening. In California, temperature increases are expected to be more pronounced in the summer and in inland areas (CNRA 2009). The degree of change experienced partially depends on global GHG emissions and atmospheric GHG concentrations. However, by the year 2050, temperature increases between 1.8 and 5.4 °F are projected under two emissions scenarios<sup>7</sup> examined as part of the California Climate Adaptation Strategy (CNRA 2009). However, it is recognized that current regional climate projections contain substantial uncertainty. At the local level, specific changes to seasonal temperature profiles are more difficult to project precisely. Global climate models have coarse spatial and temporal scales that make projections for regions the size of the ARB Region difficult. Regionally downscaled models are being developed that provide a higher level of resolution, but still include substantial uncertainty in their results (DWR 2012b).

Available climate projections suggest that over the next century, precipitation will likely progress from initially steady or slightly increasing, to slightly decreasing over the Sacramento River Basin (Reclamation 2011b). Even without any change in the quantity of precipitation, a warmer climate is likely to lead to increased watershed evapotranspiration, an increase in the fraction of precipitation falling as rain instead of snow, and a decrease in spring snowpack and snowmelt (CEC 2012). Already, a greater proportion of annual runoff has been occurring earlier in the water year (Knowles et al. 2006). The combination of earlier snowmelt and shifts from snowfall to rainfall seem likely to increase flood peak flows and flood volumes, which is likely to affect associated flood risk (Miller et al. 2003, Fissekis 2008, Dettinger et al. 2009). Higher snow lines (elevations) could increase flood risk because more watershed area contributes to direct runoff (DWR 2012b).

Despite predictions for somewhat less overall precipitation over the long term, the ARB Region is also predicted to have more extreme storms (Sacramento County 2011a). The Sacramento region is also projected to have more frequent, longer, and more-extreme heat waves and longer periods of drought (Sacramento County 2011a). Mean sea level is expected to rise by approximately 4.8 to 23.9 inches by the year 2050 at the Golden Gate Bridge (NRC 2012). The lower Sacramento River in the southern portion of the ARB Region is tidally influenced, and will be affected by rising sea levels. These climatic changes will very likely impact regional water supply, water demand, flooding, water quality, ecosystems, and hydropower operations.

### ***Identify and Prioritize Key Regional Areas of Potential Vulnerability***

The next step was to identify and prioritize areas of potential vulnerability to climate change impacts. This would allow the ARB Region to better plan adaptation actions to target specific, high-priority

---

<sup>7</sup> One scenario depicts a higher-emissions scenario (A2), the other a lower-emissions scenario (B1).

climate vulnerabilities. Defined by the Intergovernmental Panel on Climate Change (IPCC), vulnerability is a function of the character, magnitude, and rate of climate variation (collectively, the climate hazard) to which a system is exposed, as well as to non-climatic characteristics of the system, including its sensitivity, and its coping and adaptive capacity (IPCC 2001).

The Handbook provides a useful checklist for qualitatively determining areas of potential vulnerability within the Region. Indicators of potential vulnerability include currently observable climate impacts, presence of climate sensitive features, and adaptive capacity of regional resources. At this point in the analytical process, the actual magnitude of impacts or consequences resulting from a potential vulnerability was not required. This information was used in the planning process to prioritize regional planning objectives, define performance metrics, and focus a more detailed, quantitative analysis going forward.

Stakeholders within the ARB Region met to discuss climate change mitigation and adaptation in two meetings, held on March 25, 2011, and May 9, 2011. Based on information provided by stakeholders in these meetings, the assessed likelihood of vulnerabilities, and regional values, prioritization was accomplished qualitatively, with issues assigned a low, medium, or high priority.

The complete set of checklist responses and prioritizations can be found in **Appendix C**. The vulnerabilities of high priorities in the Region are described in the following subsection.

### **2.10.1.2. Prioritized Regional Vulnerabilities**

The following are descriptions of the highest priority vulnerabilities in the Region.

#### ***Water Demand***

- **Increased potential for summer water shortage.** The ARB Region is vulnerable to increased summer water shortages from increased summer water demand and potential increases in agricultural crop water demand.

Currently, demand during summer months is as much as 50 percent higher than the average month; demand during and winter months is as much as 50 percent lower than the average month (see Section 2.9). Much of this seasonal increase in demand is due to higher landscaping irrigation demands during the summer months (Sacramento County 2011a). Warming temperatures and increased frequency and magnitude of extreme events will likely exacerbate this already increased summer demand.

Agricultural production in the Region is an essential contributor to the local economy; in Sacramento County alone, agricultural production has a value of approximately \$400 million dollars per year (Sacramento County Agricultural Commission 2011). A variety of crop types are grown in the Region, including row crops, tree crops, and irrigated grains. Many of these crops

## *Section 2*

### *Region Description*

---

are sensitive to climate change and will require increased irrigation during the dry season (Sacramento County 2011a). A secondary impact could be a decline in the agricultural economy.

#### *Water Supply*

- **Reduced water supply reliability.** The ARB Region is vulnerable to reduced water supply reliability from three primary drivers: reliance on snowpack, existing storage capacity limitations, and increased drought potential.

American River runoff from April through July is dominated by snowmelt (see Section 2.9). Water supply in the Region relies heavily on the late season storage provided by snowpack. Agencies in the Region have limited access to alternative water sources, such as the Sacramento River.

Current regional reservoir operating conditions limit storage opportunities during winter runoff season; increased winter runoff will not necessarily translate into increased storage of water leading into the spring season. In the entire American River watershed (combined watersheds of the Lower American and the upstream watersheds of the American River), the ratio of storage to annual runoff is approximately 0.64, indicating that this is likely to be the case (Roos 2005). In addition, less spring snowmelt could make it more difficult to refill winter reservoir flood control space during late spring and early summer of many years, potentially reducing the amount of surface water available during the dry season (Roos 2005). Conversely, storage capture of snowmelt runoff has traditionally occurred during the late spring and early summer seasons. Reductions in runoff during this season likely would translate into reductions in storage capture and, likewise, reductions in water supply for warm season delivery.

As mentioned, the Region is also projected to have more frequent, longer, and more-extreme heat waves and longer periods of drought (Sacramento County 2011a). This would reduce the reliability of regional water supplies from year to year.

#### *Water Quality*

- **Reduced beneficial use of water from degraded water quality.** The Region is vulnerable to degraded water quality as a result of (1) increased contaminant loads from more frequent or intense storm events, and (2) rising surface water temperatures.

While current water quality in the Region is generally characterized as good, storm events pose problems for water treatment due to increases in turbidity and disinfection byproduct precursors (Sacramento County 2010). Climate change is expected to increase the frequency and magnitude of extreme precipitation and runoff events, potentially increasing these existing issues.

Water temperature is expected to generally rise in regional streams, lakes, and reservoirs as air temperature rises. This will adversely impact aquatic habitats and species (discussed below). For the Region, increasing temperatures are likely to increase challenges for providing suitable habitat conditions for salmonid populations, particularly fall-run Chinook salmon. Folsom Reservoir is operated to release cold water during the late summer and early fall months to provide suitable habitat conditions for anadromous fish survival. With a warming climate, the quantity of suitable cold water in storage is likely to decrease. At the same time, the need for these colder water releases is likely to increase due to warmer in-stream temperatures (Reclamation 2011a).

### ***Flooding***

- **Increased riverine flood risk.** Within the Region, major infrastructure, residences, and industries are currently located within the 200-year floodplain. Population growth and economic development behind levees in the Region has greatly increased flood risk over time. The greater Sacramento urban area currently has the lowest level of flood protection of any major U.S. river city (DWR 2012b). These issues are likely to be exacerbated as climate change is expected to increase the frequency and magnitude of extreme precipitation and runoff events. Additionally, these changes in storm size may overwhelm potentially undersized internal drainage systems within the Region.
- **Increased tidal flood risk.** Tidally influenced levees in southwestern portion of the Region will experience increased pressure under sea level rise scenarios. A rise in sea level would increase hydrostatic pressure on levees currently protecting low-lying land in the Delta, much of which is already at or below sea-level. These effects threaten to cause potentially catastrophic levee failures that could inundate communities, damage infrastructure, and interrupt water supplies throughout the state (Hanak and Lund 2008). Sea-level rise may also cause issues with intakes or outfalls from water or wastewater treatment facilities.

### ***Ecosystem and Habitat Vulnerability***

- **Increased adverse impacts to habitats and species.** The Region includes substantial acreages of vulnerable and already fragmented wetland and aquatic habitats. The Region is also home to a number of climate-sensitive and state- and federally listed threatened and endangered species, including salmonids and migratory bird species. Section 2.6.2 and Appendix B contain descriptions of existing vulnerable habitats and species within the Region. Agencies within the Region have numerous plans for restoration of these habitats in place, but these may be inhibited by a changing climate.

In addition, warmer air and water temperatures potentially could improve habitat for invasive species that outcompete natives. Climatic changes could decrease the effectiveness of measures currently used to control invasive species (Hellman et al. 2008). Invasive species, including various nonnative fish and plant species, are an ongoing issue within the Region. Some invasive species, such as quagga mussels, may additionally impact maintenance of hydraulic structures.

Existing quantified environmental flow requirements have been established to improve aquatic habitat, but these do not necessarily account for climate change. One example is the lower American River flow. Water for prescribed flows may not be available at the correct time, or if available, may not be at the proper temperature, as described previously under Section 2.10.1 “Water Quality.” This may affect allowable diversions and water use downstream.

#### **2.10.1.3. Quantitative Vulnerability Assessment**

The Sacramento Area Integrated Water Resources Model (SacIWRM) was used to evaluate the impacts of climate change on water resources in the ARB Region. SacIWRM is an integrated hydrologic model that simulates the groundwater and surface water resources in the ARB Region. The model uses various input data, most significant of which from a water supply perspective are: precipitation, streamflows, land use, agricultural and urban water demand, and surface water deliveries. The model also uses groundwater production data as inputs, where known (e.g., urban areas), but can simulate groundwater production data to meet demands in areas when the data are unavailable (e.g., rural and agricultural areas).

## ***Section 2***

### ***Region Description***

---

This climate analysis utilized information from DWR modeling exercises to evaluate future water deliveries under future climate change conditions. Applicable data from this broader DWR modeling effort was used as local input into the SacIWRM to assess potential impacts on the ARB Region's surface water and groundwater resources. Because the data generated for the DWR analysis were for significantly different purposes than for the ARB Region analysis, this is not intended to be a rigorous technical analysis. Rather, it meant to begin to provide an understanding of the expected magnitude of impacts potentially associated with future climate change. A technical memorandum of the modeling assumptions and results is provided in **Appendix D**.

Data extracted from the DWR analysis indicate there could be the following impacts:

- **Precipitation** – Monthly distribution of rainfall is expected to change under climate change conditions. March and December precipitation would increase by approximately 17%, while precipitation would be reduced in other months. The long-term average precipitation is expected to decrease by 7 percent.
- **Streamflow** – Changes in precipitation would result in similar changes in streamflows. American River annual flows would decline by an average of 8 percent, while the long-term average monthly reservoir releases would increase in March (+17 percent), April (+6 percent) and October (+23 percent) under climate change conditions. Similarly, Cosumnes River annual flows would decline by an average of 9 percent, but in contrast, the long-term average monthly Cosumnes River flows would only increase in December (+11 percent) under climate change conditions. Sacramento River annual flows would decrease by an average of 1 percent, while the long-term average monthly flows would increase in July (+4 percent), August (+8 percent), and October (+9 percent).
- **Surface Water Deliveries** – Changes in streamflows would result in significant changes in surface water deliveries from the American River and Folsom Reservoir. Changes in deliveries to each water supplier would depend on availability of surface water and water rights of the water supplier. The average annual surface water deliveries from the American River could typically be decreased by a range of 1 to 6 percent, while summertime decreases could be up to 12 percent. In contrast, average annual deliveries on the Sacramento River could increase by approximately 2 percent because summertime flows could be increased.

Using the above information in the SacIWRM and running a 105-year future projection with an assumed 2030 level of development yielded the following potential impacts on the Region relative to a future condition with no expected climate change:

- **Total Water Demand** – Average annual demand for water could increase by about 0.5 percent (an increase of more than 4,000 AFY). This is most likely due to the total amount and timing of precipitation to meet demands mostly in the agricultural sector.
- **Surface Water Supply** – Average surface water supply would be expected to be reduced by 0.8 percent (a nearly 5,000 AFY decrease). This is mostly associated with reduced availability of diversions from the American River for urban water suppliers.

- **Groundwater Supply** – To meet the increased total demand and reduced surface water availability groundwater production is expected to increase by more than 2 percent per year (an increase of 11,000 AFY). While for the Region as a whole this is not a large volume of groundwater, localized impacts could be more significant. For example, most of the supply to be made up by groundwater will be in agricultural areas that are already served primarily by groundwater. Groundwater elevation declines in the range of 20 feet could be expected. In urban areas nearer rivers and streams, the impacts to groundwater elevations could be fairly limited.

The SacIWRM was used to run a second future scenario, in which urban water suppliers would receive a 10 percent cutback to their surface water diversions when inflows into Folsom Reservoir are less than 2,000 cfs. This cutback was added for the second scenario because DWR modeling indicated that the frequency of Folsom Reservoir inflows that are below 2,000 cfs was expected to increase under future climate conditions. Under this scenario, the following results are expected relative to future conditions with no expected climate change:

- **Total Water Demand** – Average annual demand for water could increase by about 0.5 percent (an increase of more than 4,000 AFY). This is most likely due to the total amount and timing of precipitation to meet demands mostly in the agricultural sector. These are the same results as for the first scenario, as no additional demand changes would be expected.
- **Surface Water Supply** – Average surface water supply would be expected to be reduced by 5.4 percent (a nearly 33,000 AFY decrease). Again, this is mostly associated with reduced availability of diversions from the American River for urban water suppliers.
- **Groundwater Supply** – To meet the increased total demand and reduced surface water availability, groundwater production is expected to increase by about 6.5 percent per year (an increase of more than 33,000 AFY). Groundwater elevation declines in agricultural areas would still be expected to be in the 20 feet range. In contrast to the first scenario, groundwater elevations in the urban areas could be expected to decline, as they are absorbing a majority of the reduced diversions. Groundwater elevation declines in the urban areas would likely be more in the range of 10 feet or more.

#### **2.10.1.4. Further Data Gathering and Analysis**

Based on the quantitative analysis above, impacts to localized areas that are heavily reliant on groundwater could be significant. Additionally, areas that are exclusively reliant on surface water could experience shortages, particularly if conditions similar to the second scenario were to materialize. Expanding conjunctive use operations in the ARB Region will help address these concerns. RWA is working with local water suppliers on the following studies and data gathering efforts to continue to assess potential impacts and develop adaptive strategies to address concerns related to future climatic conditions:

- RWA will coordinate with the groundwater management entities to continue to track ARB region-wide changes in groundwater elevations through the California Statewide Groundwater Elevation Monitoring (CASGEM) program. RWA will report to the RWMG on trends.

**Section 2**  
**Region Description**

---

- Water use efficiency and conjunctive use operations are two key strategies to adapt to future climate change impacts on water supply. In 2014, RWA will begin collecting additional water use information from urban water suppliers to determine the Region's compliance with 20 percent by year 2020 gallon per capita per day reductions. Also, RWA will collect information on the amount of groundwater and surface water used by these agencies on a monthly basis, and begin developing a greater understanding of the conjunctive use potential of the ARB Region. This information will also help inform planning efforts and for the development of projects to help expand conjunctive use in the ARB Region.
- RWA is currently working with SMUD (the primary electric utility) on a study to assess the water-energy relationship of the ARB Region. PG&E may also participate in the study, but that has not yet been determined. The study will help identify areas where water and energy demands can be reduced, resulting in GHG emissions reductions. The study is expected to include several pilot projects to demonstrate beneficial measures. The study will also help inform planning efforts and the development of projects that can address both adaptation and mitigation related to future climate conditions.

**2.10.2. Climate Change Mitigation and Adaptation Strategies**

ARB Region stakeholders and participants recognize the importance of managing for climate change in the Region. Strategies for managing climate change include both mitigation and adaptation. Mitigation involves actions to reduce GHG emissions, while adaptation involves responding to the effects of climate change.

**Table 2-26** shows whether the counties and cities in the ARB Region have developed or plan to develop a GHG emissions inventory and/or a plan that addresses climate change. GHG emissions from water-related infrastructure and projects and adaptation actions, such as water conservation, are integral components of many of these plans. Many ARB stakeholders have contributed to their respective city or county plans.

**Table 2-26. GHG Emissions Inventories and Climate Change-Related Plans in the ARB Region**

<b>Municipality or Agency</b>	<b>GHG Emissions Inventory</b>	<b>Climate Action Plan, GHG Emission Reduction Plan, or Related Plan</b>
City of Auburn	No plans	No plans
City of Citrus Heights	Yes, done with Sacramento County plan	GHG Reduction Plan, 2011
El Dorado County	Plan to do	Plan to do
City of Elk Grove	Yes, done with Sacramento County plan	Climate Action Plan, 2013(a) and General Plan—Sustainability Element, 2013(b)
City of Folsom	Yes, done with Sacramento County plan	Yes, in progress
City of Galt	Yes, done with Sacramento County plan	Plan to do
City of Lincoln	Yes, in progress	Yes, in progress
Town of Loomis	No plans	No plans



**Table 2-26. GHG Emissions Inventories and Climate Change-Related Plans in the ARB Region (contd.)**

Municipality or Agency	GHG Emissions Inventory	Climate Action Plan, GHG Emission Reduction Plan, or Related Plan
Placer County	Yes, in progress	Yes, in progress
City of Rancho Cordova	Yes, done with Sacramento County plan	Yes, in progress
City of Rocklin	Yes, in progress	Yes, in progress
City of Roseville	City-operations Climate Action Plan, 2009; Community-wide Sustainability Action Plan, in progress	City-operations Climate Action Plan, 2009; Community-wide Sustainability Action Plan, in progress
City of Sacramento	Yes, done with Sacramento County plan	Climate Action Plan, 2012
Sacramento County	Greenhouse Gas Emissions Inventory for Sacramento County, 2009a	Climate Action Plan, 2011a

*Data Sources: Greenwise Joint Venture, 2013. Climate Action and Emissions in the SACOG region; California Office of Planning and Research, 2012.*

Key:

ARB = American River Basin

GHG = greenhouse gas

In addition to counties and cities, other agencies within the ARB Region are involved in GHG emission reporting. The Climate Registry is a nonprofit organization that provides a nationwide database for consistent and transparent tracking/reporting of GHG emissions (<http://www.theclimateregistry.org/>). The following agencies in the ARB Region are current members of this registry.

- PG&E
- PCWA
- SACOG
- Sacramento Metropolitan Air Quality Management District
- SMUD

Additionally, several water supply agencies have been progressive in developing GHG emission-related plans. For example, PCWA has completed an Energy and Greenhouse Gas Benchmark Study, which benchmarked PCWA’s energy use, inventoried GHG emissions, and developed energy and GHG emissions options. Stakeholders and participants are already working to inventory GHG emissions and are contributing to reducing GHG emissions by reducing energy consumption, investing in renewable energy, purchasing carbon offsets, and conducting other mitigation-related actions. **Appendix C** includes the results of an ARB water supply agency survey documenting GHG inventory and reduction efforts. The appendix contains a detailed list and descriptions of completed and planned mitigation actions undertaken by survey respondents.

## *Section 2*

### *Region Description*

---

In contrast to mitigation actions, the intent of adaptation actions is to have a water management system that is more adaptable to the increasingly uncertain climate patterns that are anticipated. Actions that are already underway, such as conjunctive use, water conservation measures, and integrated flood management will also help the Region to be more adaptable to climate change. These actions have been described throughout **Section 2**, and are also briefly described below.

- **Water demand reduction** – Reducing human water use increases water reliability during drier years and allows the same quantity of water to be available for other needs. Current efforts, such as decreasing urban per capita water demand, installing water meters, and public education (**Section 2.9.1**), help reduce water demand.
- **Water supply system improvements** – A more adaptable water supply system increases efficiency of water use, which will become more important with increasingly frequent and extreme drier years. Current efforts, such as conjunctive use management (**Section 2.6.3**), recycled water use (**Section 2.9.2**), and constructing interconnections between adjacent water districts (**Section 2.8**), increase water supply reliability of the Region.
- **Integrated flood management** – A comprehensive structural and nonstructural flood management system is necessary to adapt to the anticipated higher frequency and magnitude of floods. State (e.g., Central Valley Flood Management Planning Program) and local flood management efforts involve both structure improvement projects and consideration of floodplain easements and use of LID methods (**Section 2.7**).
- **Ecosystem stewardship** – Ecosystem- and environmental resources-related projects and supporting resilience of the environment will be increasingly important, as climate change affects the environment as well. Numerous environmental and watershed management groups are active within the ARB Region (**Section 2.6.2**), and nonstructural flood projects and programs currently involve environmental habitat considerations (**Section 2.7**).
- **Watershed stewardship** – Management of water resources from a watershed perspective is integral to promoting integrated management of resources for water supply, flood/stormwater management, and ecosystem needs. Numerous environmental and watershed management groups are active within the ARB Region (**Section 2.6.2**) and thinking is shifting among the non-environmental interest stakeholders to also consider watersheds as a viable perspective.

Climate change mitigation and adaptation actions are also an important part of the IRWMP. ARB strategies were designed to be flexible and adaptable so that climate change, among other future changes in the Region, can be addressed. New strategies can be proposed and vetted into the IRWMP every quarter. GHG emissions reduction and/or climate change adaptation components of ARB projects are also considerations in the project review process. These IRWMP Framework elements are described in greater detail in **Sections 5.6** and **5.7**.

## **2.11. Technical Analysis**

This subsection describes the technical information and analysis used in development of the ARB IRMWP. RWA, as the RWMG, and ARB stakeholders used this information to understand regional water resources conditions (**Section 2**); to develop ARB vision, goals, objectives and strategies (**Section 5**); and to determine means of implementing the IRWMP into the future (**Section 6**). The discussion below provides a summary of the technical data and information sources and the technical analyses used. Monitoring and collecting data from IRWMP implementation and data management into the future are discussed in **Sections 6.3** and **6.4**, respectively.

### **2.11.1. Technical Data and Information**

The water resources systems surrounding the ARB Region have been extensively studied and monitored for many years. Data for ARB IRWMP were collected from local, regional, state, and federal agencies. Information from local agencies often provides the level of detail that larger scale studies do not. Selecting to use plans, such as UWMPs, that are mandated or supported by the state, ensures that the information collected from numerous local agencies was compiled following similar standards, for similar purposes in a similar time frame. Many local agencies in the ARB Region also collaborate to develop regional plans, such as GMPs. The scale of information in these documents is ideal for an IRWMP and the data can be said to have been vetted by several local agencies. A list of identified local water plans can be found in **Appendix F**.

State and federal data were used when they provided sufficient detail (e.g., demographics) or when a statewide perspective was important (e.g., flood management systems). In cases where various local agencies provided differing information (e.g., surface water quality issues in the Region), state or federal sources were used as the neutral and accepted information.

Uncertainties in data do exist, especially since this IRWMP is a synthesis of data from numerous sources that report similar information, possibly collected in different ways. In some cases, different sources do not fully agree with each other. Nonetheless, the data are accurate enough that they portray the overall picture of the ARB Region.

An overview of the data and information used to support the ARB IRWMP is shown in **Table 2-27**.

**Section 2**  
**Region Description**

**Table 2-27. Data Used in the ARB IRWMP 2013 Update**

Section	Type of Data	Sources
2.1-2.4	Political and agency boundaries	Cal-Atlas; 2010 U.S. Census
2.5	Population and demographic data	2010 U.S. Census; 2012 SACOG data
2.5	Land-use data	SACOG GIS data; California Department of Conservation data
2.6	Hydrologic (surface and groundwater) and climatic data	GMPs/studies; USDA NRCS watershed delineations; CIMIS, Western Region Climate Change, USGS, and DWR/CDEC gage data; relevant watershed studies, including NMFS studies.
2.6	Surface and groundwater quality data	Agency data; GMPs/studies; U.S. EPA 303(d) list for impaired waters, Water Board beneficial use data
2.6	Ecosystem and habitat data	Habitat conservation plans, CDFW CNDDDB, local watershed management plans and studies.
2.7	Stormwater and flood data	SWMPs; DWR, flood-related documents; and other city or county hazard management plans
2.8	Water and wastewater system data	2010 UWMPs; sewer system master plans
2.9	Water supply, demand, and reliability information	2010 UWMPs and other agency water supply plans; GMPs/studies;
2.10	Climate change data and relevant efforts	GHG inventories, climate action plans

Note: Much of the data have been augmented by personal communications or stakeholder/agency input.

Key:

CDEC – California Data Exchange Center

CDFW – California Department of Fish and Wildlife

CIMIS – California Irrigation Management Information System

CNDDDB – California Natural Diversity Database

DWR – California Department of Water Resources

GHG – greenhouse gas emissions

GIS – geographic information system

GMP – groundwater management plan

NMFS – National Marine Fisheries Service

NRCS – National Resources Conservation Service

SACOG – Sacramento Area Council of Governments

SWMP – stormwater management plan

USDA – U.S. Department of Agriculture

U.S. EPA – U.S. Environmental Protection Agency

USGS – U.S. Geologic Survey

UWMP – urban water management plan

Some of the local water plans and studies cited in **Table 2-27** are described below.

- Urban Water Management Plans and Studies** – Documents that provide information about the Region’s water supply outlook and related management strategies include 2010 UWMPs. The 2010 UWMPs were prepared by each of the Region’s urban water suppliers with greater than 3,000 connections or that serve at least 3,000 AF annually. UWMPs are updated every 5 years and include historical water use information and 20-year projections of water demands, water supplies, recycled water use, and a water shortage contingency plan. Additionally, the 2010 UWMPs contained each supplier’s water conservation targets to meet the requirements of Senate Bill (SB) X7-7 requirements of 20 percent water conservation by 2020.
- Groundwater Management Plans and Studies** – The Region is actively managing its groundwater resources through planning and monitoring efforts. GMPs recently completed or updated within the Region include: the Western Placer County GMP, the North American River Basin GMP, the Central Sacramento County GMP, and the South Basin (these basins are described in **Section 2.6.3**). These plans define basin management objectives (BMO) necessary to maintain the quality, reliability, and sustainability of groundwater resources on local and regional scales. These BMOs complement the IRWMP objectives.

- **Recycled Water Plans and Studies** – The Region is diversifying its water supply portfolio through the use of recycled water. Several agencies supply recycled water that offsets potable water use or provides other beneficial uses. These agencies completed studies and projects over the past decade that contributed technical data used in the ARB IRWMP.
- **Stormwater and Flood Management Plans and Studies** – Several stormwater and flood management planning efforts have been completed or are underway in the Region. These efforts identify opportunities for and benefits of enhancing storm and flood management systems. Stormwater-related plans provided information on current stormwater management systems and the NPDES permits relevant to the Region. Local flood management plans identified local flooding concerns as well as augmented watershed descriptions of local creeks. Understanding of both local stormwater and flood management will assist implementation of any water quality- and LID-related objectives and strategies.
- **Watershed and Habitat Conservation Plans and Studies** – Several watershed and habitat conservation planning efforts have been completed or are underway in the Region. The ARB IRWMP objectives and strategies reflect some of the concerns and initiatives identified in these planning efforts. Habitat Conservation Plans (HCP) and related efforts established regional conservation and development guidelines to protect natural resources while improving and streamlining the permitting process for endangered species and wetland regulations. By proactively addressing the Region’s long-term conservation needs, these efforts strengthen local control over land use and provide greater flexibility in meeting water management and other needs in the Region. HCPs and related plans provide species and habitat information to guide future efforts in regional habitat and species management.

### **2.11.2. Technical Analyses and Methods**

Several components of this ARB IRWMP required more in-depth analysis or data management methods than compiling information from other studies and data sets. RWA conducted a quantitative climate change vulnerability analysis. This involved combining information from DWR’s CalSim model with the SacIWRM to assess the effects of climate change on the surface water and groundwater resources. The results of this analysis, described in **Appendix D**, provided information about how future climate conditions could change water supply reliability, stream flow, and groundwater levels.

To develop this IRWMP and to assist continued implementation into the future, RWA also developed a Web-based Opti tool. This tool acts as a database of ARB project information, as well as a means to share water-related information, events, and projects with the regional community. Opti also allows quick analysis of current ARB projects throughout the Region. This tool is described in further detail in the following sections: its role in stakeholder outreach and collaboration in **Section 3**, its role in collecting project information in **Section 5**, and its role as a data management tool and adaptable tool into the future in **Section 6**.

*This page left blank intentionally.*